

Re: Command Button Wizard

Source:

<http://www.tech-archive.net/Archive/Access/microsoft.public.access.formscoding/2008-02/msg00944.html>

- *From:* "BruceM" <bamoob@xxxxxxxxxxxxxxxxxxxx>
 - *Date:* Thu, 14 Feb 2008 12:50:20 -0500
-

The suggestion for Access 2003 should work for Access 2000.

"majordud" <majordud@xxxxxxxxxxxxxxxxxxxxxxxxxxxx> wrote in message
<news:84A79365-D939-4587-ABBC-7ECF24F0B2E5@xxxxxxxxxxxxxxxxxxxx>

Thanks for your reponse, but as stated, I am using Access 2000 – perhaps you could tailor your comments more specifically for 2000?

—

signed, me, myself and I.

"Allen Browne" wrote:

Perhaps it is a security setting.

In Access 2003, go to Tools | Macro | Security, and set the Macro security to Low.

In Access 2007, make sure the database is in a trusted location via: Office Button | Access Options | Trust Center | Trust Center Settings

Alternatively, there could be a problem with library references in the db where it doesn't work. For solving problems with references, see:

<http://allenbrowne.com/ser-38.html>

To help track down what's wrong, you need to be able to see your error messages. In the code window, go to:

Tools | Options | General

and set Error Trapping to "Break on Unhandled Errors."

In the options of the main Access window, make sure you have not disabled Special Keys in the startup.

—

Allen Browne – Microsoft MVP. Perth, Western Australia

Tips for Access users – <http://allenbrowne.com/tips.html>

Reply to group, rather than allenbrowne at mvps dot org.

"majordud" <majordud@xxxxxxxxxxxxxxxxxxxxxxxxxxxx> wrote in message
<news:F201863B-3B8A-48EC-9692-CFF98B9940CE@xxxxxxxxxxxxxxxxxxxx>

Re: Command Button Wizard

- > Using Access 2000, I have built an extensive database, & the command
- > buttons
- > built with the Wizard all work. All simple commands, such as Print, > Find
- > Record, etc. I build another database (ostensibly with all the same
- > settings) and the command buttons built with the Wizard will not work –
- > none
- > of them – when clicking on such a button, it depresses, but nothing
- > happens.
- > I build another database, and the command buttons built with the Wizard
- > all
- > work. Why? What variable is available that apparently switches off > all
- > the
- > buttons? The macro code established by the Wizard in a db that works > is
- > identical to the macro code in the db that doesn't work.
- > Suggestions?
- > -- > signed, me, myself and I.