

Re: Problem with SQL Server [Solution]

Source:

<http://www.tech-archive.net/Archive/DotNet/microsoft.public.dotnet.framework.adonet/2004-02/0424.html>

From: David W. Simmonds (*david_at_simmonds.ca*)

Date: 02/05/04

Date: Thu, 05 Feb 2004 21:16:52 GMT

Apparently my sql server was not set to mixed mode authentication. Once I set it to that mode, I can now supply a UID and PWD to the connect string and all works fine.

"Kevin Yu [MSFT]" <v-kevy@online.microsoft.com> wrote in message news:AtfYRu76DHA.3496@cpmsftngxa07.phx.gbl...

> *Hi David*

>

> *Since you got nothing from the SQL trace, there might be something wrong with the Trace Properties. When you are creating a new trace, before Click the Run button, please check the Events tab and Filters tab. Make sure that*

> *Security Audit / Audit Login and Audit Logout has been added to the right tree view in Events tab. And ApplicationName/ Like property has not been set. So that the profiler can trace the actions performed by your application.*

>

> *If you are working in a domain environment, please also try to impersonate a domain user which is the administrator of both the web server and SQL server. Generally, this will work in most cases. If the problem still persists, would you please paste the trace log here?*

>

> *If anything is unclear, please feel free to reply to the post.*

>

> *Kevin Yu*

> =====

> *"This posting is provided "AS IS" with no warranties, and confers no rights."*

>