

Re: Dataset / Pacific Timezone Question

Source:

<http://www.tech-archive.net/Archive/DotNet/microsoft.public.dotnet.framework.adonet/2004-09/1023.html>

From: William \ (Bill) Vaughn (*billvaRemoveThis_at_nwlink.com*)

Date: 09/18/04

Date: Sat, 18 Sep 2004 12:31:04 -0700

Design your system to store universal time instead of local time. When it comes time to display the value, the application can use locally-configured timezone settings to adjust the values. SQL Server supports this directly by use of the GETUTCDATE() function.

--

William (Bill) Vaughn
Author, Mentor, Consultant
Microsoft MVP
www.betav.com

Please reply only to the newsgroup so that others can benefit.
This posting is provided "AS IS" with no warranties, and confers no rights.

"Amos Soma" <amos_j_soma@y_a_hoo.com> wrote in message
news:ebmdnRr5trdu6dHcRVn-hQ@buckeye-express.com...
> How and/or where would I do this?
>
> "William (Bill) Vaughn" <billvaRemoveThis@nwlink.com> wrote in message
> news:udkJpMSnEHA.3908@TK2MSFTNGP09.phx.gbl...
>> Use UTC time.
>>
>> --
>>
>> _____
>> William (Bill) Vaughn
>> Author, Mentor, Consultant
>> Microsoft MVP
>> www.betav.com
>> Please reply only to the newsgroup so that others can benefit.
>> This posting is provided "AS IS" with no warranties, and confers no
> rights.
>>
>>
>> "Amos Soma" <amos_j_soma@y_a_hoo.com> wrote in message
>> news:kZWdnd308q5iuNbcRVn-hQ@buckeye-express.com...
>> >I have a Web Service on a Web Server on the East Coast
>> > which returns a serialized DataSet from my SqlServer at
>> > the same location.
>> >
>> > When the DataSet is read by my client in a
>> > different time zone, the datetime columns have
>> > been "adjusted" to account for the time zone difference
>> > between server and client.
>> >
>> > For example, if the value in a datetime column on my

