

RE: getting Membership userid to use and store in a custom databas

Source:

<http://www.tech-archive.net/Archive/DotNet/microsoft.public.dotnet.framework.aspnet.webcontrols/2005-11/msg000>

- *From:* "TdarTdar" <Tdar@xxxxxxxxxxxxxxxx>
 - *Date:* Mon, 7 Nov 2005 20:20:03 -0800
-

I am wondering how i could use that in when configuring the data connection. should i just throw the userid in a hidden text box and they use the control function in the configure dataconnection to do a where query on that user id, or is there a better easier way to do that ??

"Steven Cheng[MSFT]" wrote:

> Hi Tdar,
>
> Glad that you've fot it working. Also, it's my pleasure to be of
> assistance. If there're any further things we can help, please feel free to
> post here.
>
> Thanks,
>
> Steven Cheng
> Microsoft Online Support
>
> Get Secure! www.microsoft.com/security
> (This posting is provided "AS IS", with no warranties, and confers no
> rights.)
>
>
> -----
> | Thread-Topic: getting Membership userid to use and store in a custom
> | databas
> | thread-index: AcXjrk2hkYaS5LROZWhNEOKedvxLw==
> | X-WBNR-Posting-Host: 24.73.223.27
> | From: "=?Utf-8?B?VGRhclRkYXI=?" <Tdar@xxxxxxxxxxxxxxxx>
> | References: <E58FF96B-6338-46C8-8F9F-388A6BAF2262@xxxxxxxxxxxxxxxx>
> <40eCR904FHA.3936@xxxxxxxxxxxxxxxxxxxxxxxx>
> <046814B3-856E-4548-9E84-E23C676D0E0C@xxxxxxxxxxxxxxxx>
> | Subject: RE: getting Membership userid to use and store in a custom
> | databas
> | Date: Mon, 7 Nov 2005 07:17:01 -0800

RE: getting Membership userid to use and store in a custom databas

> | Lines: 109
> | Message-ID: <F0207F1B-014F-4D1C-82DE-40006E155E1E@xxxxxxxxxxxxxx>
> | MIME-Version: 1.0
> | Content-Type: text/plain;
> | charset="Utf-8"
> | Content-Transfer-Encoding: 7bit
> | X-Newsreader: Microsoft CDO for Windows 2000
> | Content-Class: urn:content-classes:message
> | Importance: normal
> | Priority: normal
> | X-MimeOLE: Produced By Microsoft MimeOLE V6.00.3790.0
> | Newsgroups: microsoft.public.dotnet.framework.aspnet.webcontrols
> | NNTP-Posting-Host: TK2MSFTNGXA03.phx.gbl 10.40.2.250
> | Path: TK2MSFTNGXA01.phx.gbl!TK2MSFTNGXA03.phx.gbl
> | Xref: TK2MSFTNGXA01.phx.gbl
> microsoft.public.dotnet.framework.aspnet.webcontrols:11743
> | X-Tomcat-NG: microsoft.public.dotnet.framework.aspnet.webcontrols
> |
> | Sorry,
> | I actually know how to convert it to VB now
> |
> | Dim UserInfo as MembershipUser
> |
> | Finally understand all this :)
> |
> | Tdar
> |
> | "TdarTdar" wrote:
> |
> | > I would like to use the key in a many to one database the (one being
> | your
> | > membership database, many being favorite items for that user) for
> | there
> | > custom home page. In order to accomplish this I would need the userid
> | > (unique key) that i can populate as a relationship between the two SQL
> | > tables. And I would need to query for that information in that table
> | after
> | > words.
> | >
> | > Tdar
> | >
> | > "Steven Cheng[MSFT]" wrote:
> | >
> | > > Hi Tdar,
> | > >
> | > > Welcome to ASPNET newsgroup.
> | > > Regarding on the getting Membership userid question, do you mean how
> | > to
> | > > access the underlying MembershipUser's identity value(primary key)?
> | > Based
> | > > on my understanding, we can get the MembershipUser's underlying

RE: getting Membership userid to use and store in a custom databas

RE: getting Membership userid to use and store in a custom databas

```
> database
> |>> identity through the following code:
> |>>
> |>> =====
> |>> protected void Page_Load(object sender, EventArgs e)
> |>> {
> |>> MembershipUser user = Membership.GetUser();
> |>>
> |>> Response.Write("<br>Username: " + user.UserName);
> |>> Response.Write("<br>:LastLoginDate " + user.LastLoginDate);
> |>> Response.Write("<br>ProviderUserKey: " +
> |>> user.ProviderUserKey.ToString());
> |>> }
> |>> =====
> |>>
> |>> the above code help display the current login user's ProviderUserKey.
>
> |>> However, the "ProviderUserKey contains the underlying user key
> identity
> |>> which is provider specific(generally it should be transparent to
> |>> developers...). So we do not recommend that we directly use it in our
> |>> asp.net web application. Also, for FormsAuthentication, the
> authentication
> |>> ticket is cookie based, and I think the authentication ticket only
> |>> contains username as the identity rather than the underlying UserKey.
> |>> Is there any particular scenario in your application that you need to
> use
> |>> the underlying Provider specific UserKey value? Please feel free to
> post
> |>> here if you have anything unclear.
> |>>
> |>> Thanks,
> |>>
> |>> Steven Cheng
> |>> Microsoft Online Support
> |>>
> |>> Get Secure! www.microsoft.com/security
> |>> (This posting is provided "AS IS", with no warranties, and confers no
> |>> rights.)
> |>>
> |>>
> |>>
> |>>
> |>>
> |>> -----
> |>> | Thread-Topic: getting Membership userid to use and store in a
> custom
> |>> database
> |>> | thread-index: AcXiO0UBc5CrmfpOQsuTIEeMy9+g4Q==
> |>> | X-WBNR-Posting-Host: 24.73.223.27
> |>> | From: "?Utf-8?B?VGRhclRkYXI=?" <Tdar@xxxxxxxxxxxxxxxx>
```

RE: getting Membership userid to use and store in a custom databas

> |>> | Subject: getting Membership userid to use and store in a custom
> database
> |>> | Date: Sat, 5 Nov 2005 11:01:03 -0800
> |>> | Lines: 13
> |>> | Message-ID: <E58FF96B-6338-46C8-8F9F-388A6BAF2262@xxxxxxxxxxxxxx>
> |>> | MIME-Version: 1.0
> |>> | Content-Type: text/plain;
> |>> | charset="Utf-8"
> |>> | Content-Transfer-Encoding: 7bit
> |>> | X-Newsreader: Microsoft CDO for Windows 2000
> |>> | Content-Class: urn:content-classes:message
> |>> | Importance: normal
> |>> | Priority: normal
> |>> | X-MimeOLE: Produced By Microsoft MimeOLE V6.00.3790.0
> |>> | Newsgroups: microsoft.public.dotnet.framework.aspnet.webcontrols
> |>> | NNTP-Posting-Host: TK2MSFTNGXA03.phx.gbl 10.40.2.250
> |>> | Path: TK2MSFTNGXA01.phx.gbl!TK2MSFTNGXA03.phx.gbl
> |>> | Xref: TK2MSFTNGXA01.phx.gbl
> |>> microsoft.public.dotnet.framework.aspnet.webcontrols:11708
> |>> | X-Tomcat-NG: microsoft.public.dotnet.framework.aspnet.webcontrols
> |>> |
> |>> | Hello,
> |>> | What is the code to retrieve the userid of the currently logged in
> user
> |>> | from the asp)user membership databse using the new login
> controls of
> |>> | asp.net 2.
> |>> |
> |>> | How do i use that in the "configure database source. What is the
> source
> |>> | would it be profile or from the cookie, and if it is profile what
> would
> |>> | be in
> |>> | teh propery name?
> |>> |
> |>> | Tdar
> |>> |
> |>> |
> |>> |
> |>> |
> |>> |
> |>> |
> |>> |
> |
>
>
.

• *Follow-Ups:*

◆ *RE: getting Membership userid to use and store in a custom databas*

RE: getting Membership userid to use and store in a custom databas

◇ *From:* Steven Cheng[MSFT]

• **References:**

◆ **RE: getting Membership userid to use and store in a custom database**

◇ *From:* Steven Cheng[MSFT]

◆ **RE: getting Membership userid to use and store in a custom databas**

◇ *From:* TdarTdar

◆ **RE: getting Membership userid to use and store in a custom databas**

◇ *From:* TdarTdar

◆ **RE: getting Membership userid to use and store in a custom databas**

◇ *From:* Steven Cheng[MSFT]

• Prev by Date: **Re: Gridview Updates not writing to database after clicking update**

• Next by Date: **Re: Enter Key posts the Page**

• Previous by thread: **RE: getting Membership userid to use and store in a custom databas**

• Next by thread: **RE: getting Membership userid to use and store in a custom databas**

• Index(es):

◆ **Date**

◆ **Thread**