

Re: Double hop reloaded

Re: Double hop reloaded

Source:

<http://www.tech-archive.net/Archive/DotNet/microsoft.public.dotnet.framework.aspnet/2005-04/msg00310.html>

- *From:* Brock Allen <ballen@xxxxxxxxxxxxxxxxxxxxx>
 - *Date:* Thu, 31 Mar 2005 07:59:30 -0800
-

Then you're in a pickle. You either need to 1) setup a domain user for your ASP.NET application that has the right creds for your AD, 2) enable the delegation for your AD users if you're using integrated auth, or 3) switch to using basic auth (over SSL, of course).

-Brock
DevelopMentor
<http://staff.develop.com/ballen>

No i can't.
This project is for a very large organization,
and the department that controls the domain users,
will never allow it.
As a part of the policy, all users must change their passwords
periodically.
So any hard coded user name and password, will eventually fail.
I tried disabling Impersonation, and still login fails.
Thanks.
Sharon.
"Scott Allen" <scott@xxxxxxxxxxxxxxxxxxxxx> wrote in message
<news:3kvn41hbe3npv05n25mki022qq2a0tnda7@xxxxxxxxxxxx>

Hi Sharon:

What you'll have to do is use an identity that the AD server
understands. Perhaps you could run the worker process under a domain
account with enough permissions in AD?

--
Scott

Re: Double hop reloaded

Re: Double hop reloaded

<http://www.OdeToCode.com/blogs/scott/>

On Thu, 31 Mar 2005 13:29:58 +0200, "Sharon" <sharon@xxxxxxxx>
wrote:

Thanks Scott.
This is a "bit" confusing.
As i understand it so far, delegation is only possible using
Kerberos,
and all users in Active Directory have to be marked for delegation.
Unfortunately, the fruit basket will not work here, and i've ruled
out
pumping laughter gas into the IT room ventilation system.
What if i revert to the IIS identity before the Active Directory
query?
Problem is, how do i get the WindowsImpersonationContext, to call
Undo
method?
The only other solution is to use Basic authentication, which i
don't

like.

Sharon.

"Scott Allen" <scott@xxxxxxxxxxxxxxxxxxxx> wrote in message
<news:n84m41p0vmrvmeqj4rnmrrl0qo4lsv65a5@xxxxxxxx>

Yes, I have some links to delegation resources on my blog:

<http://odetocode.com/Blogs/scott/archive/2005/02/24/1053.aspx>

--

Scott

<http://www.OdeToCode.com/blogs/scott/>

On Wed, 30 Mar 2005 22:32:02 +0200, "Sharon" <sharon@xxxxxxxx>
wrote:

Hi to all..

I'm using impersonation, combined with windows authentication.

When the page tries to connect to active directory,

i get login failure, due to double hop issue.

As i understand it, the iis does not receive a

primary token, so how can i authenticate against Active director

Re: Double hop reloaded

Is it possible to delegate, when using impersonation and windows authentication?

Thanks.

Sharon.