

# Re: Extending MembershipUser

---

*Source:*

<http://www.tech-archive.net/Archive/DotNet/microsoft.public.dotnet.framework.aspnet/2006-01/msg01570.html>

---

- *From:* [stcheng@xxxxxxxxxxxxxxxxxxxxxx](mailto:stcheng@xxxxxxxxxxxxxxxxxxxxxx) (Steven Cheng[MSFT])
  - *Date:* Wed, 11 Jan 2006 08:18:28 GMT
- 

Thanks for your response Mark,

So is there any particular custom types used in your membership provider which is separated from your main class file (of the provider)? Also, I think you can also consider pull the custom provider code out of the asp.net application, make them in a separate class library project (include in the same solution), then you can add the reference to the compiled class library project and don't need to let the provider classes dynamically compiled.... This may make the assembly name clear...

Thanks,

Steven Cheng  
Microsoft Online Support

Get Secure! [www.microsoft.com/security](http://www.microsoft.com/security)  
(This posting is provided "AS IS", with no warranties, and confers no rights.)

---

| NNTP-Posting-Date: Tue, 10 Jan 2006 12:18:17 -0600  
| From: Mark Olbert <[ChairmanMAO@xxxxxxxxxxxxxxxxxxxxxx](mailto:ChairmanMAO@xxxxxxxxxxxxxxxxxxxxxx)>  
| Newsgroups: microsoft.public.dotnet.framework.aspnet  
| Subject: Re: Extending MembershipUser  
| Date: Tue, 10 Jan 2006 10:18:17 -0800  
| Organization: Olbert & McHugh, LLC  
| Reply-To: [mark@xxxxxxxxxxxxxx](mailto:mark@xxxxxxxxxxxxxx)  
| Message-ID: <[0hu7s1hdm36b331d6s6pi6evp5gokk7nk7@xxxxxxx](mailto:0hu7s1hdm36b331d6s6pi6evp5gokk7nk7@xxxxxxx)>  
| References: <[gt26s198st4h1bdqfqrars82lnq9ojuiuh@xxxxxxx](mailto:gt26s198st4h1bdqfqrars82lnq9ojuiuh@xxxxxxx)>  
<[5sOap9dFGHA.224@xxxxxxxxxxxxxxxxxxxxxx](mailto:5sOap9dFGHA.224@xxxxxxxxxxxxxxxxxxxxxx)>  
<[03r7s15d0f7lbim0p6qp4n1n3mvhaabdsb@xxxxxxx](mailto:03r7s15d0f7lbim0p6qp4n1n3mvhaabdsb@xxxxxxx)>  
| X-Newsreader: Forte Agent 3.1/32.783  
| MIME-Version: 1.0  
| Content-Type: text/plain; charset=us-ascii  
| Content-Transfer-Encoding: 7bit  
| Lines: 5  
| X-Trace:

Re: Extending MembershipUser

sv3-oQ3W88ujgM+5qN3ILD8GVFlh2nizLRSue7cVZ5ZYcaONFL/rjvjrklEr4JexW/BXEaU2H2mR  
+BbCwom!1X6uAcN6TAeAVJqqhC0Wt/zJwrCsvWu/fIqtH9r4ca9dblbg2X1Ip9Q20CwaNW1NchG  
Bg==

| X-Complaints-To: abuse@xxxxxxxxxxxxx

| X-DMCA-Notifications: <http://www.giganews.com/info/dmca.html>

| X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

| X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your  
complaint properly

| X-Postfilter: 1.3.32

| Path:

TK2MSFTNGXA02.phx.gbl!TK2MSFTNGP08.phx.gbl!newsfeed00.sul.t-online.de!t-onli  
ne.de!border2.nntp.dca.giganews.com!news-out.readnews.com!news-xxxfer.readne  
ws.com!216.196.98.140.MISMATCH!border1.nntp.dca.giganews.com!nntp.giganews.c  
om!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail

| Xref: TK2MSFTNGXA02.phx.gbl

microsoft.public.dotnet.framework.aspnet:369862

| X-Tomcat-NG: microsoft.public.dotnet.framework.aspnet

|

| I should also have mentioned that watching the ASPNET Configuration tool  
in the debugger shows that the call to GetAllUsers()

| succeeds (i.e., instances of my custom MembershipUser class are created,  
added to MembershipUserCollection and returned). The

| failure to load the Type occurs after the call to GetAllUsers().

|

| - Mark

|

.

---

• **Follow-Ups:**

◆ **Re: Extending MembershipUser**

◇ From: Mark Olbert

• **References:**

◆ **Extending MembershipUser**

◇ From: Mark Olbert

◆ **RE: Extending MembershipUser**

◇ From: Steven Cheng[MSFT]

◆ **Re: Extending MembershipUser**

◇ From: Mark Olbert

◆ **Re: Extending MembershipUser**

◇ From: Mark Olbert

• Prev by Date: **Re: File.Copy Error**

• Next by Date: **Re: How to add an ActiveX component to .NET web form?**

• Previous by thread: **Re: Extending MembershipUser**

• Next by thread: **Re: Extending MembershipUser**

• Index(es):

◆ **Date**

◆ *Thread*