

Re: how'd they do that

Source:

<http://www.tech-archive.net/Archive/DotNet/microsoft.public.dotnet.framework.aspnet/2006-09/msg02819.html>

- *From:* "Kevin Spencer" <uce@xxxxxxx>
 - *Date:* Wed, 20 Sep 2006 15:49:21 -0400
-

Hi Juan,

That **is** odd. Because in IE (6), I can view the source as well, no buttons are disabled.

BTW, there's always a way to view the source code of an HTML document, regardless of what the developer does to prevent it.

--

HTH,

Kevin Spencer
Microsoft MVP
Software Composer

A watched clock never boils.

"Juan T. Llibre" <nomailreplies@xxxxxxxxxxxx> wrote in message
news:eEISlvO3GHA.4648@xxxxxxxxxxxxxxxxxxxxxxxxxxxx

re:

Well, actually I CAN...
This is the main frame page's source:

Serves me right for relying on IE.
I opened the page with Firefox and, sure enough, it's as you say.

Now I'll have to see why IE is preventing me from viewing source on that page.

Thanks for nothing, Mark. I didn't need the extra sleuthing I'll have to do.

:~)

Re: how'd they do that

Juan T. Llibre, asp.net MVP
aspnetfaq.com : <http://www.aspnetfaq.com/>
asp.net faq : <http://asp.net.do/faq/>
foros de asp.net, en español : <http://asp.net.do/foros/>

=====
"Mark Rae" <mark@xxxxxxxxxxxxxxxxxxxx> wrote in message
<news:%23qms1OO3GHA.3464@xxxxxxxxxxxxxxxxxxxxxxxxxxxx>

"Juan T. Llibre" <nomailreplies@xxxxxxxxxxxx> wrote in message
[news:%23YFKR\\$N3GHA.4164@xxxxxxxxxxxxxxxxxxxxxxxxxxxx](news:%23YFKR$N3GHA.4164@xxxxxxxxxxxxxxxxxxxxxxxxxxxx)

you must be looking at a different page.

Once you're signed into Subscriber Services :
<https://msdn.microsoft.com/subscriptions/account/ManageSubscription.aspx>

I clicked the above link, signed in, then clicked the "Subscriber Downloads and Product Keys link as the OP requested.

...the "view source" buttons are disabled.

You CANNOT "view source" at MSDN once you're logged in.

Well, actually I CAN...

This is the main frame page's source:

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
"http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" >
<head id="Head1" Text="MSDN Subscriber Downloads" AccessKey=""
ToolTip=""><link href="common/InnerPageStyles.CSS" type="text/css"
rel="STYLESHEET" /><title>
MSDN Subscriber Downloads
</title>
<script>

//function fnChangeTitle(title)
//{
// document.title = title;
//var japTitle = document.getElementById("japtitle").value;
//if(
window.top.TocFrame.document.getElementById("MyFrameset").getAttribute('cols')
== '220,*') || (
```

Re: how'd they do that

Re: how'd they do that

```
else if(title==Ittitle && IsItalian=="true")
{

window.top.TocFrame.document.getElementById("MyFrameset").setAttribute('cols','250,*');
}
else
{

window.top.TocFrame.document.getElementById("MyFrameset").setAttribute('cols','198,*');
}

}

</script>
</head>

<noscript>
<table width="100%" align="center" border="0" cellpadding="0"
cellspacing="10">
<tr>
<td class="DefaultText">
<span id="IblNoScript"><br/><br/>
This site uses Javascript. Please enable Javascript in the browser and
then refresh the page.
<br/>
</span>
</td>
</tr>
</table>
</noscript>

<div id="divPageContent" style="display:none:"><input name="japtitle"
type="hidden" id="japtitle" value="MSDN ??????? ??????" />
<!-- TechNet 3.2 For Increasing and Decreasing width of Frame so that
Button and Textbox can fit in the Frame-->
<input name="Gertitle" type="hidden" id="Gertitle"
value="MSDN-Abonentendownloads" />
<input name="Ittitle" type="hidden" id="Ittitle" value="MSDN
Subscriber Downloads" />
<input name="Frtitle" type="hidden" id="Frtitle"
value="Téléchargements pour les abonnés MSDN" />
<script language="javascript">
if(screen.width <= 800)
{
document.write('<frameset rows="107,*,59"
framespacing="0" frameborder="0" >');
document.write('<frame name="frameHeader"
src="MSDN/Header.aspx" scrolling=yes>');

```

Re: how'd they do that

Re: how'd they do that

```
↓  
else  
{  
document.write('<frameset rows="93.*.59"  
framespacing="0" frameborder="0" >');  
document.write('<frame name="frameHeader"  
src="MSDN/Header.aspx" scrolling=no>');  
}  
  
</script>  
<FRAMESET cols=198.* frameborder="1"  
FRAMESPACING="6" TOPMARGIN="0" LEFTMARGIN="0"  
MARGINHEIGHT="0"  
MARGINWIDTH="0" id="MyFrameset" name="TocFrame">  
<FRAMESET rows="75.*"  
frameborder="1" FRAMESPACING="0">  
<frame  
name="frameTOCSearch" FRAMESPACING="0" FRAMEBORDER="no"  
BORDER="0"  
src="GlobalSearch.aspx" scrolling=no >  
<frame  
name="frameTOC" frameborder=no src="Tree.aspx"  
FRAMESPACING="0"  
BORDER="0" scrolling="Auto" >  
</FRAMESET>  
<span id="scrollgenerator"  
style="position:relative;top:100%;left:100%"></span>  
<frame name="frameBody" src=WhatsHot.aspx FRAMEBORDER="no"  
BORDER="1" BORDERCOLOR="#3568cc" marginwidth="10px"  
marginheight=0  
scrolling=Auto >  
</FRAMESET>  
<frame noresize name="frameFooter" src="MSDN/Footer.aspx"  
scrolling =no>  
</frameset>  
  
<script>  
document.all.divPageContent.style.display = "block";  
</script>  
</div>  
  
</html>
```

And this is the source for the frame which the OP was particularly interested in:

```
<html>
```

Re: how'd they do that

Re: how'd they do that

```
<head>
<link href="Common/InnerPageStyles.css" type="text/css"
rel="stylesheet">
<style>
A: hover { FONT-SIZE: 8pt; COLOR: red; FONT-FAMILY: "Verdana";
TEXT-DECORATION: underline }
</style>

<script language="javascript" src="Common/AllValidations.js"></script>

<title>
Whats Hot
</title>

<script language="JavaScript">
<!--

if (window.location.href.toLowerCase().indexOf("home.aspx")
!= -1)
{
if (window.parent != window)
parent.location.replace("home.aspx");
}
else
{
if (parent.location.href == location.href) {
parent.location.replace("home.aspx");
}
}

//-->

</script>

</head>
<body onload="javascript:SetScroll('frmWhatsHot', 'hidxCoordHolder',
'hidyCoordHolder');javascript:RefreshFrames():"
onscroll="javascript:GetCoords('frmWhatsHot', 'hidxCoordHolder',
'hidyCoordHolder')"
onkeypress="javascript:GetCoords('frmWhatsHot', 'hidxCoordHolder',
'hidyCoordHolder')"
onclick="javascript:GetCoords('frmWhatsHot', 'hidxCoordHolder',
'hidyCoordHolder')"
class="BackGroundColor" bottommargin="0" leftmargin="0" topmargin="0"
rightmargin="0">

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
"http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<body>
<table cellSpacing=0 cellPadding=0 width="100%" border=0 height=19>
```

Re: how'd they do that

Re: how'd they do that

```
<tr>
<!-- Setting Value of CSS class after reading the value from
Web.Config according to Tenant -->
<td class= BlueContentHeader>
<span id="Title1_LblTitle">MSDN Subscriber
Downloads</span>
</td>
</tr>
</table>
</body>
</html>
```

```
<noscript>
<table width="100%" align="center" border="0" cellpadding="0"
cellspacing="10">
<tr>
<td class="DefaultText">
<span id="lblNoScript"><br/><br/>
This site uses Javascript. Please enable Javascript in the browser and
then refresh the page.
<br/>
</span>
</td>
</tr>
</table>
</noscript> <form name="frmWhatsHot" method="post"
action="WhatsHot.aspx" id="frmWhatsHot">
<div>
<input type="hidden" name=" __VIEWSTATE" id=" __VIEWSTATE"
value="/wEPDwUKMTg0ODE0ODM1OQ8WAh4Gc291cmNIMtwmAAEAAAD/////AQAAAAAAAAA
A" />
</div>
```

```
<script language=javascript> window.top.parent.fnChangeTitle('MSDN
Subscriber Downloads','false');</script>
```

```
<div id="divPageContent" style="display:none;">
<table cellpadding="0" cellspacing="0" width="100%" border="0"
align="left">
<tr>
<td width="3%" valign="top"></td>
<td width="70%" valign="top">
<table cellpadding="3px" border="0" cellspacing="0"
align="left">
<tr>
<td valign="top">
```

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
"http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
<link rel="stylesheet" type="text/css"
href="common/InnerPageStyles.CSS">
```

Re: how'd they do that

Re: how'd they do that

```
<html xmlns="http://www.w3.org/1999/xhtml" >
<div id="Announcements1_pnlAnnouncements">
<span id="Announcements1_lblAnnouncements"
class="SectionHeadingText">Announcements</span>
<table border=0>
<tr class="DefaultText" align="left">
<td>
<p><font color="#000080"><b>MSDN Subscription
Terms<br>
</b></font>MSDN subscriptions offer each licensed user the right to use
the software
included in the subscription to design, develop, test, and demonstrate
their products.&nbsp;
Please see the <a target=" blank"
href="http://msdn.microsoft.com/subscriptions/downloads/EULA.pdf">
Master End–User License Agreement</a> (PDF).&nbsp;&nbsp;&nbsp; You may
also
visit our
main <u>
<a target=" blank"
href="http://msdn.microsoft.com/subscriptions/licensing/default.aspx">
Licensing</a></u> page for more details</span></font>, and common
questions are
addressed in the
<a target=" blank"
href="http://msdn.microsoft.com/subscriptions/faq/default.aspx#licensing">
Licensing FAQ</a>.<br><br></p>
</td>
</tr>
<tr class="DefaultText" align="left">
<td>
<p><b>Which Windows Vista Beta is right for
me?</b>
<br />If you have questions about which build of Windows Vista and .NET
3.0 development tools is right for you, please visit
<a target=" blank"
href="http://blogs.msdn.com/tomarcher/archive/2006/07/17/668572.aspx">Tom
Archer's blog</a> where Tom discusses the differences. Please note MSDN
Subscriber Downloads includes only <b>Windows Vista Beta 2</b> and
<b>Windows Vista July CTP</b>.
</p>
</td>
</tr>
</table>
```

Re: how'd they do that

Re: how'd they do that

</div>
</html>

</td>
</tr>
<tr>
<td valign="top">
<div id="pnlNewestDnld">

<tr>
<td valign="top" width="100%">
<span id="lblNewsDownload"
class="SectionHeadingText">Newest Downloads
<span id="lblBase"
class="DefaultTextBoldGray">(based on your
<a id="InkSite"
class="DefaultTextBoldLink" SoftkeyLabel=""
href="SitePreferences.aspx">Download Preferences<span id="lblSite"
class="DefaultTextBoldGray">>

</td>

</tr>

<tr>

<td valign="top" width="100%"

align="right">

<div>

<table class="DefaultText" cellspacing="0" cellpadding="3" rules="all"

DetailSummaryText="Summary View" DetailNextRowText="Next Row"

DetailPreviousRowText="Previous Row" border="1" id="grdvNewstDwnld"

style="border-color:Black;border-width:1px;border-style:solid;width:100%;border-collapse:collapse"

<tr class="DefaultText" valign="top"

style="background-color:#F1F1F1;border-color:Black;">

<th class="GridColHeader"

OnClick="DoSort('content_name','asc','frmWhatsHot')" scope="col"

style="background-color:#E1E1E1;width:325px;white-space:nowrap;">Title</th><th

class="GridColHeader" OnClick="DoSort('language','asc','frmWhatsHot')"

scope="col"

style="background-color:#E1E1E1;width:80px;">Language</th><th

class="GridColHeader" OnClick="DoSort('post_date','asc','frmWhatsHot')"

scope="col"

style="color:#FFFFFF;background-color:#B4B4B4;width:80px;">Date

Published

(in UTC) <span style='font-size: 15pt;vertical-align:

middle:'>?</th>

</tr><tr>

<td class="GridColItem" style="width:325px;white-space:nowrap;">MSDN

Subscriptions Library, September 2006 Edition – DVD

(English)</td><td

Re: how'd they do that

Re: how'd they do that

```
<td class="GridCollItem" style="width:325px;white-space:nowrap:"><a
href="DownloadFrame.aspx?ContentID=2-10642&amp;CID=2-10642&amp;Called=Home">Step-b
Guide for Windows Server "Longhorn" Community Technology Preview
(August
2006) Terminal Services Gateway Server (English) </a></td><td
class="GridCollItem" style="width:80px:">English</td><td
class="GridCollItem" style="width:80px:">9/14/2006 6:18:13 PM</td>
</tr><tr class="DefaultLGText">
<td class="GridCollItem" style="width:325px;white-space:nowrap:"><a
href="DownloadFrame.aspx?ContentID=2-10643&amp;CID=2-10643&amp;Called=Home">Step-b
Guide for Windows Server "Longhorn" Beta 2 Terminal Services Licensing
(English)</a></td><td class="GridCollItem"
style="width:80px:">English</td><td class="GridCollItem"
style="width:80px:">9/14/2006 6:18:13 PM</td>
</tr>
</table>
</div>
<a id="lnkViewResults"
class="DefaultLinkTextUnderlined" SoftkeyLabel=""
href="SearchResults.aspx?searchFor=[all]&amp;contentType=2&amp;src=wh">More>></a>
</td>
</tr>
</div>
</td>
</tr>
<tr>
<td valign="top">
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
"http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<link rel="stylesheet" type="text/css"
href="common/InnerPageStyles.CSS">
<div id="OtherResources1_pnlOthResources">
<span id="OtherResources1_lblOthResources"
class="SectionHeadingText">Other Resources</span>
<table border=0>
<tr>
<td class="DefaultText">
<p><b><font color="#000080">MSDN Magazine
offer for MSDN Premium
Subscribers</font><br>
</b>Our publisher, CMP Media LLC, is providing a special offer to MSDN
Subscribers. For a limited time, MSDN Subscribers can register for a
one-year subscription to MSDN Magazine,
Microsoft's highly acclaimed developer journal.</p>
<ul>
```

Re: how'd they do that

Re: how'd they do that

Subscriber in the US:

<a target=" blank"

href="https://www.neodata.com/ITPS2.cgi?OrderType=Reply+Only&ItemCode=MSFT&iResponse=

here to register

Subscribers in Canada US\$9.95:

<a target=" blank"

href="https://www.neodata.com/ITPS2.cgi?OrderType=Reply+Only&ItemCode=MSFT&iResponse=

here to register

Subscribers outside of North America

US\$25.00 –

<a

href="https://www.neodata.com/ITPS2.cgi?ItemCode=MSFT&OrderType=Reply+Only&iResponse=

click here to register

</p>

</td>

</tr>

<tr>

<td class="DefaultText">

<p>Free download:

"Visual Studio 2005: A Guided Tour" is now

available

This 92–page issue contains the best MSDN Magazine Visual Studio 2005

coverage

from the past two years, updated for the final release. Find out what's

new in

C#, C++, Visual Basic, Windows Forms, ASP.NET, Team System, security,

and

C++generic types --

<a target=" blank"

href="http://www.sdmediagroup.com/msdnmag/specialedition.pdf">

download your copy now!</p>

</td>

</tr>

<tr>

<td class="DefaultText">

<p>What is an ISO CD

Image?

Products posted to Subscriber Downloads are usually posted as ISO image

files.

An ISO image file is an exact representation of a CD or DVD, including

the content

and the logical format. ISO files from Subscriber Downloads end with

either an .ISO or

.IMG extension. The extension might need to be changed to work with

your CD

writing software. </p>

</td>

</tr>

Re: how'd they do that

Re: how'd they do that

<tr>
<td class="DefaultText">
<p>Common utilities for writing an ISO file
to recordable media such
as CD-R include
<a target=" blank"
href="http://alexfeinman.brinkster.net/Beta.htm>ISORecorder
Nero, and Roxio
The contents of images files can be extracted to hard drive using
utilities such
as ISObuster or
DaemonTools. Image
files can be mounted locally using the
Virtual CD-ROM Control Panel for Windows XP. For more information
about image
files, please visit the
MSDN
FAQ.</p>
</td>
</tr>

<tr>
<td class="DefaultText">
Performing Downloads
with Windows XP Service Pack 2

There is currently a known issue when installing File Transfer Manager
for the first
time on Windows XP with Service Pack 2. This is an issue
that we are working to fix; in the meantime there is a
<a target=" blank"
href="http://msdn.microsoft.com/subscriptions/downloads/xpsp2/>
workaround that will install the File Transfer Manager on Windows XP
with Service
Pack 2. Use these instructions if you get an error stating #39;There
was an error
launching the file transfer manager. Please try again later or contact
your help
provider' when trying to download. This workaround will only
need
to be done
once, after that FTM will load normally.

</p>
</td>
</tr>

<tr>
<td class="DefaultText">
MapPoint Web Service
Free Developer Account

Re: how'd they do that

Re: how'd they do that

<a target=" blank"
href="https://mappoint-css.partners.extranet.microsoft.com/MwsSignup/Eval.aspx">
Sign up for a MapPoint Web Service Developer Account and start
building location-enabled
solutions today! With a Developer Account, you get full access to the
rich set of
MapPoint Web Service APIs that allow you to integrate maps, driving
directions and
proximity searches into a wide range of solutions. This free Developer
Account also
gives you access to the MapPoint Web Service staging environment, which
you can
use to build applications for trial, demonstration, and proof-of-concept
purposes.
So go ahead-create the location-enabled application of your
dreams..

</p>

</td>

</tr>

</table>

</div>

</html>

</td>

</tr>

</table>

</td>

<td width="20%" valign="top" align="right">

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"

"http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<link rel="stylesheet" type="text/css"

href="common/InnerPageStyles.CSS">

<table >

<tr>

<td style="height: 90px" align="right">

<div class="WebPart" style="width: 140px; height: 104px"

align="right">

<table id="table2" width="100%" border="0">

<tr>

<td>

<span

Re: how'd they do that

Re: how'd they do that

id="UCLWebParts1 WebRepeater_ctl01 lblDetail" class="DefaultTextForEssentialResx"><p>MSDN License Terms
Regardless of any license agreement accepted during installation of software provided under your subscription, the software is licensed to authorized subscribers under the MSDN license terms</u>, and your use of the software constitutes your acceptance of those terms.</p></td></tr></table>

</div>

</td>

</tr>

<tr>

<td style="height: 90px" align="right">

<div class="WebPart" style="width: 140px; height: 104px" align="right">

<table id="table2" width="100%" border="0">

<tr>

<td>

<span

id="UCLWebParts1 WebRepeater_ctl03 lblDetail"

class="DefaultTextForEssentialResx"><p>Cool Offers
<p><a target=" blank"

href="https://secure.safaribooksonline.com/promo.asp?code=MSDN30&portal=msdn>Sign up for Safari Bookshelf and gain access to brand new Visual Studio 2005

content from O'Reilly</p><p><a target=" blank"

href="http://www.appdev.com/promo/sn00029>Learn Visual Studio 2005

with

AppDev. Exclusive offer for MSDN Subscribers: 55% off AppDev's Visual Studio 2005 Power Suite + bonus course.</p><p><a target=" blank"

href="http://msdn.microsoft.com/msdnmag/cdrom/2005/launchcd.aspx>Launch 2005: Best of Visual Studio 2005 and SQL Server 2005

DVD</p><p>

Decompiler.NET limited version available FREE to all MSDN

Subscribers</p><p><a target=" blank"

href="http://www.preemptive.com/msdn-offer.html>Discount on

PreEmptive

Dotfuscator for MSDN Subscribers</p>

</td>

Re: how'd they do that

15

Re: how'd they do that

</tr>
</table>

</div>

</td>
</tr>

</table>

</html>

</td>

</tr>

</table>

<input name="hidxCoordHolder" type="hidden" id="hidxCoordHolder"

/>

<input name="hidyCoordHolder" type="hidden" id="hidyCoordHolder"

/>

<input name="hdnColumnId" type="hidden" id="hdnColumnId"

value="post_date" />

<input name="hdnOrder" type="hidden" id="hdnOrder" value="desc" />

<script>

document.all.divPageContent.style.display = "block";

</script>

</div>

<div>

<input type="hidden" name=" EVENTVALIDATION"

id=" EVENTVALIDATION"

value="/wEWBQLY9ZToCOLBi4nbCQKa7vfPBQKFIMeOBwK5uuhpP32fy/z2AO3PIFCe9Kee746"

/>

</div></form>

</body>

</html>