

Re: ASP.NET Configuration Error under Windows Server 2003 R2

Source:

<http://www.tech-archive.net/Archive/DotNet/microsoft.public.dotnet.framework.aspnet/2006-11/msg00079.html>

- *From:* "deathtospam@xxxxxxxx" <deathtospam@xxxxxxxx>
 - *Date:* 31 Oct 2006 14:27:43 -0800
-

Juan --

I believe so. At the bottom of the ASPX page (and below the error messages), I see the following text:

```
=====  
"Version Information: Microsoft .NET Framework Version:2.0.50727.42;  
ASP.NET Version:2.0.50727.210"  
=====
```

-- Tek Boy --

Juan T. Llibre wrote:

Did you upgrade the .Net Framework version on R2 to the Release version ?

The .Net Framework's Release version number is 2.0.50727.42
R2's version number is 2.0.50727.210

Make sure you have the Release version running.

Juan T. Llibre, asp.net MVP
asp.net faq : <http://asp.net.do/faq/>
foros de asp.net, en español : <http://asp.net.do/foros/>

```
=====  
<deathtospam@xxxxxxxx> wrote in message  
news:1162330059.525783.60710@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
```

My employer is starting to take the first steps towards migrating its Classic ASP codebase to ASP.NET v2.0. We have a copy of our existing website on the new Windows Server 2003 R2 test server, and everything is running fine. However, when I create a simple "HelloWorld.aspx"

Re: ASP.NET Configuration Error under Windows Server 2003 R2

file, then browse to the page from VS.NET 2005 on the same machine, I get the following error message:

```
=====
Server Error in '/' Application.
```

Runtime Error

Description: An application error occurred on the server. The current custom error settings for this application prevent the details of the application error from being viewed remotely (for security reasons). It could, however, be viewed by browsers running on the local server machine.

Details: To enable the details of this specific error message to be viewable on remote machines, please create a <customErrors> tag within a "web.config" configuration file located in the root directory of the current web application. This <customErrors> tag should then have its "mode" attribute set to "Off".

```
=====
```

I've searched high and low on Google Groups, and all I can find are posts that allude to some kind of permissions problem. However, I have no idea where -- or how -- to start searching for these potential permissions problems... or if that's even the problem. Any help that folks could offer or suggest would be greatly appreciated... thanks in advance!

-- Tek Boy --