

## Re: ASP.NET binding to DataReader

---

*Source:*

<http://www.tech-archive.net/Archive/DotNet/microsoft.public.dotnet.framework.aspnet/2007-08/msg02456.html>

---

- *From:* [stcheng@xxxxxxxxxxxxxxxxxxxxxx](mailto:stcheng@xxxxxxxxxxxxxxxxxxxxxx) (Steven Cheng[MSFT])
  - *Date:* Tue, 28 Aug 2007 04:08:05 GMT
- 

No problem. If you have any further question, welcome to continue discuss here.

Sincerely,

Steven Cheng

Microsoft MSDN Online Support Lead

This posting is provided "AS IS" with no warranties, and confers no rights.

-----  
From: "Andrew Robinson" <nemoby@xxxxxxxxxxxxxx>

Steve,

Thanks for the info. I will look into the object disposing event on the ODS.

-A

"Steven Cheng[MSFT]" <stcheng@xxxxxxxxxxxxxxxxxxxxxx> wrote in message [news:AQ7S8TJ6HHA.5608@xxxxxxxxxxxxxxxxxxxxxx](mailto:news:AQ7S8TJ6HHA.5608@xxxxxxxxxxxxxxxxxxxxxx)

Thanks Mark,

yes..... it seems a tool issue, I'll take care and manually remove those headers next time..... :)

Thanks for your care.

Sincerely,

Re: ASP.NET binding to DataReader

Steven Cheng

Microsoft MSDN Online Support Lead

This posting is provided "AS IS" with no warranties, and confers no rights.

-----  
From: "Mark Rae [MVP]" <mark@xxxxxxxxxxxxxxxxxxxx>

References:

<Ot62W0m5HHA.5980@xxxxxxxxxxxxxxxxxxxx>

<OjMI28m5HHA.980@xxxxxxxxxxxxxxxxxxxx>

<eH8Eu#m5HHA.5844@xxxxxxxxxxxxxxxxxxxx>

<#O38ryo5HHA.1164@xxxxxxxxxxxxxxxxxxxx>

<OoifR0F6HHA.5608@xxxxxxxxxxxxxxxxxxxx>

In-Reply-To:

<OoifR0F6HHA.5608@xxxxxxxxxxxxxxxxxxxx>

Subject: Re: ASP.NET binding to DataReader

Date: Mon, 27 Aug 2007 09:36:15 +0100

Lines: 18

Organization: <http://www.markrae.net>

MIME-Version: 1.0

Content-Type: text/plain;

format=flowed;

charset="iso-8859-1";

reply-type=original

Content-Transfer-Encoding: 7bit

X-Priority: 3

X-MSMail-Priority: Normal

X-Newsreader: Microsoft Windows Mail 6.0.6000.16480

X-MimeOLE: Produced By Microsoft MimeOLE

V6.0.6000.16480

Message-ID:

<#E36jVI6HHA.4476@xxxxxxxxxxxxxxxxxxxx>

Newsgroups: microsoft.public.dotnet.framework.aspnet

NNTP-Posting-Host:

82-45-166-9.cable.ubr06.hari.blueyonder.co.uk

82.45.166.9

Path:

TK2MSFTNGHUB02.phx.gbl!TK2MSFTNGP01.phx.gbl!TK2MSFTNGP06.phx.gbl

Xref: TK2MSFTNGHUB02.phx.gbl

microsoft.public.dotnet.framework.aspnet:39867

X-Tomcat-NG: microsoft.public.dotnet.framework.aspnet

Re: ASP.NET binding to DataReader

"Steven Cheng[MSFT]"

<stcheng@xxxxxxxxxxxxxxxxxxxxxx> wrote in message  
news:OoifR0F6HHA.5608@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

I think maybe Andrew also want to utilize  
the declarative/codeless  
databinding model of ASP.NET 2.0 to  
populate the controls with records  
retrieved through datareader.

Hmm, maybe... Seems like a totally unnecessary step to me...

Also, your replies appear to be including the full headers of  
the post  
you're replying to...

--

Mark Rae  
ASP.NET MVP  
<http://www.markrae.net>