

Re: Sun Java System Directory Server Authentication

Source:

<http://www.tech-archive.net/Archive/DotNet/microsoft.public.dotnet.languages.csharp/2006-12/msg02896.html>

- *From:* Jon Skeet [C# MVP] <skeet@xxxxxxxx>
 - *Date:* Fri, 15 Dec 2006 06:46:49 -0000
-

Willy Denoyette [MVP] <willy.denoyette@xxxxxxxx> wrote:

<snip>

Guess you are talking about something else , maybe a small company running Linux and some open LDAP server daemon, while I'm talking about "WIndows" here, that is Windows client needing to get authenticated , when I say LDAP I mean AD and when I say Logon server I mean a DC. These are two different scenarios really, in the first case I would say go on no problem, but in the Windows case I say don't do it, there is much better.

But we know the OP is in the first category, don't we?

<quote>

I am new to LDAP and Directory Services, and I have a project that requires me to authenticate users against a Sun Java System Directory Server in order to access the application.

</quote>

I would be very wary of assuming that LDAP==AD in the same way that I'd be wary of HTTP==IIS.

—

Jon Skeet – <skeet@xxxxxxxx>

<http://www.pobox.com/~skeet> Blog: http://www.ms_mvps.com/jon.skeet

If replying to the group, please do not mail me too

.