

Re: OAB replication issue

Source:

<http://www.tech-archive.net/Archive/Exchange/microsoft.public.exchange.admin/2006-11/msg02727.html>

- *From:* Haydar <Haydar@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxx>
 - *Date:* Fri, 24 Nov 2006 09:05:01 -0800
-

Hi Dave,

I noticed this error that occurs daily:

Event ID : 9175

Event Type : Error

Event Source : MExchangeSA

Event Category : MAPI Session

Description : The MAPI call 'OpenMsgStore' failed with the following error:

The attempt to log on to the Microsoft Exchange Server computer has failed.

The MAPI provider failed.

Microsoft Exchange Server Information Store

ID no: 8004011d-0512-00000000

I saw your suggestions in this link :

<http://blogs.msdn.com/dgoldman/archive/2006/05/06/591620.aspx>

but I didn't find anything related to the ID no: 8004011d-0512-00000000

Have you any fix for this issue??

THis is another error:

Event ID : 9301

Event Type : Error

Event Source : MExchangeSA

Event Category : General

Description : Failed to generate offline Address Book

/dc=local/dc=company/cn=Configuration/cn=Services/cn=Microsoft

Exchange/cn=First Organization/cn=Address Lists Container/cn=Offline Address

Lists/cn=Default Offline Address List, error '80072030'

What do you think about this issue??

Thanks a lot,

Haydar

"Dave Goldman [MSFT]" wrote:

Re: OAB replication issue

By default this is going to be set to every 15 minutes. What you should do is run OABInteg /s:exchsrvrname /t:oabfldcheck /v:2 /l. You then want to look at the stats at the bottom and look for the largest message size and then search up in the file (you will see this will take you to the details.oab file). You want to make sure that you dont have any restrictions set in place that would stop this file from replicating. This can be global settings, pf settings, smtp settings, etc.

<http://blogs.msdn.com/dgoldman/archive/2006/02/06/526136.aspx>

You can also turn up diagnostic logging for MExchangeIS and look for replication and general. Turn them up on both sides and make sure that the replications are being sent and recieved by both servers.

Dgoldman

"Haydar" <Haydar@xxxxxxxxxxxxxxxxxxxxxxxxxxxx> wrote in message <news:54001834-B10E-40D0-9E51-114D1224043C@xxxxxxxxxxxxxxxxxxxx>

Hi,

Our customers experience some issues with their OAB when they download and update their OAB they don't see the accounts created a day before and they see even the accounts that are removed a day before. If I perform a Rebuild action manually in the Exchange system Manager/Recipients/Offline Address Book/companyX, our customers can get the right OAB and all accounts are updated. Now, our configuration has 2 Exchange server 2003, and we have a lot of companies setuped in the "Folders/Public Folders/Offline Address Book", in each OAB company's folder I performed those settings change: In the properties of the all OAB version 2/3a/4, I saw both servers in the "Replication/ Replicate content to these Pulic stores" and I set the setting "Always run" in the "Replication / Public Folder replication interval". But when I check in the folder OAB Versoin 2 / 3a / 4 I've found on the Register "Status" that the time is not updated and not replicated or synchronized My question: why does the setting "Always run" not work fine and the synchronisation or replication between servers not work fine? how can I troubleshoot this issue? because I cannot perform a manually rebuild of a 100 companies daily.

Thanks,

Haydar

Re: OAB replication issue