

RE: Connection Settings for RPC over HTTP

Source:

<http://www.tech-archive.net/Archive/Exchange/microsoft.public.exchange.admin/2007-11/msg01986.html>

- *From:* v-terliu@xxxxxxxxxxxxxxxxxxxxxx (Terence Liu [MSFT])
 - *Date:* Tue, 27 Nov 2007 03:21:45 GMT
-

Hello Customer,

Thank you for update.

Please feel free to take your time. I hope everything is going well.

If there's anything else I can do for you, please do not hesitate to let me know.

Thank you and have a nice day,

Best regards,

Terence Liu(MSFT)

Microsoft CSS Online Newsgroup Support

Get Secure! – www.microsoft.com/security

=====
This newsgroup only focuses on SBS technical issues. If you have issues regarding other Microsoft products, you'd better post in the corresponding newsgroups so that they can be resolved in an efficient and timely manner. You can locate the newsgroup here:
<http://www.microsoft.com/communities/newsgroups/en-us/default.aspx>

When opening a new thread via the web interface, we recommend you check the "Notify me of replies" box to receive e-mail notifications when there are any updates in your thread. When responding to posts via your newsreader, please "Reply to Group" so that others may learn and benefit from your issue.

Microsoft engineers can only focus on one issue per thread. Although we provide other information for your reference, we recommend you post different incidents in different threads to keep the thread clean. In doing so, it will ensure your issues are resolved in a timely manner.

For urgent issues, you may want to contact Microsoft CSS directly. Please

RE: Connection Settings for RPC over HTTP

check <http://support.microsoft.com> for regional support phone numbers.

Any input or comments in this thread are highly appreciated.

=====
This posting is provided "AS IS" with no warranties, and confers no rights.

| Thread-Topic: Connection Settings for RPC over HTTP
| thread-index: AcgwNRq+6vTBNUPzTku+BN0ECmK91Q==
| X-WBNR-Posting-Host: 207.46.19.197
| From: =?Utf-8?B?U0pNUA==?= <sjmp@xxxxxxxxxxxxxxxxxx>
| References: <3229F161-BA40-4BE4-8511-BFB11717267F@xxxxxxxxxxxxxxxx>
<j6PdFN1KIHA.5204@xxxxxxxxxxxxxxxxxxxxxxxx>
<CF542A17-3F85-485E-A09C-383ECE7F3987@xxxxxxxxxxxxxxxx>
<0jfmFdCLIHA.5204@xxxxxxxxxxxxxxxxxxxxxxxx>
| Subject: RE: Connection Settings for RPC over HTTP
| Date: Mon, 26 Nov 2007 06:03:22 -0800
| Lines: 226
| Message-ID: <8CCCF46B-2F86-410E-AE90-816ADA72A11E@xxxxxxxxxxxxxxxx>
| MIME-Version: 1.0
| Content-Type: text/plain;
| charset="Utf-8"
| Content-Transfer-Encoding: 7bit
| X-Newsreader: Microsoft CDO for Windows 2000
| Content-Class: urn:content-classes:message
| Importance: normal
| Priority: normal
| X-MimeOLE: Produced By Microsoft MimeOLE V6.00.3790.2992
| Newsgroups: microsoft.public.exchange.admin
| Path: TK2MSFTNGHUB02.phx.gbl
| Xref: TK2MSFTNGHUB02.phx.gbl microsoft.public.exchange.admin:52541
| NNTP-Posting-Host: tk2msftibfm01.phx.gbl 10.40.244.149
| X-Tomcat-NG: microsoft.public.exchange.admin
|

| I was thinking the same thing. I will be going to the users home tomorrow
to
| re-install and see what happens.

| Thanks,

| "Terence Liu [MSFT]" wrote:

| > Hello Customer,
| >
| > Thank you for update.
| >
| > I do not think take a long time to respond when click reply button on a
| > email is a RPC over HTTP issue. I think this is a Outlook client side
issue.
| >

RE: Connection Settings for RPC over HTTP

|> Does it take a long time to respond when you click Forward button on a
|> email?
|>
|> Please try to create a new Outlook profile and then configure the RPC
over
|> HTTP again to see if it help.
|>
|> Does this issue happen on all RPC over HTTP clients?
|>
|> For you question: "Should I enable http before TCP/IP? For Fast and
Slow
|> connections, neither/both?" we only need to tick the option "On slow
|> networks, connect using HTTP first, then connect using TCP/IP". This
option
|> enabled, the Outlook will try the RPC over HTTP connection first. If it
|> fail, the Outlook will try the RPC connection.
|>
|> I hope these steps will give you some help.
|>
|> Thanks and have a nice day!
|>
|> Best regards,
|>
|> Terence Liu(MSFT)
|>
|> Microsoft CSS Online Newsgroup Support
|>
|> Get Secure! – www.microsoft.com/security
|>
|> =====
|> This newsgroup only focuses on SBS technical issues. If you have issues
|> regarding other Microsoft products, you'd better post in the
corresponding
|> newsgroups so that they can be resolved in an efficient and timely
manner.
|> You can locate the newsgroup here:
|> <http://www.microsoft.com/communities/newsgroups/en-us/default.aspx>
|>
|> When opening a new thread via the web interface, we recommend you check
the
|> "Notify me of replies" box to receive e-mail notifications when there
are
|> any updates in your thread. When responding to posts via your
newsreader,
|> please "Reply to Group" so that others may learn and benefit from your
|> issue.
|>
|> Microsoft engineers can only focus on one issue per thread. Although we
|> provide other information for your reference, we recommend you post
|> different incidents in different threads to keep the thread clean. In
doing

RE: Connection Settings for RPC over HTTP

> so, it will ensure your issues are resolved in a timely manner.
>
> For urgent issues, you may want to contact Microsoft CSS directly.

Please

> check <http://support.microsoft.com> for regional support phone numbers.

>
> Any input or comments in this thread are highly appreciated.

> =====

>
> This posting is provided "AS IS" with no warranties, and confers no rights.

>
> -----

> | Thread-Topic: Connection Settings for RPC over HTTP
> | thread-index: Acgreknafg4cyCAxSTG+TV0iWTb8Mg==
> | X-WBNR-Posting-Host: 207.46.193.207
> | From: =?Utf-8?B?U0pNUA==?= <sjmp@xxxxxxxxxxxxxxxxxx>
> | References: <3229F161-BA40-4BE4-8511-BFB11717267F@xxxxxxxxxxxxxxxx>
> | <j6PdFN1KIHA.5204@xxxxxxxxxxxxxxxxxxxxxxxx>
> | Subject: RE: Connection Settings for RPC over HTTP
> | Date: Tue, 20 Nov 2007 05:36:00 -0800
> | Lines: 111
> | Message-ID: <CF542A17-3F85-485E-A09C-383ECE7F3987@xxxxxxxxxxxxxxxx>
> | MIME-Version: 1.0
> | Content-Type: text/plain;
> | charset="Utf-8"
> | Content-Transfer-Encoding: 7bit
> | X-Newsreader: Microsoft CDO for Windows 2000
> | Content-Class: urn:content-classes:message
> | Importance: normal
> | Priority: normal
> | X-MimeOLE: Produced By Microsoft MimeOLE V6.00.3790.2992
> | Newsgroups: microsoft.public.exchange.admin
> | Path: TK2MSFTNGHUB02.phx.gbl
> | Xref: TK2MSFTNGHUB02.phx.gbl microsoft.public.exchange.admin:52038
> | NNTP-Posting-Host: tk2msftibfm01.phx.gbl 10.40.244.149
> | X-Tomcat-NG: microsoft.public.exchange.admin

> |
> | Terence,
> |
> | I know how to configure it. I wanted to know on a fast connection the
> | best
> | combination of options for optimal configuration. I am having an
issue
> | with
> | Outlook taking a long time to respond when hitting reply. Otherwise
> | everything else is fine.
> |
> | Thanks,
> |
> | "Terence Liu [MSFT]" wrote:

RE: Connection Settings for RPC over HTTP

|> |
|> |> Hello Customer,
|> |>
|> |> Thank you for posting here.
|> |>
|> |> According to your description, I understand that you want to know
how
|> to
|> |> configure the RPC over HTTP. If I have misunderstood the problem,
|> please
|> |> don't hesitate to let me know.
|> |>
|> |> Based on my research, I suggest we try the following steps to see
if we
|> can
|> |> resolve this issue:
|> |>
|> |> [How to Create an Outlook Profile for Users to Use with RPC over HTTP](http://technet.microsoft.com/en-us/library/aa996069.aspx)
|> |> <http://technet.microsoft.com/en-us/library/aa996069.aspx>
|> |>
|> |> [How to Deploy RPC over HTTP for the First Time on Exchange Server](http://technet.microsoft.com/en-us/library/bb125001.aspx)
2003,
|> No
|> |> [Front-End Server, Back-End on Global Catalog Server](http://technet.microsoft.com/en-us/library/bb125001.aspx)
|> |> <http://technet.microsoft.com/en-us/library/bb125001.aspx>
|> |>
|> |> Additional, this is mostly a Outlook client side issue. I suggest
you
|> try
|> |> to create a new Outlook profile and then configure the RPC over
HTTP
|> again
|> |> to see if it help.
|> |>
|> |> I hope these steps will give you some help.
|> |>
|> |> Thanks and have a nice day!
|> |>
|> |> Best regards,
|> |>
|> |> Terence Liu(MSFT)
|> |>
|> |> Microsoft CSS Online Newsgroup Support
|> |>
|> |> Get Secure! – www.microsoft.com/security
|> |>
|> |> =====
|> |> This newsgroup only focuses on Exchange technical issues. If you
have
|> |> issues regarding other Microsoft products, you'd better post in the
|> |> corresponding newsgroups so that they can be resolved in an

RE: Connection Settings for RPC over HTTP

efficient

|> and

|> |> timely manner. You can locate the newsgroup here:

|> |> <http://www.microsoft.com/communities/newsgroups/en-us/default.aspx>

|> |>

|> |> When opening a new thread via the web interface, we recommend you

check

|> the

|> |> "Notify me of replies" box to receive e-mail notifications when

there

|> are

|> |> any updates in your thread. When responding to posts via your

|> newsreader,

|> |> please "Reply to Group" so that others may learn and benefit from

your

|> |> issue.

|> |>

|> |> Microsoft engineers can only focus on one issue per thread.

Although we

|> |> provide other information for your reference, we recommend you post

|> |> different incidents in different threads to keep the thread clean.

In

|> doing

|> |> so, it will ensure your issues are resolved in a timely manner.

|> |>

|> |> For urgent issues, you may want to contact Microsoft CSS directly.

|> Please

|> |> check <http://support.microsoft.com> for regional support phone

numbers.

|> |>

|> |> Any input or comments in this thread are highly appreciated.

|> |> =====

|> |>

|> |> This posting is provided "AS IS" with no warranties, and confers no

|> rights.

|> |>

|> |> -----

|> |> | Thread-Topic: Connection Settings for RPC over HTTP

|> |> | thread-index: Acgq0hqIzBcMo6DSquq1I3EauvM0Q==

|> |> | X-WBNR-Posting-Host: 207.46.19.197

|> |> | From: =?Utf-8?B?U0pNUA==?= <sjmp@xxxxxxxxxxxxxxxx>

|> |> | Subject: Connection Settings for RPC over HTTP

|> |> | Date: Mon, 19 Nov 2007 09:32:05 -0800

|> |> | Lines: 11

|> |> | Message-ID: <3229F161-BA40-4BE4-8511-BFB11717267F@xxxxxxxxxxxxxxxx>

|> |> | MIME-Version: 1.0

|> |> | Content-Type: text/plain;

|> |> | charset="Utf-8"

|> |> | Content-Transfer-Encoding: 7bit

|> |> | X-Newsreader: Microsoft CDO for Windows 2000

|> |> | Content-Class: urn:content-classes:message

RE: Connection Settings for RPC over HTTP

RE: Connection Settings for RPC over HTTP

|> |> | Importance: normal
|> |> | Priority: normal
|> |> | X-MimeOLE: Produced By Microsoft MimeOLE V6.00.3790.2992
|> |> | Newsgroups: microsoft.public.exchange.admin
|> |> | Path: TK2MSFTNGHUB02.phx.gbl
|> |> | Xref: TK2MSFTNGHUB02.phx.gbl microsoft.public.exchange.admin:51905
|> |> | NNTP-Posting-Host: tk2msftsbfm01.phx.gbl 10.40.244.148
|> |> | X-Tomcat-NG: microsoft.public.exchange.admin

|> |> |

|> |> | What is the best configuration for RPC over HTTP Outlook 2003?

Should

|> I

|> |> | enable http before TCP/IP? For Fast and Slow connections,

|> neither/both ?

|> |> |

|> |> | What about downloading headers for fast or slow connections? Does

|> this

|> |> make

|> |> a difference.

|> |> |

|> |> | The reason is I am having issues with Fast connections and

response

|> time

|> |> in

|> |> | outlook when hitting reply to emails. Take a while for the reply

|> email to

|> |> | come up.

|> |> |

|> |> | Thanks,

|> |> |

|> |> |

|> |> |

|> |

|>

|>

|

.