

Re: No more Foxpro

Source:

<http://www.tech-archive.net/Archive/Fox/microsoft.public.fox.programmer.exchange/2007-04/msg00033.html>

- *From:* "Jeff Grippe" <jeff@xxxxxxxx>
 - *Date:* Mon, 2 Apr 2007 05:29:27 -0400
-

Exactly. In c, your main() function gives you to paramters. The first, argc, is a parameter count. We have that already. The second, argv[] is an array of string pointers that point to the various paramters. We don't have anything like that. Coding for a variable number of parameters is not difficult.

Jeff

"RobertVanGeel" <robert@xxxxxxx> wrote in message

<news:%23Cg3AvqcHHA.4188@xxxxxxxxxxxxxxxxxxxxxxxxxxxx>

I guess with argv[] you mean feeding an unlimited number of parameters to a function, right?

Robert

"Zootal" <Don't send me any freaking spam at zootal dot com remove the don't send me any freaking spam> wrote in message

<news:eLmHHUocHHA.984@xxxxxxxxxxxxxxxxxxxxxxxxxxxx>

Now our beloved fox may be quite the high level but as I've said in other threads, I'd love to have an argc and argv[]. I also would like it if pointers could be stored in a database field while the thing that they point to is alive.

<snip>

I'm not sure what we would gain from storing pointers in a database. The object/memory the pointer points to would not persist from one app instance

to another, and would be useless once the application terminated. What did you have in mind when you said that?