

microsoft.public.fox.vfp.forms: Re: In Outlook add a folder then move a message to it.

## Re: In Outlook add a folder then move a message to it.

**Source:** <http://www.tech-archive.net/Archive/Fox/microsoft.public.fox.vfp.forms/2005-01/0024.html>

---

**From:** Dorian Chalom (*DChalom\_at\_Comcast.net*)

**Date:** 01/05/05

Date: Wed, 5 Jan 2005 16:09:12 -0500

But Mike, i am still getting an error message of "Unknown COM Status Code" on the Move statement. I am using VFP6.0 and Outlook 2002.  
Any ideas?

```
"Mike Gagnon" <mgagnon23@hotmail.com> wrote in message
news:%23sxJB8X8EHA.3592@TK2MSFTNGP09.phx.gbl...
> This will give you the folder ID number (the value i). Folders a usually
> numbered by creation. So if you had 11 folders and you create a new one,
> it would normally have the ID #12
>
> CLEAR
> ON ERROR *
> Local oOutlookObject,olNameSpace
> #Define olFolderInBox 6
> oOutlookObject = Createobject('Outlook.Application')
> olNameSpace = oOutlookObject.GetNameSpace('MAPI')
> olItems= olNameSpace.Folders(1).folders
> FOR i = 1 TO 13
> ?'Folder Name: '+olNameSpace.Folders(1).folders(i).name, ', ID number:
> '+trans(i)
> ENDFOR
>
> "Dorian Chalom" <DChalom@Comcast.net> wrote in message
> news:OTojDeT8EHA.2572@tk2msftngp13.phx.gbl...
>> Hi Mike!
>>
>> Glad to hear from you. Since I can no longer log into Tek-Tips.
>>
>> I am recieving an error message of "unknown COM error code" on the Move
>> statement of the following code. Is there a way for me to determine the
>> folder number of a folder?
>>
>> Thanks for any insight you can give and
>> A Happy New Year!
>>
>> loMSend = oOutLookObject.CreateItem(0)
```

Re: In Outlook add a folder then move a message to it.

microsoft.public.fox.vfp.forms: Re: In Outlook add a folder then move a message to it.

```
>> m.Emp_eMail = tdbDoc.Emp_eMail
>> loMSend.Recipients.Add(m.Emp_eMail)
>> loMSend.Subject = tdbDoc.Subject
>> loMSend.Body = tdbDoc.DocText
>> DO WHILE tdbDoc.Emp_eMail = m.Emp_eMail .AND. .NOT. EOF("tdbDoc")
>> IF lFwdDoc
>> IF .NOT. ISBLANK(tdbDoc.DocFile)
>> loMSend.Attachments.Add(tdbDoc.DocFile)
>> ENDIF
>> ENDIF
>> SKIP IN tdbDoc
>> ENDDO
>> loMSend.Send()
>> IF lOLSave
>> * Find Folder
>> lFound = .F.
>> oFolders = thisform.OLGetFolder(cOLSaveFldr)
>> oFolders = oFolders.folders
>> FOR EACH oFolder IN oFolders
>> IF cCase = oFolder.Name
>> oFldr = oFolder
>> lFound = .T.
>> EXIT
>> ENDIF
>> ENDFOR
>> IF .NOT. lFound
>> oFldr = oFolders.Add(cCase)
>> ENDIF
>> loMRead.Move(oFldr)
>> ENDIF
>> loMRead.unRead = .F.
>> IF lDelete
>> loMRead.Delete()
>> ENDIF
>> RELEASE loMRead, loMSend
>>
>>
>> "Mike Gagnon" <mgagnon23@hotmail.com> wrote in message
>> news:eMqzxnN8EHA.3820@TK2MSFTNGP11.phx.gbl...
>>> It may be just a case of your syntax, but I have had success with this
>>> (After having determined the index number of the folder I want the
>>> message to be to)
>>> This example moves the unread message to the folder that has an index of
>>> 12.
>>>
>>>
>>> Local oOutlookObject, olNameSpace
>>> #Define olFolderInBox 6
>>> oOutlookObject = Createobject('Outlook.Application')
>>> olNameSpace = oOutlookObject.GetNameSpace('MAPI')
>>> oItems = olNameSpace.GetDefaultFolder(olFolderInBox).Items
```

Re: In Outlook add a folder then move a message to it.

microsoft.public.fox.vfp.forms: Re: In Outlook add a folder then move a message to it.

```
>>> For Each loItem In oItems
>>> If !loItem.unRead
>>> loitem.Move(olNameSpace.Folders(1).Folders(12))
>>> Endif
>>> Next
>>>
>>> "Dorian Chalom" <DChalom@Comcast.net> wrote in message
>>> news:uRvEGS47EHA.3856@tk2msfngp13.phx.gbl...
>>>>I am trying to figure out how to determine if a folder exists in
>>>>Outlook.
>>>> If it does not exist then create it.
>>>> And either way then move the current message to that folder.
>>>>
>>>> Currently i have it workuing through the creating a folder if needed,
>>>> but i cannot get the Move to work.
>>>>
>>>> Please,
>>>>
>>>
>>>
>>
>>
>
>
```