

## Re: auto detect setting in IE6

**Source:** <http://www.tech-archive.net/Archive/ISA/microsoft.public.isa.clients/2004-03/0061.html>

---

**From:** Alex (*spam\_at\_spam.spam*)

**Date:** 03/25/04

Date: Thu, 25 Mar 2004 11:57:19 -0000

hmmm, think i found the problem. the laptop i was using wasn't authenticating on the domain. now i've added it into the domain and logged on as a domain user it seems to be working fine.

although i would like it to work with everyone (we have a fair few transient contractors coming through the office) so if anyone has any suggestions :) i can't understand why specifying the script location would work, but relying on automatically detect settings doesn't.

"Alex" <spam@spam.spam> wrote in message  
news:uFu9AlIEEHA.1152@TK2MSFTNGP10.phx.gbl...

> *Hi,*

>

> *I'd like to be able to use the auto detect setting in IE.*

>

> *It works fine if I check the box that says 'use automatic configuration  
> script' and put the path*

*<http://isaproxy:8080/array.dll?Get.Routing.Script>*

> *but if I turn that off and just tick the 'automatically detect settings'*  
in

> *IE it doesn't want to work at all.*

>

> *I have added code 252 into my DHCP server with the path name as above in  
the*

> *string. I've also added a CNAME called 'wpad' with my FQDN for my  
internal*

> *ISA server (something like ISAPROXY.AMT.Internal).*

>

> *Any ideas what I'm doing wrong?*

>

> *Thanks,*

> *Alex*

>

>