

Re: IIS 6.0 FTP

Source:

<http://www.tech-archive.net/Archive/Internet-Server/microsoft.public.inetserver.iis.ftp/2006-04/msg00061.html>

- *From:* dawber39 <dawber43@xxxxxxxxxxxx>
 - *Date:* Fri, 14 Apr 2006 06:00:02 -0700
-

Well IIS FTP does have such a feature, how to use it, I do not know. That was the default. To be exact on what I am using:

Internet Information Services (IIS) Manager
Microsoft Corporation
Version: 6.0

This snap-in administers the Microsoft Internet Information Services (IIS)

I get this error message in the event viewer/Security

The Security System detected an authentication error for the server ldap/ftp2.Kilduff.local/Kilduff.local@xxxxxxxxxxxxxxx The failure code from authentication protocol Kerberos was "The attempted logon is invalid. This is either due to a bad username or authentication information. (0xc000006d)"

I am using the correct password, I use it to connect via remote desk top

"Bernard Cheah [MVP]" wrote:

```
220----- Welcome to Pure-FTPd [TLS]
-----
220-You are user number 1 of 50 allowed.
220-Local time is now 00:44. Server port: 21.
220-This is a private system - No anonymous login
220 You will be disconnected after 15 minutes of inactivity
```

Well, you do have a lovely banner msgs.... how do you get the user number (1 of 50) allowed?

I doubt IIS FTP has such feature.

next, general 530 error indicating login failed, that could due to

- username/password wrong

- local policy - access from network, etc not granted

Error message in IIS: "530 User <Username> cannot log in. Login failed."

<http://support.microsoft.com/?id=200475>

Re: IIS 6.0 FTP

Regards,
Bernard Cheah
<http://www.iis-resources.com/>
<http://www.iiswebcastseries.com/>
<http://msmvps.com/blogs/bernard/>

"dawber39" <dawber43@xxxxxxxxxxxx> wrote in message
<news:7223B5ED-6262-4E26-A4EC-F6039E5C3694@xxxxxxxxxxxxxxxx>

In addition – it is IIS 6.0 running on Small Business Server 2003.

"dawber39" wrote:

```
This is what I get:
C:\Documents and Settings\HP_Administrator>ftp
kilduff.com
Connected to kilduff.com.
220----- Welcome to Pure-FTPd [TLS]
-----
220-You are user number 1 of 50 allowed.
220-Local time is now 00:44. Server port: 21.
220-This is a private system – No anonymous login
220 You will be disconnected after 15 minutes of inactivity.
User (kilduff.com:(none)): Administrator
331 User Administrator OK. Password required
Password:
530 Authentication failed, sorry
Login failed.
ftp>
And as it said – the logon failed, and it failed with several
other user
accounts too. Also my IP address is in the security directory.
Should I
try
something else? I really appreciate your efforts here.
```

"Bernard Cheah [MVP]" wrote:

```
The reason for testing via ftp.exe is to see if
your ftp server is
working
correctly.
I understand your have the order entry
program, but now – we need to
check
if your ftp is working first.
```

Re: IIS 6.0 FTP

So, go to the remote machine (which allow to connect to your iis server), go to command prompt
c:\>ftp yourftpsrvr
do you see login prompt?, try login, can you upload file?
post the output here.

The ftp server connection msgs you posted, doesn't look like IIS FTP to me.
you sure you are using/connecting to IIS FTP?

--
Regards,
Bernard Cheah
<http://www.iis-resources.com/>
<http://www.iiswebcastseries.com/>
<http://msmvps.com/blogs/bernard/>

"dawber39" <dawber43@xxxxxxxxxxxx>
wrote in message
news:0BDF61DC-F975-4F58-9321-53C018532D87@xxxxxxxxxxxxxxxxxxxx

Yes, I only allow specific IP addresses to connect, as I did with IIS 4.0.
My clients are using an order entry program created in Microsoft access.
This works in conjunction with a host program created in the same. The host polls the client folders in the FTP root directory. The Client enters their order, hits the send button, the order entry program then opens the ftp connection using the clients username

Re: IIS 6.0 FTP

and password, and uploads
the order to
their
respective folder. The host
then pulls the order. None of
these
clients
actually access the site by
ftp.exe. All that is done
within the
order
entry
program. I have looked over
the code within the order
entry – and I
see
nothing that would interfere
with its operation. Below is
what comes
up
when
I ftp into the site. I do not do
much of that myself. This
has me at
a
loss
here. They all have the
proper permissions, their IP
address is in
the
directory security, and yet
when I reboot, I have to
enter the syntax
I
mentioned in my first post,
or I get the resulting error
message.
This
really
has me baffled. I got that
idea from a help and support
file in
Windows
server 2003 "Article
293637". It doesn't even say
it applies to IIS
6.0,
but
I tried it, and it worked. It
gives no resolution. Well...
this is

Re: IIS 6.0 FTP

Re: IIS 6.0 FTP

what
comes
up. Any ideas?
220----- Welcome
to Pure-FTPd [TLS]

220-You are user number 2
of 50 allowed.
220-Local time is now
10:03. Server port: 21.
220-This is a private system
- No anonymous login
220 You will be
disconnected after 15
minutes of inactivity.

"Bernard Cheah [MVP]"
wrote:

I'm
confused.
Are you
saying you
have
configured
IP
restriction
and
only
allowed
specific IP
address to
connect?
if yes,
what's the
problem
now? user
can't
connect?
post the
output
when
you
connect via
ftp.exe

--
Regards,
Bernard
Cheah

Re: IIS 6.0 FTP

<http://www.iis-resources.com/>
<http://www.iiswebcastseries.com/>
<http://msmvps.com/blogs/bernard/>

"dawber39"

<dawber43@xxxxxxxxxxxx>

wrote in

message

news:312479F6-F23A-4F62-8CE2-600D82FAA11C@xxxxxxxxxxxx

In
directory
security,
everyone
is
denied
access,
except
the
Ip
addresses
of
my
clients.
This
is
the
exact
same
way
I
had
it
set
up
on
my
NT
4.0
running
IIS
4.0.
I
am
really
confused
here,
and
I
need

Re: IIS 6.0 FTP

this
to
run
smoothly.
There
is
no
reason
this
should
be
happening
that
I
can
see.
I
have
even
gone
as
far
as
to
grant
the
clients
full
permissions,
and
I
get
the
same
thing.

"Bernard
Cheah
[MVP]"
wrote:

IP
restriction
setting
keep
coming
back?

What
if

Re: IIS 6.0 FTP

you
go
to
IIS
MMC,
ftp
site
–
directory
security....
remove
all
restriction,
then
close
IIS
MMC.
restart
IIS
service,
then
reopen
IIS
MMC.
is
the
setting
still
there
?

if
no,
then
reboot
the
machine,
does
the
setting
come
back?

--

Regards,
Bernard
Cheah

<http://www.iis-resources.com/>

<http://www.iiswebcastseries.com/>

<http://msmvps.com/blogs/bernard/>

Re: IIS 6.0 FTP

"dawber39"
<dawber43@xxxxxxxxxxxx>
wrote
in
message
news:D824707E-865B-4DF3-9201-3925C27B3EE

Everytime
my
Server
is
rebooted,
none
of
my
ftp
clients
can
get
through
until
I
type
these
instructions
from
the
command
prompt
within
the
inetpub\adminscripts
directory.
cscript
adsutil.vbs
delete
msftpsvc/<FTP
site
number>/root/ipsecurity
net
stop
iisadmin
/y
net
start
msftpsvc

Why
do
I
have

Re: IIS 6.0 FTP

to
keep
typing
this?
Is
there
some
kind
of
security
update
that
I
can
remove?
I
should
not
have
to
do
this
everytime
the
server
reboots.
If
I
dont,
the
client
gets
an
error
that
reads:
"FTP
Server
could
not
create
a
client
worker
thread
for
user
at
host
4.131.204.222.
The

Re: IIS 6.0 FTP

Re: IIS 6.0 FTP

connection
to
this
user
is
terminated.
The
data
is
the
error".
As
soon
as
I
type
the
above
commands,
it
is
okay.
Is
there
a
way
around
this?
I
appreciate
any
and
all
help.

Rick

Re: IIS 6.0 FTP