

How to trigger onCreate (COleControl) in Edit-mode PowerPoint

Source:

<http://www.tech-archive.net/Archive/Office/microsoft.public.office.developer.automation/2005-05/msg00072.html>

- *From:* "Dankung" <Dankung@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxx>
 - *Date:* Thu, 26 May 2005 04:33:01 -0700
-

this function is calling automatically by Powerpoint when in slide-show,how to trigger this function in edit-mode,without slide show ?

thx.

Dankung

//===== a piece of code

```
IMPLEMENT_DYNCREATE(MyCtrl, COleControl)
```

```
...
```

```
...
```

```
int MyCtrl::OnCreate(LPCREATESTRUCT lpCreateStruct)
```

```
{
```

```
if (COleControl::OnCreate( lpCreateStruct ) == -1)
```

```
return -1;
```

```
AfxEnableControlContainer();
```

```
if (::IsWindow( m_Browser->m_hWnd))
```

```
return 0;
```

```
RECT rectClient;
```

```
GetClientRect(&rectClient);
```

```
m_Browser->Create(NULL, WS_VISIBLE | WS_CHILD & ~WS_VSCROLL, rectClient,  
this, AFX_IDW_PANE_FIRST);
```

```
..
```

```
..
```

```
m_Browser->Redraw();
```

```
if (!m_objPropDlg)
```

```
m_objPropDlg = new CPropertiesDlg;
```

How to trigger onCreate (COleControl) in Edit-mode PowerPoint

```
return 0;  
}
```

.

-
- Prev by Date: *Word Automation opening datasource multiple times*
 - Next by Date: *Inplace activation of MS word -> not possible to edit page headers*
 - Previous by thread: *Word Automation opening datasource multiple times*
 - Next by thread: *Inplace activation of MS word -> not possible to edit page headers*
 - Index(es):
 - ◆ *Date*
 - ◆ *Thread*