

## Re: Webservices References

**Source:**

<http://www.tech-archive.net/Archive/PocketPC/microsoft.public.pocketpc.developer/2004-09/0878.html>

---

**From:** Craig G (*craig.gamble\_at\_yarrasoftware.com*)

**Date:** 09/15/04

Date: Wed, 15 Sep 2004 17:42:40 +0100

ill try to make it a bit clearer. i cant see the IP address as its a server out on site.

the application all runs fine in house. i reference the server which the web service resides on. the development environment then acknowledges this web service exists. you then build the application, package & deploy – everything works fine

but how do you reference the customers server which is on-site and has the web service already installed??

in order for the application to be able to pick it up. id need to take a development environment PC out on site reference the customer server, then build the application, package & deploy onto the Pocket PC

Cheers,  
Craig

"Craig G" <craig.gamble@yarrasoftware.com> wrote in message news:uyzBANwmEHA.2764@TK2MSFTNGP11.phx.gbl...

> *we have a small pocketpc application that uses a webservice to connect to*  
> *SQL2000*

>

> *everything works fine until we try to build a customer version. we just*  
> *overwrite the existing references using the customers IP address where the*  
> *webservice will reside. but as are network is not able to see the IP*  
address

> *it creates an error.*

>

> *is there a way around this or do u just overwrite every instance of the IP*  
> *address in the reference.map and .disco files?*

>

> *any help would be greatly appreciated.*

>

> *Cheers,*

> *Craig*

>

microsoft.public.pocketpc.developer: Re: Webservices References

>