

# Re: SMS Client Push Failed

---

*Source:* <http://www.tech-archive.net/Archive/SMS/microsoft.public.sms.admin/2006-03/msg00378.html>

---

- *From:* [lee.james@xxxxxxxxxxxxxx](mailto:lee.james@xxxxxxxxxxxxxx)
  - *Date:* 20 Mar 2006 07:23:35 -0800
- 

Hi Jaykay,

I also had a hell of a time getting client push working. I finally did figure it out and posted my findings, but the MS scribes were conspicuously silent on the matter.....

You might want to check what your LM Authentication level is set to. That turned to be the problem in my case. I've re-posted the details here:

Good luck!

J.

-----

Ok, I have it figured out – and in my opinion this is a huge 'bug' that needs to be documented and/or addressed.

On our desktop images we set the LM compatibility level to '5', or 'Send NTLMv2 response only/refuse LM & NTLM'.

The default value for XP is '0' or 'Send LM & NTLM responses'.

I found MS article 842309 which explains that BITS 1.5 (which comes with SMS 2003) 'allows logon credentials to be used for authentication when the LmCompatibilityLevel is less than 2'.

However with BITS 2.0 (which comes with XP SP2) it's supposed to allow authentication if the LmCompatibilityLevel is greater than or equal to 2.

This obviously is not happening, and as BITS 2.0 supports it, I would contend that there is a bug with SMS 2003 SP2 and how it interacts with BITS 2.0.

It would be ridiculous for a company running SMS 2003 in advanced security to have to still enable their clients to use LM authentication in order to get the advanced client pushed to them!!!

Re: SMS Client Push Failed

I changed the LM compatibility level to 1 and the advanced client installed no problem.

J.

Jaykay wrote:

I've searched quite a lot of the groups and found similar issues but none that have helped me resolve the issue of being unable to push the Advanced Client onto XP SP2 or 2000 Professional pc's.....

Installed SMS 2003 SP2 on server SVMSMS01  
Remote SQL 2000 database on SVDBMS01

Set SVMSMS01 to be Management Point and set Site Boundaries

Confirm I can connect to admin\$ and IPC\$ using Client Push Account specified in SMS from Site Server – syssms (as last resort I granted it

Domain Admins)

Clients have no firewall set/File and Print Enabled/confirmed they are on the network

CCM.log reports the following problem but I can't see where the CCM file is checking the Client Push Accounts at the beginning – it can't seem to find or register them ??

Can anyone help with some troubleshooting ??

```
SMS_EXECUTIVE started SMS_CLIENT_CONFIG_MANAGER as thread ID 2336
(0x920). SMS_CLIENT_CONFIG_MANAGER 3/20/2006 3:05:54 PM
3648 (0x0E40)
***** Client Config Manager main thread starting
***** SMS_CLIENT_CONFIG_MANAGER 3/20/2006 3:05:54 PM
2336
(0x0920)
This site: "ONL". SMS_CLIENT_CONFIG_MANAGER 3/20/2006 3:05:54
PM 2336
(0x0920)
This machine: "SVMSMS01". SMS_CLIENT_CONFIG_MANAGER 3/20/2006
3:05:54
PM 2336 (0x0920)
```

Re: SMS Client Push Failed

The Site Control File has changed, parameters will be  
reread. SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:54 PM 2336  
(0x0920)  
Updating Site Parameters SMS\_CLIENT\_CONFIG\_MANAGER  
3/20/2006 3:05:54  
PM 2336 (0x0920)  
MP Port: 80 SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:54 PM  
2336  
(0x0920)  
Default MP: SVMSMS01 SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006  
3:05:54  
PM 2336 (0x0920)  
\*\*\* Advanced Security Mode detected  
\*\*\* SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:54 PM 2336  
(0x0920)  
Checking configuration information for server:  
\\SVMSMS01\ SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:54 PM  
2336  
(0x0920)  
Install on DC: False SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006  
3:05:54  
PM 2336 (0x0920)  
Site account information has been  
refreshed SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:54 PM  
2336 (0x0920)  
Retrieving properties from the site control  
file. SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:54 PM 2336  
(0x0920)  
Advanced Client Command Line:  
SMSSITECODE=AUTO SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006  
3:05:54 PM 2336  
(0x0920)  
Ignoring unrecognized property "Advanced Client Command Line  
Default" SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:54 PM 2336  
(0x0920)  
Ignoring unrecognized property "Bootstrap Download  
Timeout" SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:54 PM 2336  
(0x0920)  
Ignoring unrecognized property "Bootstrap Retry  
Interval" SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:54 PM 2336  
(0x0920)  
Security Mode Option – CCR buffering  
disabled. SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:54 PM  
2336 (0x0920)  
Default Client Type: -1 SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006  
3:05:54  
PM 2336 (0x0920)  
Confirming all required files are available on the site  
server SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:54 PM 2336  
(0x0920)  
.....:

Re: SMS Client Push Failed

SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006  
3:05:55 PM 2336 (0x0920)  
Site Server Name  
"\\SVMSMS01" SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM  
2336  
(0x0920)  
Site Code  
"ONL" SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM 2336  
(0x0920)  
CCM Account 1 "<end of  
list>" SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM 2336  
(0x0920)  
SMS Account "" SMS\_CLIENT\_CONFIG\_MANAGER  
3/20/2006  
3:05:55 PM 2336 (0x0920)  
Max CCR Processing Threads 10 SMS\_CLIENT\_CONFIG\_MANAGER  
3/20/2006  
3:05:55 PM 2336 (0x0920)  
CCR Processing Thread Timeout 600000  
ms SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM 2336  
(0x0920)  
Sitewide Travel Mode Switch USE CLIENT  
SETTING SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM 2336  
(0x0920)  
Days Between Account Cleanups 30 SMS\_CLIENT\_CONFIG\_MANAGER  
3/20/2006  
3:05:55 PM 2336 (0x0920)  
:-----:  
SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006  
3:05:55 PM 2336 (0x0920)  
Parameters for queue: "Incoming" SMS\_CLIENT\_CONFIG\_MANAGER  
3/20/2006  
3:05:55 PM 2336 (0x0920)  
Inbox Path  
"D:\SMS\inboxes\ccr.box" SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006  
3:05:55  
PM 2336 (0x0920)  
Read Queue Every DIR CHANGE  
NOTIFICATION SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM  
2336  
(0x0920)  
Retry CCR For 168  
Hours SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM 2336  
(0x0920)  
Report Error After ERROR REPORTING  
OFF SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM 2336  
(0x0920)  
Warn when Queue Exceeds 100  
CCRs SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM 2336  
(0x0920)  
Delay Between CCRs 100

Re: SMS Client Push Failed

Millisec SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM  
2336 (0x0920)

.....-:

SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006

3:05:55 PM 2336 (0x0920)

Parameters for queue: "Retry" SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006

3:05:55 PM 2336 (0x0920)

Inbox Path

"D:\SMS\inboxes\ccrretry.box" SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006

3:05:55 PM 2336 (0x0920)

Read Queue Every 60

Minutes SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM 2336  
(0x0920)

Retry CCR For 168

Hours SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM 2336  
(0x0920)

Report Error After 24

Hours SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM 2336  
(0x0920)

Warn when Queue Exceeds 150

CCRs SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM 2336  
(0x0920)

Delay Between CCRs 100

Millisec SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM  
2336 (0x0920)

.....-:

SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006

3:05:55 PM 2336 (0x0920)

Parameters for queue: "Processing" SMS\_CLIENT\_CONFIG\_MANAGER  
3/20/2006

3:05:55 PM 2336 (0x0920)

Inbox Path

"D:\SMS\inboxes\ccr.box\InProc" SMS\_CLIENT\_CONFIG\_MANAGER  
3/20/2006

3:05:55 PM 2336 (0x0920)

Read Queue Every DIR CHANGE

NOTIFICATION SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM  
2336

(0x0920)

Retry CCR For CCR DOESN'T

EXPIRE SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM 2336  
(0x0920)

Report Error After ERROR REPORTING

OFF SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM 2336  
(0x0920)

Warn when Queue Exceeds 150

CCRs SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM 2336  
(0x0920)

Delay Between CCRs 0

Re: SMS Client Push Failed

Millisec SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM  
2336 (0x0920)  
.....-:  
SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006  
3:05:55 PM 2336 (0x0920)  
Moving CCRs from processing queue to incoming  
queue SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM 2336  
(0x0920)  
THREAD\_ProcessQ starting, Input Queue ID is  
0. SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM 2804  
(0x0AF4)  
Started Incoming Queue Thread, ThreadId =  
AF4 SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM 2336  
(0x0920)  
Started Retry Queue Thread, ThreadId =  
C6C SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM 2336  
(0x0920)  
Sleeping for 300 seconds... SMS\_CLIENT\_CONFIG\_MANAGER  
3/20/2006 3:05:55  
PM 2336 (0x0920)  
THREAD\_ProcessQ starting, Input Queue ID is  
1. SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM 3180  
(0x0C6C)  
Queue Name is "Retry". SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006  
3:05:55  
PM 3180 (0x0C6C)  
Queue Directory is  
"D:\SMS\inboxes\ccrretry.box". SMS\_CLIENT\_CONFIG\_MANAGER  
3/20/2006  
3:05:55 PM 3180 (0x0C6C)  
Sleeping for 480 seconds before processing requests on queue  
Retry... SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM  
3180 (0x0C6C)  
Queue Name is "Incoming". SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006  
3:05:55  
PM 2804 (0x0AF4)  
Queue Directory is  
"D:\SMS\inboxes\ccr.box". SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006  
3:05:55  
PM 2804 (0x0AF4)  
Sleeping for 300 seconds before processing requests on queue  
Incoming... SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:55 PM  
2804  
(0x0AF4)  
Waking up for site control file directory change  
notification SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:57 PM  
2336  
(0x0920)  
The Site Control File has not changed since the last parameter  
update. SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:57 PM 2336  
(0x0920)

Re: SMS Client Push Failed

Updating Site Parameters SMS\_CLIENT\_CONFIG\_MANAGER  
3/20/2006 3:05:57  
PM 2336 (0x0920)  
MP Port: 80 SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:57 PM  
2336  
(0x0920)  
Default MP: SVMSMS01 SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006  
3:05:57  
PM 2336 (0x0920)  
\*\*\* Advanced Security Mode detected  
\*\*\* SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:57 PM 2336  
(0x0920)  
Checking configuration information for server:  
\\SVMSMS01\ SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:57 PM  
2336  
(0x0920)  
Install on DC: False SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006  
3:05:57  
PM 2336 (0x0920)  
Sleeping for 298 seconds... SMS\_CLIENT\_CONFIG\_MANAGER  
3/20/2006 3:05:57  
PM 2336 (0x0920)  
Waking up for site control file directory change  
notification SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:57 PM  
2336  
(0x0920)  
The Site Control File has not changed since the last parameter  
update. SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:57 PM 2336  
(0x0920)  
Updating Site Parameters SMS\_CLIENT\_CONFIG\_MANAGER  
3/20/2006 3:05:57  
PM 2336 (0x0920)  
MP Port: 80 SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:57 PM  
2336  
(0x0920)  
Default MP: SVMSMS01 SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006  
3:05:57  
PM 2336 (0x0920)  
\*\*\* Advanced Security Mode detected  
\*\*\* SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:57 PM 2336  
(0x0920)  
Checking configuration information for server:  
\\SVMSMS01\ SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:05:57 PM  
2336  
(0x0920)  
Install on DC: False SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006  
3:05:57  
PM 2336 (0x0920)  
Sleeping for 298 seconds... SMS\_CLIENT\_CONFIG\_MANAGER  
3/20/2006 3:05:57  
PM 2336 (0x0920)

Re: SMS Client Push Failed

CCR count in queue "Incoming" is 0. SMS\_CLIENT\_CONFIG\_MANAGER  
3/20/2006  
3:10:55 PM 2336 (0x0920)  
CCR count in queue "Processing" is  
0. SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:10:55 PM 2336  
(0x0920)  
Sleeping for 300 seconds... SMS\_CLIENT\_CONFIG\_MANAGER  
3/20/2006 3:10:55  
PM 2336 (0x0920)  
Getting a new request from queue "Incoming" after 100 millisecond  
delay. SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:10:55 PM 2804  
(0x0AF4)  
Waiting for change in directory "D:\SMS\inboxes\ccr.box" for queue  
"Incoming", (30 minute backup  
timeout). SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:10:55 PM  
2804 (0x0AF4)  
Waiting for change in directory "D:\SMS\inboxes\ccr.box" for queue  
"Incoming", (30 minute backup  
timeout). SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:11 PM  
2804 (0x0AF4)  
Received request: "VDAIUGVI" for machine name: "LT004142" on queue:  
"Incoming". SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:11 PM  
2804  
(0x0AF4)  
Stored request "VDAIUGVI", machine name "LT004142", in queue  
"Processing". SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:11 PM  
2804  
(0x0AF4)  
----- Started a new CCR processing thread. Thread ID is 0x91c. There  
are now 1 processing threads SMS\_CLIENT\_CONFIG\_MANAGER  
3/20/2006  
3:11:13 PM 2804 (0x0AF4)  
Submitted request successfully SMS\_CLIENT\_CONFIG\_MANAGER  
3/20/2006  
3:11:13 PM 2804 (0x0AF4)  
=====>Begin Processing request: "VDAIUGVI", machine name:  
"LT004142" SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:13 PM  
2332 (0x091C)  
Getting a new request from queue "Incoming" after 100 millisecond  
delay. SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:13 PM 2804  
(0x0AF4)  
----> Trying each entry in the SMS Client Remote Installation account  
list SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:13 PM 2332  
(0x091C)  
----> Warning: no remote client installation or SMS service account  
found SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:13 PM 2332  
(0x091C)  
----> ERROR: Connected to LT004142 registry, but couldn't connect to the  
  
\\LT004142\admin\$ share using account  
" SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:13 PM 2332

Re: SMS Client Push Failed

(0x091C)  
----> ERROR: Unable to access target machine for request: "VDAIUGVI",  
machine name: "LT004142", error code:  
1003 SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:13 PM 2332  
(0x091C)  
Retry request id for "VDAIUGVI" set to  
"LT004142" SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:13 PM  
2332 (0x091C)  
Stored request "LT004142", machine name "LT004142", in queue  
"Retry". SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:13 PM  
2332 (0x091C)  
<=====>End request: "LT004142", machine name:  
"LT004142". SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:13 PM  
2332  
(0x091C)  
Received request: "JWDEEUEF" for machine name: "WS004594" on queue:  
"Incoming". SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:13 PM  
2804  
(0x0AF4)  
Stored request "JWDEEUEF", machine name "WS004594", in queue  
"Processing". SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:13 PM  
2804  
(0x0AF4)  
=====>Begin Processing request: "JWDEEUEF", machine name:  
"WS004594" SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:13 PM  
2332 (0x091C)  
----> Trying each entry in the SMS Client Remote Installation account  
list SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:13 PM 2332  
(0x091C)  
----> Warning: no remote client installation or SMS service account  
found SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:13 PM 2332  
(0x091C)  
----> ERROR: Connected to WS004594 registry, but couldn't connect to the  
  
\\WS004594\admin\$ share using account  
" SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:13 PM 2332  
(0x091C)  
----> ERROR: Unable to access target machine for request: "JWDEEUEF",  
machine name: "WS004594", error code:  
1003 SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:13 PM 2332  
(0x091C)  
Retry request id for "JWDEEUEF" set to  
"WS004594" SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:13 PM  
2332 (0x091C)  
Stored request "WS004594", machine name "WS004594", in queue  
"Retry". SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:13 PM  
2332 (0x091C)  
<=====>End request: "WS004594", machine name:  
"WS004594". SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:13 PM  
2332  
(0x091C)

Re: SMS Client Push Failed

Submitted request successfully SMS\_CLIENT\_CONFIG\_MANAGER  
3/20/2006  
3:11:15 PM 2804 (0x0AF4)  
Getting a new request from queue "Incoming" after 100 millisecond  
delay. SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:15 PM 2804  
(0x0AF4)  
Found CCR "MKKBIGOD.CCR" in queue  
"Incoming". SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:15 PM  
2804  
(0x0AF4)  
Received request: "MKKBIGOD" for machine name: "WS004743" on queue:  
"Incoming". SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:15 PM  
2804  
(0x0AF4)  
Stored request "MKKBIGOD", machine name "WS004743", in queue  
"Processing". SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:15 PM  
2804  
(0x0AF4)  
=====>Begin Processing request: "MKKBIGOD", machine name:  
"WS004743" SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:15 PM  
2332 (0x091C)  
----> Trying each entry in the SMS Client Remote Installation account  
list SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:15 PM 2332  
(0x091C)  
----> Warning: no remote client installation or SMS service account  
found SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:15 PM 2332  
(0x091C)  
----> ERROR: Connected to WS004743 registry, but couldn't connect to the  
  
\\WS004743\admin\$ share using account  
" SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:15 PM 2332  
(0x091C)  
----> ERROR: Unable to access target machine for request: "MKKBIGOD",  
machine name: "WS004743", error code:  
1003 SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:15 PM 2332  
(0x091C)  
Retry request id for "MKKBIGOD" set to  
"WS004743" SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:15 PM  
2332 (0x091C)  
Stored request "WS004743", machine name "WS004743", in queue  
"Retry". SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:15 PM  
2332 (0x091C)  
<=====>End request: "WS004743", machine name:  
"WS004743". SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:15 PM  
2332  
(0x091C)  
Submitted request successfully SMS\_CLIENT\_CONFIG\_MANAGER  
3/20/2006  
3:11:17 PM 2804 (0x0AF4)  
Getting a new request from queue "Incoming" after 100 millisecond  
delay. SMS\_CLIENT\_CONFIG\_MANAGER 3/20/2006 3:11:17 PM 2804

Re: SMS Client Push Failed

(0x0AF4)

Sleeping for 602 seconds... SMS\_CLIENT\_CONFIG\_MANAGER

3/20/2006 3:15:55

PM 2336 (0x0920)