

Installing clients SCCM 2007

Source: <http://www.tech-archive.net/Archive/SMS/microsoft.public.sms.admin/2007-10/msg00188.html>

- *From:* Shurick <Shurick@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxx>
 - *Date:* Tue, 23 Oct 2007 05:14:00 -0700
-

I have installed SCCM 2007 and now I have a problem with installing clients. In allsystems collection i see all my workstations. All of them are marked as assigned. All of them are marked as not installed.

For example i manually comand to install client to the IGORS machine. After that i see control on this workstation but at advanced tab site is not present.

That is ccm.log:

```
-----  
Received request: "MXTJTQXM" for machine name: "IGORS" on queue: "Incoming".  
$$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:27.795 2007 N. Central Asia  
Daylight Time><thread=2224 (0x8B0)>  
Stored request "MXTJTQXM", machine name "IGORS", in queue "Processing".  
$$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:27.795 2007 N. Central Asia  
Daylight Time><thread=2224 (0x8B0)>  
----- Started a new CCR processing thread. Thread ID is 0x1574. There are  
now 1 processing threads $$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22  
12:19:29.798 2007 N. Central Asia Daylight Time><thread=2224 (0x8B0)>  
Submitted request successfully $$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22  
12:19:29.798 2007 N. Central Asia Daylight Time><thread=2224 (0x8B0)>  
Getting a new request from queue "Incoming" after 100 millisecond delay.  
$$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:29.798 2007 N. Central Asia  
Daylight Time><thread=2224 (0x8B0)>  
Waiting for change in directory "C:\Program Files\Microsoft Configuration  
Manager\inbox\ccr.box" for queue "Incoming", (30 minute backup timeout).  
$$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:29.798 2007 N. Central Asia  
Daylight Time><thread=2224 (0x8B0)>  
=====>Begin Processing request: "MXTJTQXM", machine name: "IGORS"  
$$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:29.818 2007 N. Central Asia  
Daylight Time><thread=5492 (0x1574)>  
----> Trying each entry in the SMS Client Remote Installation account list~  
$$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:29.828 2007 N. Central Asia  
Daylight Time><thread=5492 (0x1574)>  
----> Attempting to connect to administrative share  
\\IgorS.uit2k.utilex.ru\admin$' using account 'uit2k\smsacinstaller'~  
$$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:29.828 2007 N. Central Asia  
Daylight Time><thread=5492 (0x1574)>
```

Installing clients SCCM 2007

```
----> Connected to administrative share on machine IgorS.uit2k.utilex.ru
using account 'uit2k\smsacinstaller'~ $$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:30.419 2007 N. Central Asia Daylight Time><thread=5492 (0x1574)>
----> Attempting to make IPC connection to share
<\\IgorS.uit2k.utilex.ru\IPC$> ~ $$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:30.419 2007 N. Central Asia Daylight Time><thread=5492 (0x1574)>
----> Searching for SMSClientInstall.* under
\\IgorS.uit2k.utilex.ru\admin$\~ $$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:30.419 2007 N. Central Asia Daylight Time><thread=5492 (0x1574)>
----> System OS version string "6.0.6000" converted to 6,00
$$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:31.441 2007 N. Central Asia Daylight Time><thread=5492 (0x1574)>
----> Mobile client on the target machine has the same version, and 'forced' flag is turned on.~ $$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:31.561 2007 N. Central Asia Daylight Time><thread=5492 (0x1574)>
----> Creating \ VerifyingCopying existance of destination directory
\\IGORS\admin$\system32\ccmsetup.~ $$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:31.581 2007 N. Central Asia Daylight Time><thread=5492 (0x1574)>
----> Copying client files to \\IGORS\admin$\system32\ccmsetup.~
$$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:31.621 2007 N. Central Asia Daylight Time><thread=5492 (0x1574)>
----> Created service "ccmsetup" on machine "IGORS".
$$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:31.761 2007 N. Central Asia Daylight Time><thread=5492 (0x1574)>
----> Started service "ccmsetup" on machine "IGORS".
$$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:31.961 2007 N. Central Asia Daylight Time><thread=5492 (0x1574)>
----> Deleting SMS Client Install Lock File
\\IgorS.uit2k.utilex.ru\admin$\SMSClientInstall.XYZ'~
$$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:31.961 2007 N. Central Asia Daylight Time><thread=5492 (0x1574)>
----> Completed request "MXTJTQXM", machine name "IGORS".
$$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:31.971 2007 N. Central Asia Daylight Time><thread=5492 (0x1574)>
Deleted request "MXTJTQXM", machine name "IGORS"
$$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:31.971 2007 N. Central Asia Daylight Time><thread=5492 (0x1574)>
<=====End request: "MXTJTQXM", machine name: "IGORS".
$$<SMS_CLIENT_CONFIG_MANAGER>< = >:B 22 12:19:31.971 2007 N. Central Asia Daylight Time><thread=5492 (0x1574)>
```

And that is ccmsetup.log:

```
<![LOG[=====]LOG]!><time="12:19:31.797+-420" date="10-22-2007"
component="ccmsetup" context="" type="1" thread="25248"
file="ccmsetup.cpp:8853">
<![LOG[Version: 4.0.5931.0000]LOG]!><time="12:19:31.799+-420"
date="10-22-2007" component="ccmsetup" context="" type="1" thread="25248"
file="ccmsetup.cpp:1913">
```

Installing clients SCCM 2007

```
<![LOG[Command line parameters for ccmsetup have been specified. No registry lookup for command line parameters is required.]LOG!]><time="12:19:31.800+-420" date="10-22-2007" component="ccmsetup" context="" type="1" thread="25248" file="ccmsetup.cpp:3937">
<![LOG[Command line: "C:\Windows\system32\ccmsetup\ccmsetup.exe" /runservice /config:MobileClient.tcf]LOG!]><time="12:19:31.800+-420" date="10-22-2007" component="ccmsetup" context="" type="1" thread="25248" file="ccmsetup.cpp:3946">
<![LOG[CCMHTTPPORT: 80]LOG!]><time="12:19:31.803+-420" date="10-22-2007" component="ccmsetup" context="" type="1" thread="25248" file="ccmsetup.cpp:7851">
<![LOG[CCMHTTPSPORT: 443]LOG!]><time="12:19:31.803+-420" date="10-22-2007" component="ccmsetup" context="" type="1" thread="25248" file="ccmsetup.cpp:7866">
<![LOG[CCMHTTPSTATE: 0]LOG!]><time="12:19:31.804+-420" date="10-22-2007" component="ccmsetup" context="" type="1" thread="25248" file="ccmsetup.cpp:7884">
<![LOG[CCMHTTPSCERTNAME: ]LOG!]><time="12:19:31.804+-420" date="10-22-2007" component="ccmsetup" context="" type="1" thread="25248" file="ccmsetup.cpp:7912">
<![LOG[FSP: ]LOG!]><time="12:19:31.804+-420" date="10-22-2007" component="ccmsetup" context="" type="1" thread="25248" file="ccmsetup.cpp:7927">
<![LOG[CCMFIRSTCERT: 0]LOG!]><time="12:19:31.804+-420" date="10-22-2007" component="ccmsetup" context="" type="1" thread="25248" file="ccmsetup.cpp:7969">
<![LOG[Config file: C:\Windows\system32\ccmsetup\MobileClient.tcf]LOG!]><time="12:19:31.804+-420" date="10-22-2007" component="ccmsetup" context="" type="1" thread="25248" file="ccmsetup.cpp:4341">
<![LOG[Retry time: 10 minute(s)]LOG!]><time="12:19:31.804+-420" date="10-22-2007" component="ccmsetup" context="" type="1" thread="25248" file="ccmsetup.cpp:4342">
<![LOG[MSI log file: ]LOG!]><time="12:19:31.804+-420" date="10-22-2007" component="ccmsetup" context="" type="1" thread="25248" file="ccmsetup.cpp:4343">
<![LOG[MSI properties: INSTALL="ALL" SMSSITECODE="XYZ" CCMHTTPPORT="80" CCMHTTPSPORT="443" CCMHTTPSTATE="0" CCMFIRSTCERT="0"]LOG!]><time="12:19:31.804+-420" date="10-22-2007" component="ccmsetup" context="" type="1" thread="25248" file="ccmsetup.cpp:4344">
<![LOG[Source List:]LOG!]><time="12:19:31.804+-420" date="10-22-2007" component="ccmsetup" context="" type="1" thread="25248" file="ccmsetup.cpp:4352">
<![LOG[ \\sms2007.uit2k.utilex.ru\SMSCClient]LOG!]><time="12:19:31.804+-420" date="10-22-2007" component="ccmsetup" context="" type="1" thread="25248" file="ccmsetup.cpp:4359">
<![LOG[ \\SMS2007\SMSCClient]LOG!]><time="12:19:31.804+-420" date="10-22-2007" component="ccmsetup" context="" type="1" thread="25248" file="ccmsetup.cpp:4359">
```

Installing clients SCCM 2007

```
file="ccmsetup.cpp:4368">
<![LOG[MPs:]LOG!]><time="12:19:31.805+-420" date="10-22-2007"
component="ccmsetup" context="" type="1" thread="25248"
file="ccmsetup.cpp:4371">
<![LOG[
sms2007.uit2k.utilex.ru]LOG!]><time="12:19:31.805+-420" date="10-22-2007"
component="ccmsetup" context="" type="1" thread="25248"
file="ccmsetup.cpp:4386">
<![LOG[Updated security on object
C:\Windows\system32\ccmsetup\.]LOG!]><time="12:19:31.814+-420"
date="10-22-2007" component="ccmsetup" context="" type="0" thread="25248"
file="ccmsetup.cpp:8692">
<![LOG[A Fallback Status Point has not been specified. Message with
STATEID='100' will not be sent.]LOG!]><time="12:19:31.814+-420"
date="10-22-2007" component="ccmsetup" context="" type="1" thread="25248"
file="ccmsetup.cpp:9173">
<![LOG[Running as user "SYSTEM"]LOG!]><time="12:19:31.818+-420"
date="10-22-2007" component="ccmsetup" context="" type="1" thread="20904"
file="ccmsetup.cpp:2534">
<![LOG[Detected 39789 MB free disk space on system
drive.]LOG!]><time="12:19:31.818+-420" date="10-22-2007" component="ccmsetup"
context="" type="1" thread="20904" file="ccmsetup.cpp:465">
<![LOG[DetectWindowsEmbeddedFBWF() Detecting OS
Version]LOG!]><time="12:19:31.818+-420" date="10-22-2007"
component="ccmsetup" context="" type="1" thread="20904"
file="ccmsetup.cpp:511">
<![LOG[Client OS is not Windows XP Embedded]LOG!]><time="12:19:31.819+-420"
date="10-22-2007" component="ccmsetup" context="" type="1" thread="20904"
file="ccmsetup.cpp:548">
<![LOG[BITS version check will not be run on
Vista.]LOG!]><time="12:19:31.819+-420" date="10-22-2007" component="ccmsetup"
context="" type="1" thread="20904" file="ccmsetup.cpp:6703">
<![LOG[Client SSL is disabled. Setting state to
0x0.]LOG!]><time="12:19:31.977+-420" date="10-22-2007" component="ccmsetup"
context="" type="1" thread="20904" file="ccmutilib.cpp:184">
<![LOG[Certificate doesn't have EKU, meaning good for all
usages.]LOG!]><time="12:19:32.008+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="ccmcert.cpp:415">
<![LOG[Select first cert flag is set, choosing the first certificate valid
for ConfigMgr usage.]LOG!]><time="12:19:32.008+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="ccmcert.cpp:1725">
<![LOG[Verified file 'C:\Windows\system32\ccmsetup\ccmsetup.cab' is MS
signed.]LOG!]><time="12:19:32.008+-420" date="10-22-2007"
component="ccmsetup" context="" type="1" thread="20904"
file="ccmsetup.cpp:1054">
<![LOG[Successfully extracted manifest file
C:\Windows\system32\ccmsetup\ccmsetup.xml from file
C:\Windows\system32\ccmsetup\ccmsetup.cab.]LOG!]><time="12:19:32.036+-420"
date="10-22-2007" component="ccmsetup" context="" type="1" thread="20904">
```

Installing clients SCCM 2007

```
file="ccmsetup.cpp:7076">
<![LOG[Loading manifest file:
C:\Windows\system32\ccmsetup\ccmsetup.xml]LOG]!><time="12:19:32.041+-420"
date="10-22-2007" component="ccmsetup" context="" type="1" thread="20904"
file="manifest.cpp:93">
<![LOG[Successfully loaded ccmsetup manifest
file.]LOG]!><time="12:19:32.043+-420" date="10-22-2007" component="ccmsetup"
context="" type="1" thread="20904" file="manifest.cpp:105">
<![LOG[Couldn't get directory list for directory
'http://sms2007.uit2k.utilex.ru/CCM\_Client/ClientPatch'. ; This directory may
not exist.]LOG]!><time="12:19:32.084+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="ccmsetup.cpp:6059">
<![LOG[Adding file
'http://sms2007.uit2k.utilex.ru:80/CCM\_Client/i386/client.msi' to BITS job,
saving as
'C:\Windows\system32\ccmsetup\client.msi'.]LOG]!><time="12:19:32.166+-420"
date="10-22-2007" component="ccmsetup" context="" type="1" thread="20904"
file="ccmsetup.cpp:6457">
<![LOG[Couldn't get directory list for directory
'http://sms2007.uit2k.utilex.ru/CCM\_Client/i386/00000409'. ; This directory
may not exist.]LOG]!><time="12:19:32.212+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="ccmsetup.cpp:6059">
<![LOG[Starting BITS download for client deployment
files.]LOG]!><time="12:19:32.212+-420" date="10-22-2007" component="ccmsetup"
context="" type="1" thread="20904" file="ccmsetup.cpp:6548">
<![LOG[Download Update: 5101816 out of 16748544 bytes
transferred.]LOG]!><time="12:19:33.250+-420" date="10-22-2007"
component="ccmsetup" context="" type="1" thread="20904"
file="ccmsetup.cpp:6626">
<![LOG[Successfully completed BITS download for client deployment
files.]LOG]!><time="12:19:36.371+-420" date="10-22-2007" component="ccmsetup"
context="" type="1" thread="20904" file="ccmsetup.cpp:6597">
<![LOG[Successfully downloaded client files via
BITS.]LOG]!><time="12:19:36.389+-420" date="10-22-2007" component="ccmsetup"
context="" type="1" thread="20904" file="ccmsetup.cpp:2346">
<![LOG[Updated security on object
C:\Windows\system32\ccmsetup\.]LOG]!><time="12:19:36.401+-420"
date="10-22-2007" component="ccmsetup" context="" type="0" thread="20904"
file="ccmsetup.cpp:8692">
<![LOG[An MP does not exist on this machine.]LOG]!><time="12:19:36.418+-420"
date="10-22-2007" component="ccmsetup" context="" type="1" thread="20904"
file="msiutil.cpp:653">
<![LOG[Client is installed and is the same or lower version. Initiating
repair.]LOG]!><time="12:19:36.694+-420" date="10-22-2007"
component="ccmsetup" context="" type="1" thread="20904"
file="msiutil.cpp:728">
<![LOG[Repairing version 4.00.5931.0001 of the client with product code
{D97113AD-690F-4169-8637-4A046282D8F6}]LOG]!><time="12:19:37.299+-420"
date="10-22-2007" component="ccmsetup" context="" type="1" thread="20904"
```

Installing clients SCCM 2007

```
file="ccmsetup.cpp:7566">
<![LOG[MSI PROPERTIES are REINSTALL=ALL REINSTALLMODE=vmaus INSTALL="ALL"
SMSSITECODE="XYZ" CCMHTTTPORT="80" CCMHTTTPSPORT="443" CCMHTTTPSTATE="0"
CCMFIRSTCERT="0"
SMSPUBLICROOTKEY=0602000000A40000525341310004000001000100A9C4655E2963363972621F9BAE87166
date="10-22-2007" component="ccmsetup" context="" type="1" thread="20904"
file="ccmsetup.cpp:7583">
<![LOG[Certificate doesn't have EKU, meaning good for all
usages.]LOG!]><time="12:19:37.321+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="ccmcert.cpp:415">
<![LOG[Select first cert flag is set, choosing the first certificate valid
for ConfigMgr usage.]LOG!]><time="12:19:37.321+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="ccmcert.cpp:1725">
<![LOG[Verified file
'C:\Windows\system32\ccmsetup\{8B84763C-3981-4047-8219-8C84FD41032C}\client.msi'
is MS signed.]LOG!]><time="12:19:37.321+-420" date="10-22-2007"
component="ccmsetup" context="" type="1" thread="20904"
file="ccmsetup.cpp:1054">
<![LOG[Running installation package
Package:
C:\Windows\system32\ccmsetup\{8B84763C-3981-4047-8219-8C84FD41032C}\client.msi
Log: C:\Windows\system32\ccmsetup\client.msi.log
Properties: REINSTALL=ALL REINSTALLMODE=vmaus INSTALL="ALL"
SMSSITECODE="XYZ" CCMHTTTPORT="80" CCMHTTTPSPORT="443" CCMHTTTPSTATE="0"
CCMFIRSTCERT="0"
SMSPUBLICROOTKEY=0602000000A40000525341310004000001000100A9C4655E2963363972621F9BAE87166
date="10-22-2007" component="ccmsetup" context="" type="1" thread="20904"
file="msiutil.cpp:819">
<![LOG[MSI: Action 12:19:37: INSTALL. ]LOG!]><time="12:19:37.976+-420"
date="10-22-2007" component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:37: SystemFolder. ]LOG!]><time="12:19:37.981+-420"
date="10-22-2007" component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:37:
SystemFolder.12C909B6_5F69_4C4D_8EC3_C225C1607933.
]LOG!]><time="12:19:37.985+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:37:
WindowsFolder.8AE6A59B_5597_4D75_9BFD_7F566BF56500.
]LOG!]><time="12:19:37.989+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:37:
SystemFolder.98C5B086_7EB0_422A_B0A8_674010F525CD.
]LOG!]><time="12:19:37.993+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:37:
SystemFolder.4C5E03E8_F8E5_47CB_8FF4_E46FE34D35A6.
]LOG!]><time="12:19:37.998+-420" date="10-22-2007" component="ccmsetup"
```

Installing clients SCCM 2007

```
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:38:
System64Folder.597B26B2_B5D6_40FF_90DA_B8E672626B1D.
]LOG]!><time="12:19:38.003+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:38:
System64Folder.541D9CA5_CE53_4DCE_903A_9B9E5A6EF2C6.
]LOG]!><time="12:19:38.007+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:38: SmsCheckConfig.
]LOG]!><time="12:19:38.011+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:38: LaunchConditions. Evaluating launch
conditions]LOG]!><time="12:19:38.179+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:38: SmsDetectWindowsEmbeddedFBWF.
]LOG]!><time="12:19:38.184+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:38: SmsCheckNewRemoteTools.
]LOG]!><time="12:19:38.644+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:38: AppSearch. Searching for installed
applications]LOG]!><time="12:19:38.647+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:38: ValidateProductID.
]LOG]!><time="12:19:38.656+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:38: CcmSetInstallDir.
]LOG]!><time="12:19:38.660+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:38: BCDSetsX64Dir. ]LOG]!><time="12:19:38.664+-420"
date="10-22-2007" component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:38: CcmSetInstallDirFromCmdLine.
]LOG]!><time="12:19:38.669+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:38: CcmSetPrimaryFolder.
]LOG]!><time="12:19:38.674+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:38: FindRelatedProducts. Searching for related
applications]LOG]!><time="12:19:38.678+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:38: CostInitialize. Computing space
requirements]LOG]!><time="12:19:38.681+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:38: ResolveSource. ]LOG]!><time="12:19:38.695+-420"
date="10-22-2007" component="ccmsetup" context="" type="0" thread="20904"
```

Installing clients SCCM 2007

```
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:38: FileCost. Computing space
requirements]LOG]!><time="12:19:38.705+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:38: WBEM.812B0603_EFD0_4199_8B2F_F17F6A0D5261.
]LOG]!><time="12:19:38.713+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:38: CostFinalize. Computing space
requirements]LOG]!><time="12:19:38.716+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:39: MigrateFeatureStates. Migrating feature states
from related applications]LOG]!><time="12:19:39.264+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:39: SmsSwDistSetCacheDir.
]LOG]!><time="12:19:39.268+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:39: CcmSuppressReboot.
]LOG]!><time="12:19:39.381+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:39: CcmLookupAccountNames.
]LOG]!><time="12:19:39.385+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:39: InstallValidate. Validating
install]LOG]!><time="12:19:39.487+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:55: InstallInitialize.
]LOG]!><time="12:19:55.163+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:55: CcmStopServiceRollback.
]LOG]!><time="12:19:55.322+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:55: GenerateScript. Generating script operations
for action:]LOG]!><time="12:19:55.328+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:55: CcmValidateInternetConfigurations. Setting
Security Configurations]LOG]!><time="12:19:55.339+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:55: SmsClientSetDefaultPolicyAuthority.
]LOG]!><time="12:19:55.409+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:55: CcmValidateClientConfig. Checking client
prerequisites]LOG]!><time="12:19:55.411+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:55: ProcessComponents. Updating component
```

Installing clients SCCM 2007

```
registration]LOG]!><time="12:19:55.778+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:55: UnpublishComponents. Unpublishing Qualified
Components]LOG]!><time="12:19:55.839+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:55: UnpublishFeatures. Unpublishing Product
Features]LOG]!><time="12:19:55.842+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:55: SmsTSMManagerStopServiceInit.
]LOG]!><time="12:19:55.847+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:55: CcmStopService.
]LOG]!><time="12:19:55.897+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:55: StopServices. Stopping
services]LOG]!><time="12:19:55.910+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:55: SmsStopUIComponents. Stopping UI
Components]LOG]!><time="12:19:55.914+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:55: StopDeleteWUSER32. Stopping and deleting
WUSER32 service]LOG]!><time="12:19:55.924+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:55: RemoveW2KDrivers. Removing Remote Control
drivers]LOG]!><time="12:19:55.995+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:56: DeleteServices. Deleting
services]LOG]!><time="12:19:56.396+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:56: CcmUnloadWmiProvidersInit. Unloading WMI
providers]LOG]!><time="12:19:56.400+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:57: CcmUnloadWmiProviders. Unloading WMI
providers]LOG]!><time="12:19:57.840+-420" date="10-22-2007"
component="ccmsetup" context="" type="0" thread="20904"
file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:57: SmsRemoveUIEvents. Removing UI
Events]LOG]!><time="12:19:57.864+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
<![LOG[MSI: Action 12:19:57: CcmRemoveIISVirtualDirectoriesInit.
]LOG]!><time="12:19:57.882+-420" date="10-22-2007" component="ccmsetup"
context="" type="0" thread="20904" file="msiutil.cpp:374">
```

Installing clients SCCM 2007

```
<![LOG[MSI: Action 12:19:57: CcmUnregisterComponentsInit.  
]LOG]!><time="12:19:57.959+-420" date="10-22-2007" component="ccmsetup"  
context="" type="0" thread="20904" file="msiutil.cpp:374">
```

.