

Re: Distributing App to Workgroup Client

Source: <http://www.tech-archive.net/Archive/SMS/microsoft.public.sms.swdist/2005-07/msg00052.html>

- *From:* RAW <RAW@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxx>
 - *Date:* Wed, 13 Jul 2005 13:28:05 -0700
-

Plot thickens...

If I move a machine that has the advanced client installed from a domain to a workgroup, I can install the advertised software. However, with a pure workgroup client, I still can't install the advertised programs. When I do properties of the server within the collection section of the SMS console, I notice ADSiteName = <null>. Could this be my problem? Is there a way of changing this value?

In the properties of the workgroup client that worked, the ADSiteName was populated...

RAW

"RAW" wrote:

- > Rune,
- >
- > I've added a domain administrator account in the "Advanced Client Network
- > Access Account" field under Under Site Hierarchy, Component Configuration,
- > Software Distribution and still no luck.
- >
- > RAW
- >
- > "Rune Norberg" wrote:
- >
- >> Most likely you get this error because you haven't configured the network
- >> access account (pt.3):
- >> <http://myitforum.techtarget.com/articles/8/view.asp?id=7747>
- >> /Rune
- >>
- >> "RAW" <RAW@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxx> wrote in message
- >> news:CC999B88-BE0F-4F7A-BDDE-2708170D1424@xxxxxxxxxxxxxxxxxxxx
- >>> I'm trying to distribute software to workgroup servers running the
- >>> advanced
- >>> client. The application shows up in "Run Advertised Program", but when I

Re: Distributing App to Workgroup Client

>>> try
>>> to install the application I get an error message "This program can not be
>>> run because the program files are inaccessible". The error message for
>>> the
>>> package under Advertisement Status is:
>>>
>>> An error occurred while preparing to run the program for advertisement
>>> "10020016" ("10000001" – "Software Install"). The operating system
>>> reported
>>> error 2147944602: The specified username is invalid. Additional program
>>> properties:
>>> Command line: Setup.exe
>>> Working directory:
>>> Drive letter (? = any):
>>>
>>> Possible cause: This message most commonly occurs when the program's
>>> command–line executable file could not be found, when a required drive
>>> letter
>>> connection to a distribution point could not be established, or when the
>>> program is configured to use the SMS Software Installation Account but the
>>> account is not specified, could not be found, or does not have the
>>> appropriate permissions.
>>> Solution: Check each of the items listed above.
>>>
>>> Additional Info:
>>> The subnet that this machine is on is listed in the Site Boundary.
>>> The client points to the correct SMS Site
>>> I don't have any problems distributing to domain clients.
>>>
>>>
>>> Any help would be greatly appreciated
>>>
>>> RAW
>>>
>>
>>
>>

• **Follow-Ups:**

- ◆ **Re: Distributing App to Workgroup Client**
◇ From: RAW

• **References:**

- ◆ **Distributing App to Workgroup Client**
◇ From: RAW
- ◆ **Re: Distributing App to Workgroup Client**
◇ From: Rune Norberg
- ◆ **Re: Distributing App to Workgroup Client**

Re: Distributing App to Workgroup Client

◇ *From:* RAW

- Prev by Date: ***Re: msiexec problem***
- Next by Date: ***MS Project 2003 push***
- Previous by thread: ***Re: Distributing App to Workgroup Client***
- Next by thread: ***Re: Distributing App to Workgroup Client***
- Index(es):
 - ◆ ***Date***
 - ◆ ***Thread***