

Re: Cluster Service remain on starting state after quorum log corr

Source:

<http://www.tech-archive.net/Archive/SQL-Server/microsoft.public.sqlserver.clustering/2005-06/msg00060.html>

- *From:* "francisco – Portugal" <f_batista69@xxxxxxxxxxxx>
 - *Date:* Thu, 9 Jun 2005 16:29:02 -0700
-

I did, but still the same thing the service stays on that starting state , and it don't matters if i try to start the service on Node 1 or node 2.....

I can see that the drives are there with compaq array configuration utility, but i cannot access the drives because they are a resource of the cluster that i can't get back online.....

On the disk management i have both drives on unreadable state, a few hours ago when i managed to start the service they became online..... i'm becaming desperate

:-(

--

Francisco Batista
Portugal
f_batista69@xxxxxxxxxxxx

"Mike Epprecht (SQL MVP)" wrote:

- > You have to ask Microsoft Product Support for the Fix.
- >
- > Have you rebooted all the nodes after the quorum fix?
- >
- > ---
- > -----
- > Mike Epprecht, Microsoft SQL Server MVP
- > Zurich, Switzerland
- >
- > IM: mike@xxxxxxxxxxxx
- >
- > MVP Program: <http://www.microsoft.com/mvp>
- >
- > Blog: <http://www.msmps.com/epprecht/>
- >
- > "francisco – Portugal" <f_batista69@xxxxxxxxxxxx> wrote in message
- > news:83BA24C3-99B1-4C5C-9690-7E1A36579FE7@xxxxxxxxxxxxxxxxxxxx

Re: Cluster Service remain on starting state after quorum log corr

>> Hi Mike,

>>

>> First of all, thanks for your post

>>

>> About the first article you suggest:

>> I did already that, the cluster service started and i could put online

>> everything, then i went to the MSCS folder and deleted the Quolog.log file

>> then i tried to restart the services without any additional startup

>> parameters,

>> but the cluster service remains on a starting state "forever"

>>

>> About the second article:

>> I was searching through the web in order to get the hotfix, but i think

>> only

>> microsoft can give it to me, is there any place else where i could

>> download

>> the fix?

>>

>> Thanks

>>

>>

>> --

>> Francisco Batista

>> Portugal

>> f_batista69@xxxxxxxxxxxx

>>

>>

>> "Mike Epprecht (SQL MVP)" wrote:

>>

>>> Hi

>>>

>>> Look at

>>>

>>> "To recover from a corrupted quorum log or quorum disk"

>>>

>>> http://www.microsoft.com/windows2000/en/advanced/help/default.asp?url=/windows2000/en/advanced/help/cluad_pr

>>>

>>> and

>>>

>>> <http://support.microsoft.com/default.aspx?scid=kb:en-us:872970>

>>>

>>>

>>> --

>>> -----

>>> Mike Epprecht, Microsoft SQL Server MVP

>>> Zurich, Switzerland

>>>

>>> IM: mike@xxxxxxxxxxxx

>>>

>>> MVP Program: <http://www.microsoft.com/mvp>

>>>

Re: Cluster Service remain on starting state after quorum log corr

Re: Cluster Service remain on starting state after quorum log corr

- ◆ **Re: Cluster Service remain on starting state after quorum log corrupti**
 - ◇ From: Mike Epprecht \(\SQL MVP\)
- ◆ **Re: Cluster Service remain on starting state after quorum log corr**
 - ◇ From: francisco – Portugal
- ◆ **Re: Cluster Service remain on starting state after quorum log corr**
 - ◇ From: Mike Epprecht \(\SQL MVP\)

- Prev by Date: **Re: Cluster Service remain on starting state after quorum log corr**
- Next by Date: **Re: Named Instance On Cluster.**
- Previous by thread: **Re: Cluster Service remain on starting state after quorum log corr**
- Next by thread: **Re: Cluster Service remain on starting state after quorum log corr**
- Index(es):
 - ◆ **Date**
 - ◆ **Thread**