

Re: BULK INSERT from a mapped drive

Source:

<http://www.tech-archive.net/Archive/SQL-Server/microsoft.public.sqlserver.programming/2004-04/5463.html>

From: Marc (*newsgroups_at_ris-nospam-web.net*)

Date: 04/29/04

Date: Thu, 29 Apr 2004 22:19:47 +0200

Tibor,

Thank's for your help....

Marc

"Tibor Karaszi" <tibor_please.no.email_karaszi@hotmail.nomail.com> schrieb im Newsbeitrag news:uoy\$WVILEHA.1388@TK2MSFTNGP09.phx.gbl...

> *Hmm, then I can only assume that there's some new stuff in W2K3 that I haven't heard about before. Perhaps*

> *post this to a Windows forum as a general question ("service accessing share through mapped drive")?*

>

> --

> *Tibor Karaszi, SQL Server MVP*

> <http://www.karaszi.com/sqlserver/default.asp>

>

>

> *"Marc" <newsgroups@ris-nospam-web.net> wrote in message news:40914a26\$0\$704\$5402220f@news.sunrise.ch...*

> > *Tibor,*

> >

> > *Yes, the mapped drive is visible & accessible by the Account.*

> >

> > *Marc*

> >

> > *"Tibor Karaszi" <tibor_please.no.email_karaszi@hotmail.nomail.com> schrieb*

> > *im Newsbeitrag news:00QxpUhLEHA.1388@TK2MSFTNGP09.phx.gbl...*

> > > *Fist thing to try would be to log in as the SQL Server service account as*

> > *see if the mapping exists for that*

> > > *account.*

> > >

> > > --

> > > *Tibor Karaszi, SQL Server MVP*

> > > <http://www.karaszi.com/sqlserver/default.asp>

>>>
>>>
>>> *"Marc" <newsgroups@ris-nospam-web.net> wrote in message
>> news:409143a0\$0\$713\$5402220f@news.sunrise.ch...
>>>> Hi
>>>>
>>>> I'm trying to BULK INSERT some data from a simple text file,
residing on
>> a
>>>> mapped drive (F:\)
>>>> Well, I know, it's better to use UNC-Paths, but it was "programmed"
in
>> that
>>>> manner some years ago. (Some dozens of stored procs which I don't
want
>> to
>>>> change)
>>>>
>>>> This problem persists since we upgraded from NT/2000 to Server2003
>> (still
>>>> using SQL 2000):
>>>> while trying to bulk insert, I get an error, that the file can't be
>>>> found/accessed. (Path is correct)
>>>>
>>>> MSDTC is configured running as a Domain-Account, and accessing the
>> network
>>>> (COM-Configuration)
>>>> MSSQLSERVER-service is also configured as a Domain-Account.
>>>> Could this be a setting in Server2003 which I didn't found yet ???
>>>>
>>>> Any help would be appreciated
>>>> Many thanks & regards,
>>>> Marc
>>>>
>>>>
>>>
>>>
>>
>>
>
>*