

Re: Trigger is not working when I test

Source:

<http://www.tech-archive.net/Archive/SQL-Server/microsoft.public.sqlserver.programming/2004-10/2596.html>

From: Mike John (*Mike.John_at_knowledgepool.com*)

Date: 10/11/04

Date: Mon, 11 Oct 2004 20:55:23 +0100

Some more details on "not working" would help. I also can't help wondering why on earth you are using a trigger for something that could be very simply (and more efficiently) done using a constraint. have a look at CHECK CONSTRAINTS in BOL.

Mike John

"DCSLICK" <DCSLICK@discussions.microsoft.com> wrote in message news:754AF358-77CC-4107-B8BC-CD594F0D5B2E@microsoft.com...

> *Thank you for the info, that is the way I had it before but it never worked*

> *so I tried changing it around. So I put it back that way and when I test it*

> *is still not working.*

> *Can I use updated instead of inserted? Would that make a difference?*

>

> *Thanks again!!!!*

>

> *"Alejandro Mesa" wrote:*

>

>> *This is from BOL.*

>>

>> *deleted and inserted are logical (conceptual) tables. They are*

>> *structurally*

>> *similar to the table on which the trigger is defined, that is, the table*

>> *on*

>> *which the user action is attempted, and hold the old values or new values*

>> *of*

>> *the rows that may be changed by the user action. For example, to retrieve*

>> *all*

>> *values in the deleted table, use:*

>>

>> *SELECT **

>> *FROM deleted*

>>

>> *******

>>

microsoft.public.sqlserver.programming: Re: Trigger is not working when I test

```
>> In your case, the table inserted has same structure as table  
>> video_collection.  
>>  
>> CREATE TRIGGER CheckStock ON [video_collection]  
>> FOR UPDATE  
>> AS  
>> IF EXISTS (S
```