

Re: Obtaining Window login name from a trigger

Source:

<http://www.tech-archive.net/Archive/SQL-Server/microsoft.public.sqlserver.server/2004-07/1295.html>

From: Herb (Herb_at_discussions.microsoft.com)

Date: 07/09/04

Date: Fri, 9 Jul 2004 04:39:02 -0700

Thanks for the suggestion. I will give that a try.

"Jasper Smith" wrote:

> *You'll need to pass the "real" login name through to SQL. One technique for*
> *this when an application uses a single service account is to use SET*
> *CONTEXT_INFO to pass the information through with the user connection and*
> *pull this out in your trigger (i. Note that you have to explicitly set this*
> *in your app for each connection that you require this information for. In*
> *some configurations this may not be practical/possible. See BOL for more on*
> *the command.*
>
> --
> HTH
>
> *Jasper Smith (SQL Server MVP)*
> <http://www.sqldbatips.com>
> *I support PASS – the definitive, global*
> *community for SQL Server professionals –*
> <http://www.sqlpass.org>
>
> *"Herb" <Herb@discussions.microsoft.com> wrote in message*
> *news:38AB6DF7-C403-469B-A00C-F56CAE4DB2DD@microsoft.com...*
> *Hi,*
> >
> > *We are running SQL 2K with SQL Server and Windows authentication. Our*
> *system has been designed to login external user to SQL Server using one*
> *login account. I am trying to retrieve that actual Windows login user name*
> *from a trigger. Does anyone know how I accomplish this task.*
>
>
>