

error logging on SQL 2008

Source:

<http://www.tech-archive.net/Archive/SQL-Server/microsoft.public.sqlserver.server/2009-06/msg00654.html>

- *From:* "Zoran" <ms.news@xxxxxxxxx>
 - *Date:* Tue, 16 Jun 2009 05:11:02 +0200
-

Hello All,

I did have the same kind of a problem previously, and I now got it again – "cannot connect to localhost".

I made a new installation of SQL 2008 on a Windows Server 2008, installed SP1 for SQL 2008, and after the restart of the machine, I cannot get in using SQL Server Management Studio (I get the error below).

It is funny – I am logged on as local administrator, so I should have all the rights...!

Anyhow, how do I connect to the server now, to check the security/logins...?

Thank you in advance,

regards

Zoran

=====
Cannot connect to localhost.
=====

Login failed for user 'OurMachine\Administrator'. (.Net SqlClient Data Provider)

For help, click:

<http://go.microsoft.com/fwlink?ProdName=Microsoft+SQL+Server&EvtSrc=MSSQLServer&EvtID=18456&LinkId=>

Server Name: localhost
Error Number: 18456

error logging on SQL 2008

Severity: 14
State: 1
Line Number: 65536

Program Location:

at System.Data.SqlClient.SqlInternalConnection.OnError(SqlException
exception, Boolean breakConnection)
at
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject
stateObj)
at System.Data.SqlClient.TdsParser.Run(RunBehavior runBehavior,
SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet
bulkCopyHandler, TdsParserStateObject stateObj)
at System.Data.SqlClient.SqlInternalConnectionTds.CompleteLogin(Boolean
enlistOK)
at
System.Data.SqlClient.SqlInternalConnectionTds.AttemptOneLogin(ServerInfo
serverInfo, String newPassword, Boolean ignoreSniOpenTimeout, Int64
timerExpire, SqlConnection owningObject)
at System.Data.SqlClient.SqlInternalConnectionTds.LoginNoFailover(String
host, String newPassword, Boolean redirectedUserInstance, SqlConnection
owningObject, SqlConnectionString connectionOptions, Int64 timerStart)
at
System.Data.SqlClient.SqlInternalConnectionTds.OpenLoginEnlist(SqlConnection
owningObject, SqlConnectionString connectionOptions, String newPassword,
Boolean redirectedUserInstance)
at
System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity
identity, SqlConnectionString connectionOptions, Object providerInfo, String
newPassword, SqlConnection owningObject, Boolean redirectedUserInstance)
at
System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionOptions
options, Object poolGroupProviderInfo, DbConnectionPool pool, DbConnection
owningConnection)
at
System.Data.ProviderBase.DbConnectionFactory.CreateNonPooledConnection(DbConnection
owningConnection, DbConnectionPoolGroup poolGroup)
at
System.Data.ProviderBase.DbConnectionFactory.GetConnection(DbConnection
owningConnection)
at
System.Data.ProviderBase.DbConnectionClosed.OpenConnection(DbConnection
outerConnection, DbConnectionFactory connectionFactory)
at System.Data.SqlClient.SqlConnection.Open()
at
Microsoft.SqlServer.Management.UI.VSIntegration.ObjectExplorer.ObjectExplorer.ValidateConnection(UIConnection
ci, IServerType server)
at

error logging on SQL 2008

Microsoft.SqlServer.Management.UI.ConnectionDlg.Connector.ConnectionThreadUser()
