

Re: sql2k Collation problems.

Source:

<http://www.tech-archive.net/Archive/SQL-Server/microsoft.public.sqlserver.setup/2005-12/msg00099.html>

- *From:* "Adrian Parker" <apparker@xxxxxxxxxxxxxxx>
 - *Date:* Thu, 8 Dec 2005 14:34:35 -0000
-

> Based on my knowledge, parameters for function is assigned the default
> collation of the database:

Then please try the following..

Create a new database using a different collation than your server instance.

Our SQL Server instance = SQL_Latin1_General_CP1_CI_AS

The problem database = Latin1_General_CI_AS

Then run the following script against that DB.

```
---START
CREATE FUNCTION dbo.myfunc ()
RETURNS @Result table ( rescol varchar(10))
AS
BEGIN
INSERT @Result
SELECT 'A'
RETURN
END
GO

CREATE TABLE testtable
(
test_id varchar(10) NOT NULL
)
GO

SELECT *
FROM testtable TT,
dbo.myfunc() AS MF
WHERE TT.test_id = MF.rescol
GO

---END
```

I get the following error..

Re: sql2k Collation problems.

"Cannot resolve collation conflict for equal to operation."

If you do a sp_help myfunc and look at the collation, you'll see it has come from the server instance, whereas if you do sp_help testtable, it will have the collation of the database.

Please let me know if you get a different result.

Thanks
Adrian Parker

• **Follow-Ups:**

- ◆ **Re: sql2k Collation problems.**
◇ From: Sophie Guo [MSFT]

• **References:**

- ◆ **sql2k Collation problems.**
◇ From: Adrian Parker
- ◆ **RE: sql2k Collation problems.**
◇ From: Sophie Guo [MSFT]

- Prev by Date: **sql collation question**
- Next by Date: **Problem with UDL- Login failed. Catalog information cannot be retrieved**
- Previous by thread: **RE: sql2k Collation problems.**
- Next by thread: **Re: sql2k Collation problems.**
- Index(es):
 - ◆ **Date**
 - ◆ **Thread**