

## Re: Restore Master DB to New Server

**Source:**

<http://www.tech-archive.net/Archive/SQL-Server/microsoft.public.sqlserver.tools/2004-03/0421.html>

---

**From:** Tibor Karaszi (*tibor\_please.no.email\_karaszi\_at\_hotmail.nomail.com*)

**Date:** 03/24/04

Date: Wed, 24 Mar 2004 23:28:04 +0100

Also, check put below KB articles:

Moving SQL Server Databases

<http://www.support.microsoft.com/?id=224071>

Moving Databases between Servers

<http://www.support.microsoft.com/?id=314546>

Using WITH MOVE in a Restore to a New Location with Detach/Attach

<http://support.microsoft.com/?id=221465>

How To Transfer Logins and Passwords Between SQL Servers

<http://www.support.microsoft.com/?id=246133>

Mapping Logins & SIDs after a Restore

<http://www.support.microsoft.com/?id=298897>

Utility to map users to the correct login

<http://www.dbmaint.com/SyncSqlLogins.asp>

How to Resolve Permission Issues When a Database Is Moved Between SQL Servers

<http://www.support.microsoft.com/?id=240872>

User Logon and/or Permission Errors After Restoring Dump

<http://www.support.microsoft.com/?id=168001>

Disaster Recovery Articles for SQL Server

<http://www.support.microsoft.com/?id=307775>

--

Tibor Karaszi, SQL Server MVP

<http://www.karaszi.com/sqlserver/default.asp>

"Tibor Karaszi" <tibor\_please.no.email\_karaszi@hotmail.nomail.com> wrote in message news:e3qbJ6eEEHA.2460@TK2MSFTNGP10.phx.gbl...

> The first thing you need to consider is whether the system databases are on the same path. If t  
> SQL Server should start. If not, then SQL Server will not even start as it looks for model (whi  
the  
> mast as stated in master..sysdatabases) and since model isn't there, it can't create tempdb and  
> cannot live without tempdb.

## microsoft.public.sqlserver.tools: Re: Restore Master DB to New Server

```
>
> If the system databases are on the same path, all you need to do for your user database is to d
> (they
> are suspect anyhow) and then try to attach to the database files using sp_attach_db.
>
> --
> Tibor Karaszi, SQL Server MVP
> http://www.karaszi.com/sqlserver/default.asp
>
>
> "Cory" <Cory.ellingson@rcis.com> wrote in message news:0BD2AFC2-6EF6-4C7D-BC29-D99D37BE9FFE@mic
> > Hello,
> >
> > I am trying to restore my databases to a new server for a BCP Drill, and I am running into a
> >
> > When I try to restore the master (in single user mode -c -m), that appears to go well, howeve
> > to start SQL Server back up, it gives numerous error messages, stating the \\..\dbname.mdb and
> > there, when infact, they are not there. However, I am trying to restore. From what I can tell
> > master, then the user DB's...another possible kink is that the .mdb's and the .log's are on dif
> > (F & G)...
> >
> > Ideas?
> >
> > Cory
>
>
```