

Re: sending last variable defined as default from VBS to ATL object

Source:

<http://www.tech-archive.net/Archive/Scripting/microsoft.public.scripting.vbscript/2004-10/1173.html>

From: Michael Harris \(\MVP\) ("*Michael*")

Date: 10/28/04

Date: Wed, 27 Oct 2004 17:05:43 -0700

> *I had a problem which i try to solve.*
>
> *It seems that if I define a mthod in idl file the last variable as*
> *default and not sending it, i get VBS run time error.*
>
> *example: in idl:*
>
> *HRESULT ConfigScenario ([in, defaultvalue(NULL)] INT*
> *valCurrentTestSet,[in, defaultvalue(NULL)] INT temp,[out,retval] INT*
> **uiApplicationIndex);*
>
> *and in VBS file:*
>
> *Dim obj,k*
>
> *set obj = Cretaeobject("whatever.x")*
> *k = obj.ConfigScenario(,) -> i get run time error.*
> *k = obj.ConfigScenario(512,12) -> this works fine*
>
> *any one knows if it is allow?*

There's no reason for ',' delimiters if trailing optional arguments are omitted, but they are needed if leading optional arguments are omitted.

```
k = obj.ConfigScenario() 'both default
k = obj.ConfigScenario(512) '2nd defaults
k = obj.ConfigScenario(,12) '1st defaults
```

--
Michael Harris
Microsoft.MVP.Scripting
Sammamish WA US