

Re: how to import two .tlb uses same interface?

Source: <http://www.tech-archive.net/Archive/VC/microsoft.public.vc.atl/2005-08/msg00452.html>

- *From:* "Igor Tandetnik" <itandetnik@xxxxxxxx>
 - *Date:* Wed, 24 Aug 2005 23:55:14 -0400
-

"Daniels He" <heinsect@xxxxxxxx> wrote in message
news:%23HUMIfSqFHA.2724@xxxxxxxxxxxxxxxxxxxxxxxx
> I just answer a question, it bring another question. ^-^

Unless you specify `no_namespace` flag on `#import` directive, the two interfaces will be in different namespaces. Then you will just have to refer to them by their fully qualified names.

Alternatively, you can use `rename()` attribute to rename individual conflicting symbols.

—

With best wishes,
Igor Tandetnik

With sufficient thrust, pigs fly just fine. However, this is not necessarily a good idea. It is hard to be sure where they are going to land, and it could be dangerous sitting under them as they fly overhead. — RFC 1925

.

-
- *References:*
 - ◆ [how to import two .tlb uses same interface?](#)
 - ◇ *From:* Daniels He
 - Prev by Date: [how to import two .tlb uses same interface?](#)
 - Next by Date: [how to import two .tlb uses same interface?](#)
 - Previous by thread: [how to import two .tlb uses same interface?](#)
 - Next by thread: [how to import two .tlb uses same interface?](#)
 - Index(es):
 - ◆ [Date](#)
 - ◆ [Thread](#)