

Re: Configured Identity incorrect for COM applications using Windows 2000 server

Re: Configured Identity incorrect for COM applications using Windows 2000 server

Source:

http://www.tech-archive.net/Archive/Win2000/microsoft.public.win2000.active_directory/2006-12/msg00301.html

- *From:* v-xuwen@xxxxxxxxxxxxxxxxxxxxxx (Vincent Xu [MSFT])
 - *Date:* Tue, 26 Dec 2006 02:44:01 GMT
-

Hi,

I understand. Feel free to let me know the results.

Have a good day~

Best regards,

Vincent Xu
Microsoft Online Partner Support

=====
Get Secure! – www.microsoft.com/security
=====

When responding to posts, please "Reply to Group" via your newsreader so that others may learn and benefit from this issue.

=====
This posting is provided "AS IS" with no warranties, and confers no rights.
=====

From: "brian cullen" <brianc@xxxxxxxxxxxxxxxxxxxxxx>
References: <uCpKczsHHHA.320@xxxxxxxxxxxxxxxxxxxxxx>

<rttkgOyHHHA.516@xxxxxxxxxxxxxxxxxxxxxx>
<clegHUyHHHA.2488@xxxxxxxxxxxxxxxxxxxxxx>
<e28YiGqIHHA.4928@xxxxxxxxxxxxxxxxxxxxxx>
<oIQ6FLxIHHA.2024@xxxxxxxxxxxxxxxxxxxxxx>

Subject: Re: Configured Identity incorrect for COM applications using

Windows 2000 server

Re: Configured Identity incorrect for COM applications using Windows 2000 server

Re: Configured Identity incorrect for COM applications using Windows 2000 server

Date: Fri, 22 Dec 2006 09:10:50 -0000
Lines: 267
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <egxQgkaJHHA.2140@xxxxxxxxxxxxxxxxxxxxxxxx>
Newsgroups: microsoft.public.win2000.active_directory
NNTP-Posting-Host: 83.71.207.24
Path:
TK2MSFTNGHUB02.phx.gbl!TK2MSFTNGP01.phx.gbl!TK2MSFTNGP03.phx.gbl
Xref: TK2MSFTNGHUB02.phx.gbl
microsoft.public.win2000.active_directory:375
X-Tomcat-NG: microsoft.public.win2000.active_directory

Vincient,

Wont get a chance to try this till early new year, will let you know how I
get on

Many thanks

Brian

"Vincent Xu [MSFT]" <v-xuwen@xxxxxxxxxxxxxxxxxxxxxxxx> wrote in
message

news:oIQ6FLxIHHA.2024@xxxxxxxxxxxxxxxxxxxxxxxx

Hi,

This value should exist in the place I mentioned:

HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\InetInfo\Parameters

It's documented to be defaulted to 4 but it's actually 10

If it doesn't exist, you can create one and set to 11 or bigger.

Best regards,

Vincent Xu
Microsoft Online Partner Support

=====
Get Secure! – www.microsoft.com/security
=====

When responding to posts, please "Reply to Group" via your
newsreader so
that others
may learn and benefit from this issue.
=====

Re: Configured Identity incorrect for COM applications using Windows 2000 server

This posting is provided "AS IS" with no warranties, and confers no

rights.

From: "brian cullen"
<brianc@xxxxxxxxxxxxxxxxxxxx>
References:
<uCpKczsHHHA.320@xxxxxxxxxxxxxxxxxxxx>

<rttkgOyHHHA.516@xxxxxxxxxxxxxxxxxxxx>
<clegHUyHHHA.2488@xxxxxxxxxxxxxxxxxxxx>

Subject: Re: Configured
Identity incorrect for COM
applications using

Windows 2000 server

Date: Mon, 18 Dec 2006
12:39:43 -0000
Lines: 188
X-Priority: 3
X-MSMail-Priority:
Normal
X-Newsreader: Microsoft
Outlook Express
6.00.2800.1106
X-MimeOLE: Produced By
Microsoft MimeOLE
V6.00.2800.1106
Message-ID:
<e28YiGqIHHA.4928@xxxxxxxxxxxxxxxxxxxx>
Newsgroups:
microsoft.public.win2000.active_directory
NNTP-Posting-Host:
83.71.207.23
Path:
TK2MSFTNGHUB02.phx.gbl!TK2MSFTNGP01.phx.gbl!TK2MSFTNGP06
Xref:
TK2MSFTNGHUB02.phx.gbl

microsoft.public.win2000.active_directory:301

Re: Configured Identity incorrect for COM applications using Windows 2000 server

X-Tomcat-NG:
microsoft.public.win2000.active_directory

VIncient,

Many thanks

Could you provide a bit
more detail on
MaxPoolThread count.

Is this new key to be created
or an existing key?

What should I increase the
count to ?

Many thanks and regards

Brian

"Vincent Xu [MSFT]"
<v-xuwen@xxxxxxxxxxxxxxxxxxxxxx>
wrote in message
news:clegHUyHHHA.2488@xxxxxxxxxxxxxxxxxxxxxxxxxxxx

Hi,

The
previous
method is
also
documented
in the KB,
if it doesn't

work,

let's

increase the
MaxPoolThread
count.

(HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\InetInfo\Parameters)

Re: Configured Identity incorrect for COM applications using Windows 2000 server

Re: Configured Identity incorrect for COM applications using Windows 2000 server

Hope this helps.

Best regards,

Vincent Xu
Microsoft
Online
Partner
Support

Get Secure!

—

www.microsoft.com/security

When responding to posts, please "Reply to Group" via your

newsreader

so

that others may learn and benefit from this issue.

This posting is provided "AS IS" with no warranties, and confers no

rights.

Re: Configured Identity incorrect for COM applications using Windows 2000 server

Newsgroups:
microsoft.public.win2000.active_directory
From:
v-xuwen@xxxxxxxxxxxxxxxxxxxxxx
(Vincent
Xu
[MSFT])
Organization:
Microsoft
Date:
Thu,
14
Dec
2006
02:00:12
GMT
Subject:
RE:
Configured
Identity
incorrect
for
COM
applications

using

Windows
2000 server

X-Tomcat-NG:
microsoft.public.win2000.active_directory
MIME-Version:
1.0
Content-Type:
text/plain
Content-Transfer-Encoding:
7bit

Hi,

Based
on
my
research,
this
issue
can
occur
because
IIS,

Re: Configured Identity incorrect for COM applications using Windows 2000 server

DCOM,
and

MTS(?)

all
share
the
same
password,
but
they
are
not
all
synced.

I
found
following
solution
from
Internet
you
can
have
a
try
:

–
Open
a
Command
Prompt
window

–
enter
"cd
C:\Inetpub\AdminScripts"
(or
wherever
your
inetpub

is)

–
enter
"cscript.exe
synciwam.vbs
-v"

Re: Configured Identity incorrect for COM applications using Windows 2000 server

Best
regards,

Vincent
Xu
Microsoft
Online
Partner
Support

Get
Secure!

–
www.microsoft.com/security

When
responding
to
posts,
please
"Reply
to
Group"
via
your

newsreader

so

that
others
may
learn
and
benefit
from
this
issue.

This
posting
is
provided
"AS
IS"
with

Re: Configured Identity incorrect for COM applications using Windows 2000 server

no
warranties,and
confers
no

rights.

=====

From:
"brian
cullen"
<brianc@xxxxxxxxxxxxxxxxxxx>
Subject:
Configured
Identity
incorrect
for
COM
applications

using

Windows

2000
server

Date:
Wed,
13
Dec
2006
15:39:04
-0000
Lines:
61
X-Priority:
3
X-MSMail-Priority:
Normal
X-Newsreader:
Microsoft
Outlook
Express
6.00.2800.1106
X-MimeOLE:

Re: Configured Identity incorrect for COM applications using Windows 2000 server

Re: Configured Identity incorrect for COM applications using Windows 2000 server

Produced
By
Microsoft
MimeOLE
V6.00.2800.1106
Message-ID:
<uCpKczsHHHA.320@xxxxxxxxxxx>
Newsgroups:
microsoft.public.win2000.active_directory
NNTP-Posting-Host:
83.71.207.24
Path:

TK2MSFTNGHUB02.phx.gbl!TK2MSFTNGP01.phx.gbl!TK2MSFTNGP06.phx.gbl

Xref:
TK2MSFTNGHUB02.phx.gbl

microsoft.public.win2000.active_directory:225

X-Tomcat-NG:
microsoft.public.win2000.active_directory

Hello

We
have
an
application
named
iPlan
running
on
Windows
2000

server

which

uses

MS-Word
to
automatically
generate
letters
to
customers
from
the

Re: Configured Identity incorrect for COM applications using Windows 2000 server system.

MS-Word
2000
SR-1
is
installed
on
the
server
for
this
purpose.

In
order
for
MS-Word
to
produce
a
letter,
it
needs
to
be

launched

on

the

server
by
an

administrator
equivalent
account.

A
local
administrator
account

has

been

Re: Configured Identity incorrect for COM applications using Windows 2000 server

created
for
this
purpose.

The
properties
for
the
Microsoft
Word
application
are
configured

using

dcomcnfg,
the
utility
that
allows
configuration
of
COM

applications.

Once

dcomcnfg
utility
has
been
run,
the
Identity
tab
of
is
selected

from

Microsoft
Word
Application.

The
problem
is
that
the
password
entered
is
being
overwritten

typically

five

times
per
week
and
hence
iPlan
can't
generate
any
letters
to

customers.

When

the
correct
password
is
re-keyed,
iPlan
is
able
to
immediately

produce

correspondence.

Alredy
attempted

Re: Configured Identity incorrect for COM applications using Windows 2000 server

solutions:

To resolve this problem, Microsoft states that the passwords for

the

IUSR

and

IWAM accounts must be synchronized in all three of the

above-mentioned

locations.
See

<http://support.microsoft.com/Default.aspx?kbid=297989#kb1>

Solution described in this article has been tried with no

success.

Re: Configured Identity incorrect for COM applications using Windows 2000 server

Error
Messages:

The
following
DCOM
error
message
appears
in
System
log
;

Event
ID
10004

DCOM
got
error
"Overlapped
I/O
operation
is
in
progress."
and

was

unable

to

logon
Servername\adminaccount
in
order
to
run
the
server:

{00020906-0000-0000-C000-0000

Re: Configured Identity incorrect for COM applications using Windows 2000 server

Much
appreciate
any
help

Brian