

Re: GP Logon Script Fails on Wireless XP Clients

Source:

http://www.tech-archive.net/Archive/Win2000/microsoft.public.win2000.group_policy/2004-07/0442.html

From: James (*anonymous_at_discussions.microsoft.com*)

Date: 07/16/04

Date: Fri, 16 Jul 2004 10:58:01 -0700

I am referring to Logon script under User Configuration. I am using PEAP for wireless authentication, with IAS and internal certificates. I moved the script from logon to logoff and it runs on the wireless clients when they logoff. The script also runs with a wired connection.

I am looking for the setting you mentioned, however I do not see it listed. Under Computer Config->Admin Temps->System->Logon I see the following:

- Run logon scripts synchronously
- Run startup scripts asynchronously
- Run startup scripts visible
- Run shutdown scripts visible
- Maximum wait time for Group Policy scripts
- Delete cached copies of roaming profiles
- Do not detect slow network connections
- Slow network connection timeout for user profiles
- Wait for remote user profile
- Prompt user when slow link is detected
- Timeout for dialog boxes
- Log users off when roaming profile fails
- Maximum retries to unload and update user profile
- Add the Administrators security group to roaming user profiles
- Do not check for user ownership of Roaming Profile Folders
- Only allow local user profiles

Any idea why I would be missing the setting you are referring to?

>-----Original Message-----

>Hi James

>

>Are you referring to computer configuration settings or user configuration

>settings in this case?

>

>What options do you have set on the Authentication Tab
of the properties for
>the wireless interface?
>
>You could try Computer Configuration -> Administrative
Templates ->
>System -> Logon -> Always wait for the network at
computer startup and
>logon.
> (this setting probably requires you to logon once with
a wired connection
>before it'll take in wireless).
>
>Kind regards
>--
>Mark Renoden [MSFT]
>Windows Platform Support Team
>Email: markreno@online.microsoft.com
>
>Please note you'll need to strip ".online" from my email
address to email
>me; I'll post a response back to the group.
>
>This posting is provided "AS IS" with no warranties, and
confers no rights.
>
>
>
>"James" <anonymous@discussions.microsoft.com> wrote in
message
>news:2de7501c46aa7\$947ba3b0\$a501280a@phx.gbl...
>> For some reason wireless XP clients are not running an
OU
>> GP. I am using 802.1x and IAS to authenticate the
>> clients. According to Application Log and RSOP they are
>> failing with the following error:
>>
>> Windows cannot obtain the domain controller name for
your
>> computer network. (The specified domain either does not
>> exist or could not be contacted.). Group Policy
>> processing aborted.
>>
>> It seems that there is a timing problem between
>> authenticating via 802.1x and executing the GP. When I
>> disable wireless and used a wired connectection the GP
>> works fine.
>>
>> Is there a way to delay the GP from executing until the
>> 802.1x authentication is complete?
>

microsoft.public.win2000.group_policy: Re: GP Logon Script Fails on Wireless XP Clients

>
>
>