

# Re: Group Policy Software Uninstalls on XP PCs

---

**Source:**

[http://www.tech-archive.net/Archive/Win2000/microsoft.public.win2000.group\\_policy/2006-08/msg00018.html](http://www.tech-archive.net/Archive/Win2000/microsoft.public.win2000.group_policy/2006-08/msg00018.html)

---

- *From:* kkbradsh <[kkbradsh@xxxxxxxxxxxxxxxxxxxxxxxxxxxxx](mailto:kkbradsh@xxxxxxxxxxxxxxxxxxxxxxxxxxxxx)>
  - *Date:* Fri, 21 Jul 2006 11:45:02 -0700
- 

Userenv Part 3 (see additional posts for rest of log):

(28c.290) 08:44:57:647 CUserProfile::Initialize: Processing S-1-5-20  
(28c.290) 08:44:57:647 CSyncManager::EnterLock <S-1-5-20>  
(28c.290) 08:44:57:647 CSyncManager::EnterLock: No existing entry found  
(28c.290) 08:44:57:647 CSyncManager::EnterLock: New entry created  
(28c.290) 08:44:57:647 CHashTable::HashAdd: S-1-5-20 added in bucket 4  
(28c.290) 08:44:57:647 CUserProfile::CleanupUserProfile: Enter critical section.  
(28c.290) 08:44:57:647 CUserProfile::GetRefCountAndFlags: Ref count is 2, state is 00000000  
(28c.290) 08:44:57:647 CUserProfile::CleanupUserProfile: Ref Count is not 0  
(28c.290) 08:44:57:647 CSyncManager::LeaveLock <S-1-5-20>  
(28c.290) 08:44:57:647 CSyncManager::LeaveLock: Lock released  
(28c.290) 08:44:57:647 CHashTable::HashDelete: S-1-5-20 deleted  
(28c.290) 08:44:57:647 CSyncManager::LeaveLock: Lock deleted  
(28c.290) 08:44:57:647 CUserProfile::CleanupUserProfile: Leave critical section  
(28c.290) 08:44:57:647 CUserProfile::Initialize: Processing S-1-5-19  
(28c.290) 08:44:57:647 CSyncManager::EnterLock <S-1-5-19>  
(28c.290) 08:44:57:647 CSyncManager::EnterLock: No existing entry found  
(28c.290) 08:44:57:647 CSyncManager::EnterLock: New entry created  
(28c.290) 08:44:57:647 CHashTable::HashAdd: S-1-5-19 added in bucket 12  
(28c.290) 08:44:57:647 CUserProfile::CleanupUserProfile: Enter critical section.  
(28c.290) 08:44:57:647 CUserProfile::GetRefCountAndFlags: Ref count is 2, state is 00000000  
(28c.290) 08:44:57:647 CUserProfile::CleanupUserProfile: Ref Count is not 0  
(28c.290) 08:44:57:647 CSyncManager::LeaveLock <S-1-5-19>  
(28c.290) 08:44:57:647 CSyncManager::LeaveLock: Lock released  
(28c.290) 08:44:57:647 CHashTable::HashDelete: S-1-5-19 deleted  
(28c.290) 08:44:57:647 CSyncManager::LeaveLock: Lock deleted  
(28c.290) 08:44:57:647 CUserProfile::CleanupUserProfile: Leave critical section  
(28c.290) 08:44:57:647 CUserProfile::Initialize: Processing S-1-5-18  
(28c.290) 08:44:57:647 CSyncManager::EnterLock <S-1-5-18>  
(28c.290) 08:44:57:647 CSyncManager::EnterLock: No existing entry found  
(28c.290) 08:44:57:647 CSyncManager::EnterLock: New entry created  
(28c.290) 08:44:57:647 CHashTable::HashAdd: S-1-5-18 added in bucket 11

Re: Group Policy Software Uninstalls on XP PCs

(28c.290) 08:44:57:647 CUserProfile::CleanupUserProfile: Enter critical section.  
(28c.290) 08:44:57:647 CUserProfile::GetRefCountAndFlags: Ref count is 1, state is 00000000  
(28c.290) 08:44:57:647 CUserProfile::CleanupUserProfile: Ref Count is not 0  
(28c.290) 08:44:57:647 CSyncManager::LeaveLock <S-1-5-18>  
(28c.290) 08:44:57:647 CSyncManager::LeaveLock: Lock released  
(28c.290) 08:44:57:647 CHashTable::HashDelete: S-1-5-18 deleted  
(28c.290) 08:44:57:647 CSyncManager::LeaveLock: Lock deleted  
(28c.290) 08:44:57:647 CUserProfile::CleanupUserProfile: Leave critical section  
(28c.290) 08:44:57:647 CUserProfile::Initialize: RpcServerRegisterIfEx successful  
(28c.290) 08:44:57:647 Exiting CUserProfile::Initialize, successful  
(2c4.2c8) 08:44:57:717 LibMain: Process Name: C:\WINDOWS\system32\lsass.exe  
(28c.290) 08:44:57:757 IsSyncForegroundPolicyRefresh: Synchronous, Reason: policy set to SYNC  
(2b8.2bc) 08:44:57:797 LibMain: Process Name: C:\WINDOWS\system32\services.exe  
(358.35c) 08:44:58:238 LibMain: Process Name: C:\WINDOWS\system32\svchost.exe  
(2b8.2bc) 08:44:58:358 LoadUserProfile: Yes, we can impersonate the user. Running as self  
(2b8.2bc) 08:44:58:358  
=====

(2b8.2bc) 08:44:58:358 LoadUserProfile: Entering, hToken = <0x2b8>, lpProfileInfo = 0x7fcf8  
(2b8.2bc) 08:44:58:358 LoadUserProfile: lpProfileInfo->dwFlags = <0x9>  
(2b8.2bc) 08:44:58:358 LoadUserProfile: lpProfileInfo->lpUserName = <NetworkService>  
(2b8.2bc) 08:44:58:358 LoadUserProfile: NULL central profile path  
(2b8.2bc) 08:44:58:358 LoadUserProfile: NULL default profile path  
(2b8.2bc) 08:44:58:358 LoadUserProfile: NULL server name  
(2b8.2bc) 08:44:58:358 GetInterface: Returning rpc binding handle  
(28c.380) 08:44:58:358 IProfileSecurityCallback: client authenticated.  
(28c.380) 08:44:58:358 DropClientContext: Got client token 000003E4, sid = S-1-5-18  
(28c.380) 08:44:58:358 MIDL\_user\_allocate enter  
(28c.380) 08:44:58:358 DropClientContext: load profile object successfully made  
(28c.380) 08:44:58:358 DropClientContext: Returning 0  
(2b8.2bc) 08:44:58:358 LoadUserProfile: Calling DropClientToken (as self) succeeded  
(28c.2a4) 08:44:58:358 IProfileSecurityCallback: client authenticated.  
(28c.2a4) 08:44:58:358 In LoadUserProfileP  
(28c.2a4) 08:44:58:358 LoadUserProfile: Running as client  
(28c.2a4) 08:44:58:358  
=====

(28c.2a4) 08:44:58:358 LoadUserProfile: Entering, hToken = <0x3e8>, lpProfileInfo = 0xe757c0  
(28c.2a4) 08:44:58:358 LoadUserProfile: lpProfileInfo->dwFlags = <0x9>  
(28c.2a4) 08:44:58:358 LoadUserProfile: lpProfileInfo->lpUserName =

## Re: Group Policy Software Uninstalls on XP PCs

<NetworkService>

(28c.2a4) 08:44:58:358 LoadUserProfile: NULL central profile path  
(28c.2a4) 08:44:58:358 LoadUserProfile: NULL default profile path  
(28c.2a4) 08:44:58:358 LoadUserProfile: NULL server name  
(28c.2a4) 08:44:58:358 LoadUserProfile: User sid: S-1-5-20  
(28c.2a4) 08:44:58:358 CSyncManager::EnterLock <S-1-5-20>  
(28c.2a4) 08:44:58:358 CSyncManager::EnterLock: No existing entry found  
(28c.2a4) 08:44:58:358 CSyncManager::EnterLock: New entry created  
(28c.2a4) 08:44:58:358 CHashTable::HashAdd: S-1-5-20 added in bucket 4  
(28c.2a4) 08:44:58:358 LoadUserProfile: Wait succeeded. In critical section.  
(28c.2a4) 08:44:58:358 RestoreUserProfile: Entering  
(28c.2a4) 08:44:58:358 IsCentralProfileReachable: Entering  
(28c.2a4) 08:44:58:358 IsCentralProfileReachable: Null path. Leaving  
(28c.2a4) 08:44:58:358 RestoreUserProfile: Profile path = <>  
(28c.2a4) 08:44:58:358 ExtractProfileFromBackup: A profile already exists  
(28c.2a4) 08:44:58:358 PatchNewProfileIfRequired: A profile already exists with the current sid, exiting  
(28c.2a4) 08:44:58:358 CreateLocalProfileKey: Not setting additional Security  
(28c.2a4) 08:44:58:358 GetExistingLocalProfileImage: Found entry in profile list for existing local profile  
(28c.2a4) 08:44:58:358 GetExistingLocalProfileImage: Local profile image filename = <%SystemDrive%\Documents and Settings\NetworkService>  
(28c.2a4) 08:44:58:358 GetExistingLocalProfileImage: Expanded local profile image filename = <C:\Documents and Settings\NetworkService>  
(28c.2a4) 08:44:58:368 GetExistingLocalProfileImage: No local mandatory profile. Error = 2  
(28c.2a4) 08:44:58:368 GetExistingLocalProfileImage: Found local profile image file ok <C:\Documents and Settings\NetworkService\ntuser.dat>  
(28c.2a4) 08:44:58:368 GetExistingLocalProfileImage: Failed to query low profile unload time with error 2  
(28c.2a4) 08:44:58:368 Local Existing Profile Image is reachable  
(28c.2a4) 08:44:58:368 Local profile name is <C:\Documents and Settings\NetworkService>  
(28c.2a4) 08:44:58:368 RestoreUserProfile: No central profile. Attempting to load local profile.  
(28c.2a4) 08:44:58:368 MyRegLoadKey: Returning 00000000  
(28c.2a4) 08:44:58:368 GetUserDNSDomainName: Domain name is NT Authority. No DNS domain name available.  
(28c.2a4) 08:44:58:368 MyRegLoadKey: Returning 00000000  
(28c.2a4) 08:44:58:368 CreateClassHive: existing user classes hive found  
(28c.2a4) 08:44:58:368 RestoreUserProfile: About to Leave. Final Information follows:  
(28c.2a4) 08:44:58:368 Profile was successfully loaded.  
(28c.2a4) 08:44:58:368 lpProfile->lpRoamingProfile = <>  
(28c.2a4) 08:44:58:368 lpProfile->lpLocalProfile = <C:\Documents and Settings\NetworkService>  
(28c.2a4) 08:44:58:368 lpProfile->dwInternalFlags = 0x0  
(28c.2a4) 08:44:58:368 RestoreUserProfile: Leaving.  
(28c.2a4) 08:44:58:368 UpgradeProfile: Entering  
(28c.2a4) 08:44:58:368 UpgradeProfile: Build numbers match  
(28c.2a4) 08:44:58:368 UpgradeProfile: Leaving Successfully

Re: Group Policy Software Uninstalls on XP PCs

(28c.2a4) 08:44:58:478 Profile Ref Count is 1  
(28c.2a4) 08:44:58:478 LoadUserProfile: Leaving critical Section.  
(28c.2a4) 08:44:58:478 CSyncManager::LeaveLock <S-1-5-20>  
(28c.2a4) 08:44:58:478 CSyncManager::LeaveLock: Lock released  
(28c.2a4) 08:44:58:478 CHashTable::HashDelete: S-1-5-20 deleted  
(28c.2a4) 08:44:58:478 CSyncManager::LeaveLock: Lock deleted  
(28c.2a4) 08:44:58:478 LoadUserProfile: Impersonated user: 000003e8, 000003f4  
(2c4.2f8) 08:44:58:478 GetUserDNSDomainName: Domain name is NT Authority.  
No DNS domain name available.  
(2c4.2f8) 08:44:58:488 GetUserDNSDomainName: Domain name is NT Authority.  
No DNS domain name available.  
(28c.2a4) 08:44:58:498 LoadUserProfile: Reverted to user: 00000000  
(28c.2a4) 08:44:58:498 LoadUserProfile: Reverted back to user <00000000>  
(28c.2a4) 08:44:58:498 LoadUserProfile: Leaving with a value of 1.  
(28c.2a4) 08:44:58:498  
=====

(28c.2a4) 08:44:58:498 LoadUserProfileI: returning 0  
(2b8.2bc) 08:44:58:498 LoadUserProfile: Running as self  
(2b8.2bc) 08:44:58:498 LoadUserProfile: Calling LoadUserProfileI (as user)  
succeeded  
(2b8.2bc) 08:44:58:498 LoadUserProfile: Returning success. Final  
Information follows:  
(2b8.2bc) 08:44:58:498 lpProfileInfo->UserName = <NetworkService>  
(2b8.2bc) 08:44:58:498 lpProfileInfo->lpProfilePath = <>  
(2b8.2bc) 08:44:58:498 lpProfileInfo->dwFlags = 0x9  
(28c.380) 08:44:58:498 IProfileSecurityCallback: client authenticated.  
(28c.380) 08:44:58:498 ReleaseClientContext: Releasing context  
(28c.380) 08:44:58:498 ReleaseClientContext\_s: Releasing context  
(28c.380) 08:44:58:498 MIDL\_user\_free enter  
(2b8.2bc) 08:44:58:498 ReleaseInterface: Releasing rpc binding handle  
(2b8.2bc) 08:44:58:498 LoadUserProfile: Returning TRUE. hProfile = <0x31c>  
(2b8.2bc) 08:44:58:498 GetUserDNSDomainName: Domain name is NT Authority.  
No DNS domain name available.  
(398.39c) 08:44:58:528 LibMain: Process Name: C:\WINDOWS\system32\svchost.exe  
(3c0.3c4) 08:44:58:588 LibMain: Process Name: C:\WINDOWS\System32\svchost.exe  
(2b8.2bc) 08:44:58:598 LoadUserProfile: Yes, we can impersonate the user.  
Running as self  
(2b8.2bc) 08:44:58:598  
=====

(2b8.2bc) 08:44:58:598 LoadUserProfile: Entering, hToken = <0x35c>,  
lpProfileInfo = 0x7fcf8  
(2b8.2bc) 08:44:58:598 LoadUserProfile: lpProfileInfo->dwFlags = <0x9>  
(2b8.2bc) 08:44:58:598 LoadUserProfile: lpProfileInfo->lpUserName =  
<NetworkService>  
(2b8.2bc) 08:44:58:598 LoadUserProfile: NULL central profile path  
(2b8.2bc) 08:44:58:598 LoadUserProfile: NULL default profile path  
(2b8.2bc) 08:44:58:598 LoadUserProfile: NULL server name  
(2b8.2bc) 08:44:58:598 GetInterface: Returning rpc binding handle  
(28c.2a4) 08:44:58:598 IProfileSecurityCallback: client authenticated.  
(28c.2a4) 08:44:58:598 DropClientContext: Got client token 000003E4, sid =  
S-1-5-18

Re: Group Policy Software Uninstalls on XP PCs

(28c.2a4) 08:44:58:598 MIDL\_user\_allocate enter  
(28c.2a4) 08:44:58:598 DropClientContext: load profile object successfully made  
(28c.2a4) 08:44:58:598 DropClientContext: Returning 0  
(2b8.2bc) 08:44:58:598 LoadUserProfile: Calling DropClientToken (as self) succeeded  
(28c.380) 08:44:58:598 IProfileSecurityCallback: client authenticated.  
(28c.380) 08:44:58:598 In LoadUserProfileP  
(28c.380) 08:44:58:598 LoadUserProfile: Running as client  
(28c.380) 08:44:58:598  
=====

(28c.380) 08:44:58:598 LoadUserProfile: Entering, hToken = <0x3e8>, lpProfileInfo = 0xe757c0  
(28c.380) 08:44:58:598 LoadUserProfile: lpProfileInfo->dwFlags = <0x9>  
(28c.380) 08:44:58:598 LoadUserProfile: lpProfileInfo->lpUserName = <NetworkService>  
(28c.380) 08:44:58:598 LoadUserProfile: NULL central profile path  
(28c.380) 08:44:58:598 LoadUserProfile: NULL default profile path  
(28c.380) 08:44:58:598 LoadUserProfile: NULL server name  
(28c.380) 08:44:58:598 LoadUserProfile: User sid: S-1-5-20  
(28c.380) 08:44:58:598 CSyncManager::EnterLock <S-1-5-20>  
(28c.380) 08:44:58:598 CSyncManager::EnterLock: No existing entry found  
(28c.380) 08:44:58:598 CSyncManager::EnterLock: New entry created  
(28c.380) 08:44:58:598 CHashTable::HashAdd: S-1-5-20 added in bucket 4  
(28c.380) 08:44:58:598 LoadUserProfile: Wait succeeded. In critical section.  
(28c.380) 08:44:58:598 TestIfUserProfileLoaded: Profile already loaded.  
(28c.380) 08:44:58:598 Profile Ref Count is 2  
(28c.380) 08:44:58:598 LoadUserProfile: Leaving critical Section.  
(28c.380) 08:44:58:598 CSyncManager::LeaveLock <S-1-5-20>  
(28c.380) 08:44:58:598 CSyncManager::LeaveLock: Lock released  
(28c.380) 08:44:58:598 CHashTable::HashDelete: S-1-5-20 deleted  
(28c.380) 08:44:58:598 CSyncManager::LeaveLock: Lock deleted  
(28c.380) 08:44:58:598 LoadUserProfile: Impersonated user: 000003e8, 000003f4  
(28c.380) 08:44:58:598 LoadUserProfile: Reverted to user: 00000000  
(28c.380) 08:44:58:608 LoadUserProfile: Reverted back to user <00000000>  
(28c.380) 08:44:58:608 LoadUserProfile: Leaving with a value of 1.  
(28c.380) 08:44:58:608  
=====

(28c.380) 08:44:58:608 LoadUserProfileI: returning 0  
(2b8.2bc) 08:44:58:608 LoadUserProfile: Running as self  
(2b8.2bc) 08:44:58:608 LoadUserProfile: Calling LoadUserProfileI (as user) succeeded  
(2b8.2bc) 08:44:58:608 LoadUserProfile: Returning success. Final Information follows:  
(2b8.2bc) 08:44:58:608 lpProfileInfo->UserName = <NetworkService>  
(2b8.2bc) 08:44:58:608 lpProfileInfo->lpProfilePath = <>  
(2b8.2bc) 08:44:58:608 lpProfileInfo->dwFlags = 0x9  
(28c.2a4) 08:44:58:608 IProfileSecurityCallback: client authenticated.  
(28c.2a4) 08:44:58:608 ReleaseClientContext: Releasing context  
(28c.2a4) 08:44:58:608 ReleaseClientContext\_s: Releasing context  
(28c.2a4) 08:44:58:608 MIDL\_user\_free enter

## Re: Group Policy Software Uninstalls on XP PCs

(2b8.2bc) 08:44:58:608 ReleaseInterface: Releasing rpc binding handle  
(2b8.2bc) 08:44:58:608 LoadUserProfile: Returning TRUE. hProfile = <0x358>  
(2b8.2bc) 08:44:58:608 GetUserDNSDomainName: Domain name is NT Authority.  
No DNS domain name available.  
(3f4.3f8) 08:44:58:638 LibMain: Process Name: C:\WINDOWS\System32\svchost.exe  
(2b8.2bc) 08:44:58:638 LoadUserProfile: Yes, we can impersonate the user.  
Running as self  
(2b8.2bc) 08:44:58:638  
=====

(2b8.2bc) 08:44:58:638 LoadUserProfile: Entering, hToken = <0x37c>,  
lpProfileInfo = 0x7fcf8  
(2b8.2bc) 08:44:58:638 LoadUserProfile: lpProfileInfo->dwFlags = <0x9>  
(2b8.2bc) 08:44:58:638 LoadUserProfile: lpProfileInfo->lpUserName =  
<LocalService>  
(2b8.2bc) 08:44:58:638 LoadUserProfile: NULL central profile path  
(2b8.2bc) 08:44:58:638 LoadUserProfile: NULL default profile path  
(2b8.2bc) 08:44:58:638 LoadUserProfile: NULL server name  
(2b8.2bc) 08:44:58:638 GetInterface: Returning rpc binding handle  
(28c.380) 08:44:58:638 IProfileSecurityCallback: client authenticated.  
(28c.380) 08:44:58:638 DropClientContext: Got client token 000003F0, sid =  
S-1-5-18  
(28c.380) 08:44:58:638 MIDL\_user\_allocate enter  
(28c.380) 08:44:58:638 DropClientContext: load profile object successfully  
made  
(28c.380) 08:44:58:638 DropClientContext: Returning 0  
(2b8.2bc) 08:44:58:638 LoadUserProfile: Calling DropClientToken (as self)  
succeeded  
(28c.2a4) 08:44:58:638 IProfileSecurityCallback: client authenticated.  
(28c.2a4) 08:44:58:638 In LoadUserProfileP  
(28c.2a4) 08:44:58:638 LoadUserProfile: Running as client  
(28c.2a4) 08:44:58:638  
=====

(28c.2a4) 08:44:58:638 LoadUserProfile: Entering, hToken = <0x3e8>,  
lpProfileInfo = 0x78f28  
(28c.2a4) 08:44:58:638 LoadUserProfile: lpProfileInfo->dwFlags = <0x9>  
(28c.2a4) 08:44:58:638 LoadUserProfile: lpProfileInfo->lpUserName =  
<LocalService>  
(28c.2a4) 08:44:58:638 LoadUserProfile: NULL central profile path  
(28c.2a4) 08:44:58:638 LoadUserProfile: NULL default profile path  
(28c.2a4) 08:44:58:638 LoadUserProfile: NULL server name  
(28c.2a4) 08:44:58:638 LoadUserProfile: User sid: S-1-5-19  
(28c.2a4) 08:44:58:638 CSyncManager::EnterLock <S-1-5-19>  
(28c.2a4) 08:44:58:638 CSyncManager::EnterLock: No existing entry found  
(28c.2a4) 08:44:58:638 CSyncManager::EnterLock: New entry created  
(28c.2a4) 08:44:58:648 CHashTable::HashAdd: S-1-5-19 added in bucket 12  
(28c.2a4) 08:44:58:648 LoadUserProfile: Wait succeeded. In critical section.  
(28c.2a4) 08:44:58:648 RestoreUserProfile: Entering  
(28c.2a4) 08:44:58:648 IsCentralProfileReachable: Entering  
(28c.2a4) 08:44:58:648 IsCentralProfileReachable: Null path. Leaving  
(28c.2a4) 08:44:58:648 RestoreUserProfile: Profile path = <>  
(28c.2a4) 08:44:58:648 ExtractProfileFromBackup: A profile already exists

## Re: Group Policy Software Uninstalls on XP PCs

(28c.2a4) 08:44:58:648 PatchNewProfileIfRequired: A profile already exists with the current sid, exiting

(28c.2a4) 08:44:58:648 CreateLocalProfileKey: Not setting additional Security

(28c.2a4) 08:44:58:648 GetExistingLocalProfileImage: Found entry in profile list for existing local profile

(28c.2a4) 08:44:58:648 GetExistingLocalProfileImage: Local profile image filename = <%SystemDrive%\Documents and Settings\LocalService>

(28c.2a4) 08:44:58:648 GetExistingLocalProfileImage: Expanded local profile image filename = <C:\Documents and Settings\LocalService>

(28c.2a4) 08:44:58:648 GetExistingLocalProfileImage: No local mandatory profile. Error = 2

(28c.2a4) 08:44:58:648 GetExistingLocalProfileImage: Found local profile image file ok <C:\Documents and Settings\LocalService\ntuser.dat>

(28c.2a4) 08:44:58:648 GetExistingLocalProfileImage: Failed to query low profile unload time with error 2

(28c.2a4) 08:44:58:648 Local Existing Profile Image is reachable

(28c.2a4) 08:44:58:648 Local profile name is <C:\Documents and Settings\LocalService>

(28c.2a4) 08:44:58:648 RestoreUserProfile: No central profile. Attempting to load local profile.

(28c.2a4) 08:44:58:648 MyRegLoadKey: Returning 00000000

(28c.2a4) 08:44:58:648 GetUserDNSDomainName: Domain name is NT Authority. No DNS domain name available.

(28c.2a4) 08:44:58:648 MyRegLoadKey: Returning 00000000

(28c.2a4) 08:44:58:648 CreateClassHive: existing user classes hive found

(28c.2a4) 08:44:58:648 RestoreUserProfile: About to Leave. Final Information follows:

(28c.2a4) 08:44:58:648 Profile was successfully loaded.

(28c.2a4) 08:44:58:648 lpProfile->lpRoamingProfile = <>

(28c.2a4) 08:44:58:648 lpProfile->lpLocalProfile = <C:\Documents and Settings\LocalService>

(28c.2a4) 08:44:58:648 lpProfile->dwInternalFlags = 0x0

(28c.2a4) 08:44:58:648 RestoreUserProfile: Leaving.

(28c.2a4) 08:44:58:648 UpgradeProfile: Entering

(28c.2a4) 08:44:58:648 UpgradeProfile: Build numbers match

(28c.2a4) 08:44:58:648 UpgradeProfile: Leaving Successfully

(28c.2a4) 08:44:58:999 Profile Ref Count is 1

(28c.2a4) 08:44:58:999 LoadUserProfile: Leaving critical Section.

(28c.2a4) 08:44:58:999 CSyncManager::LeaveLock <S-1-5-19>

(28c.2a4) 08:44:58:999 CSyncManager::LeaveLock: Lock released

(28c.2a4) 08:44:58:999 CHashTable::HashDelete: S-1-5-19 deleted

(28c.2a4) 08:44:58:999 CSyncManager::LeaveLock: Lock deleted

(28c.2a4) 08:44:58:999 LoadUserProfile: Impersonated user: 000003e8, 000003f8

(2c4.328) 08:44:58:999 GetUserDNSDomainName: Domain name is NT Authority. No DNS domain name available.

(2c4.328) 08:44:59:009 GetUserDNSDomainName: Domain name is NT Authority. No DNS domain name available.

(28c.2a4) 08:44:59:039 LoadUserProfile: Reverted to user: 00000000

(28c.2a4) 08:44:59:039 LoadUserProfile: Reverted back to user <00000000>

(28c.2a4) 08:44:59:039 LoadUserProfile: Leaving with a value of 1.

(28c.2a4) 08:44:59:039

Re: Group Policy Software Uninstalls on XP PCs

```
=====
(28c.2a4) 08:44:59:039 LoadUserProfileI: returning 0
(2b8.2bc) 08:44:59:039 LoadUserProfile: Running as self
(2b8.2bc) 08:44:59:039 LoadUserProfile: Calling LoadUserProfileI (as user)
succeeded
(2b8.2bc) 08:44:59:039 LoadUserProfile: Returning success. Final
Information follows:
(2b8.2bc) 08:44:59:039 lpProfileInfo->UserName = <LocalService>
(2b8.2bc) 08:44:59:039 lpProfileInfo->lpProfilePath = <>
(2b8.2bc) 08:44:59:039 lpProfileInfo->dwFlags = 0x9
(28c.380) 08:44:59:039 IProfileSecurityCallback: client authenticated.
(28c.380) 08:44:59:039 ReleaseClientContext: Releasing context
(28c.380) 08:44:59:039 ReleaseClientContext_s: Releasing context
(28c.380) 08:44:59:039 MIDL_user_free enter
(2b8.2bc) 08:44:59:039 ReleaseInterface: Releasing rpc binding handle
(2b8.2bc) 08:44:59:039 LoadUserProfile: Returning TRUE. hProfile = <0x354>
(2b8.2bc) 08:44:59:039 GetUserDNSDomainName: Domain name is NT Authority.
No DNS domain name available.
(440.444) 08:44:59:099 LibMain: Process Name: C:\WINDOWS\System32\svchost.exe
(28c.290) 08:44:59:119 IsSyncForegroundPolicyRefresh: Synchronous, Reason:
policy set to SYNC
(5f0.5f4) 08:45:00:671 LibMain: Process Name: C:\WINDOWS\system32\spoolsv.exe
(620.624) 08:45:00:751 LibMain: Process Name: C:\WINDOWS\System32\ccs.exe
(28c.694) 08:45:00:902 IsSyncForegroundPolicyRefresh: Synchronous, Reason:
policy set to SYNC
(28c.694) 08:45:00:902 ApplyGroupPolicy: Entering. Flags = 7
(28c.694) 08:45:00:902 ProcessGPOs:
(28c.694) 08:45:00:902 ProcessGPOs:
(28c.694) 08:45:00:902 ProcessGPOs: Starting computer Group Policy
(Background) processing...
(28c.694) 08:45:00:902 ProcessGPOs:
(28c.694) 08:45:00:902 ProcessGPOs:
(28c.694) 08:45:00:902 EnterCriticalPolicySectionEx: Entering with timeout
600000 and flags 0x0
(28c.694) 08:45:00:902 EnterCriticalPolicySectionEx: Machine critical
section has been claimed. Handle = 0x784
(28c.694) 08:45:00:902 EnterCriticalPolicySectionEx: Leaving successfully.
(28c.694) 08:45:00:902 ProcessGPOs: Machine role is 2.
(28c.694) 08:45:00:912 ProcessGPOs: The DC for domain DOMAINNAME is not
available at startup. retrying
(28c.694) 08:45:00:912 RetryDCContactAtMachineStartup: Enter.
(2b8.6cc) 08:45:01:693 LoadUserProfile: Yes, we can impersonate the user.
Running as self
(2b8.6cc) 08:45:01:693
=====
(2b8.6cc) 08:45:01:693 LoadUserProfile: Entering, hToken = <0x10>,
lpProfileInfo = 0xedf6ec
(2b8.6cc) 08:45:01:693 LoadUserProfile: lpProfileInfo->dwFlags = <0x9>
(2b8.6cc) 08:45:01:693 LoadUserProfile: lpProfileInfo->lpUserName =
<LocalService>
(2b8.6cc) 08:45:01:693 LoadUserProfile: NULL central profile path
```

Re: Group Policy Software Uninstalls on XP PCs

(2b8.6cc) 08:45:01:693 LoadUserProfile: NULL default profile path  
(2b8.6cc) 08:45:01:693 LoadUserProfile: NULL server name  
(2b8.6cc) 08:45:01:693 GetInterface: Returning rpc binding handle  
(28c.2a4) 08:45:01:693 IProfileSecurityCallBack: client authenticated.  
(28c.2a4) 08:45:01:693 DropClientContext: Got client token 0000073C, sid = S-1-5-18  
(28c.2a4) 08:45:01:693 MIDL\_user\_allocate enter  
(28c.2a4) 08:45:01:693 DropClientContext: load profile object successfully made  
(28c.2a4) 08:45:01:693 DropClientContext: Returning 0  
(2b8.6cc) 08:45:01:693 LoadUserProfile: Calling DropClientToken (as self) succeeded  
(28c.380) 08:45:01:703 IProfileSecurityCallBack: client authenticated.  
(28c.380) 08:45:01:703 In LoadUserProfileP  
(28c.380) 08:45:01:703 LoadUserProfile: Running as client  
(28c.380) 08:45:01:703  
=====

(28c.380) 08:45:01:703 LoadUserProfile: Entering, hToken = <0x740>, lpProfileInfo = 0xe7d200  
(28c.380) 08:45:01:703 LoadUserProfile: lpProfileInfo->dwFlags = <0x9>  
(28c.380) 08:45:01:703 LoadUserProfile: lpProfileInfo->lpUserName = <LocalService>  
(28c.380) 08:45:01:703 LoadUserProfile: NULL central profile path  
(28c.380) 08:45:01:703 LoadUserProfile: NULL default profile path  
(28c.380) 08:45:01:703 LoadUserProfile: NULL server name  
(28c.380) 08:45:01:703 LoadUserProfile: User sid: S-1-5-19  
(28c.380) 08:45:01:703 CSyncManager::EnterLock <S-1-5-19>  
(28c.380) 08:45:01:703 CSyncManager::EnterLock: No existing entry found  
(28c.380) 08:45:01:703 CSyncManager::EnterLock: New entry created  
(28c.380) 08:45:01:703 CHashTable::HashAdd: S-1-5-19 added in bucket 12  
(28c.380) 08:45:01:703 LoadUserProfile: Wait succeeded. In critical section.  
(28c.380) 08:45:01:703 TestIfUserProfileLoaded: Profile already loaded.  
(28c.380) 08:45:01:703 Profile Ref Count is 2  
(28c.380) 08:45:01:703 LoadUserProfile: Leaving critical Section.  
(28c.380) 08:45:01:703 CSyncManager::LeaveLock <S-1-5-19>  
(28c.380) 08:45:01:703 CSyncManager::LeaveLock: Lock released  
(28c.380) 08:45:01:703 CHashTable::HashDelete: S-1-5-19 deleted  
(28c.380) 08:45:01:703 CSyncManager::LeaveLock: Lock deleted  
(28c.380) 08:45:01:703 LoadUserProfile: Impersonated user: 00000740, 00000788  
(28c.380) 08:45:01:703 LoadUserProfile: Reverted to user: 00000000  
(28c.380) 08:45:01:703 LoadUserProfile: Reverted back to user <00000000>  
(28c.380) 08:45:01:703 LoadUserProfile: Leaving with a value of 1.  
(28c.380) 08:45:01:703  
=====

(28c.380) 08:45:01:703 LoadUserProfileI: returning 0  
(2b8.6cc) 08:45:01:703 LoadUserProfile: Running as self  
(2b8.6cc) 08:45:01:703 LoadUserProfile: Calling LoadUserProfileI (as user) succeeded  
(2b8.6cc) 08:45:01:703 LoadUserProfile: Returning success. Final Information follows:  
(2b8.6cc) 08:45:01:703 lpProfileInfo->UserName = <LocalService>

## Re: Group Policy Software Uninstalls on XP PCs

(2b8.6cc) 08:45:01:703 lpProfileInfo->lpProfilePath = <>  
(2b8.6cc) 08:45:01:703 lpProfileInfo->dwFlags = 0x9  
(28c.2a4) 08:45:01:703 IProfileSecurityCallback: client authenticated.  
(28c.2a4) 08:45:01:703 ReleaseClientContext: Releasing context  
(28c.2a4) 08:45:01:703 ReleaseClientContext\_s: Releasing context  
(28c.2a4) 08:45:01:703 MIDL\_user\_free enter  
(2b8.6cc) 08:45:01:703 ReleaseInterface: Releasing rpc binding handle  
(2b8.6cc) 08:45:01:703 LoadUserProfile: Returning TRUE. hProfile = <0x1e0>  
(2b8.6cc) 08:45:01:703 GetUserDNSDomainName: Domain name is NT Authority.  
No DNS domain name available.  
(e8.e0) 08:45:01:733 LibMain: Process Name: C:\WINDOWS\System32\alg.exe  
(28c.694) 08:45:45:356 PingComputer: Adapter speed 54000000 bps  
(28c.694) 08:45:45:356 PingComputer: First time: 1  
(28c.694) 08:45:45:366 PingComputer: Fast link. Exiting.  
(28c.694) 08:45:45:366 RetryDCContactAtMachineStartup: Tried to call  
GetDomainControllerInfo 22 times.  
(28c.694) 08:45:45:366 RetryDCContactAtMachineStartup: Exit with status 0.  
(28c.694) 08:45:45:366 ProcessGPOs: DC for domain DOMAINNAME is reachable  
after retries.  
(28c.694) 08:45:45:366 ProcessGPOs: network name is 162.141.84.0  
(28c.694) 08:45:45:466 ProcessGPOs: User name is:  
CN=COMPUTERNAME,OU=Computers,OU=SITENAME,OU=ConsumerProducts,DC=DOMAINNAME,DC=DOM  
Domain name is: DOMAINNAME  
(28c.694) 08:45:45:466 ProcessGPOs: Domain controller is:  
\\CPSITEDC.DOMAINNAME.DOMAIN.com Domain DN is DOMAINNAME.DOMAIN.com  
(28c.694) 08:45:45:466 ReadGPExtensions: Rsop entry point not found for  
gptext.dll.  
(28c.694) 08:45:45:466 ReadGPExtensions: Rsop entry point not found for  
dskquota.dll.  
(28c.694) 08:45:45:466 ReadGPExtensions: Rsop entry point not found for  
gptext.dll.  
(28c.694) 08:45:45:476 ReadGPExtensions: Rsop entry point not found for  
iedkcs32.dll.  
(28c.694) 08:45:45:476 ReadGPExtensions: Rsop entry point not found for  
scecli.dll.  
(28c.694) 08:45:45:476 ReadGPExtensions: Rsop entry point not found for  
gptext.dll.  
(28c.694) 08:45:45:476 ReadExtStatus: Reading Previous Status for extension  
{35378EAC-683F-11D2-A89A-00C04FBBCFA2}  
(28c.694) 08:45:45:476 ReadStatus: Read Extension's Previous status  
successfully.  
(28c.694) 08:45:45:476 ReadExtStatus: Reading Previous Status for extension  
{0ACDD40C-75AC-47ab-BAA0-BF6DE7E7FE63}  
(28c.694) 08:45:45:476 ReadExtStatus: Reading Previous Status for extension  
{25537BA6-77A8-11D2-9B6C-0000F8080861}  
(28c.694) 08:45:45:476 ReadExtStatus: Reading Previous Status for extension  
{3610eda5-77ef-11d2-8dc5-00c04fa31a66}  
(28c.694) 08:45:45:476 ReadExtStatus: Reading Previous Status for extension  
{426031c0-0b47-4852-b0ca-ac3d37bfc39}  
(28c.694) 08:45:45:476 ReadExtStatus: Reading Previous Status for extension  
{42B5FAAE-6536-11d2-AE5A-0000F87571E3}

Re: Group Policy Software Uninstalls on XP PCs

(28c.694) 08:45:45:476 ReadStatus: Read Extension's Previous status successfully.  
(28c.694) 08:45:45:476 ReadExtStatus: Reading Previous Status for extension {4CFB60C1-FAA6-47f1-89AA-0B18730C9FD3}  
(28c.694) 08:45:45:476 ReadExtStatus: Reading Previous Status for extension {827D319E-6EAC-11D2-A4EA-00C04F79F83A}  
(28c.694) 08:45:45:476 ReadStatus: Read Extension's Previous status successfully.  
(28c.694) 08:45:45:476 ReadExtStatus: Reading Previous Status for extension {A2E30F80-D7DE-11d2-BBDE-00C04F86AE3B}  
(28c.694) 08:45:45:476 ReadExtStatus: Reading Previous Status for extension {B1BE8D72-6EAC-11D2-A4EA-00C04F79F83A}  
(28c.694) 08:45:45:476 ReadStatus: Read Extension's Previous status successfully.  
(28c.694) 08:45:45:476 ReadExtStatus: Reading Previous Status for extension {c6dc5466-785a-11d2-84d0-00c04fb169f7}  
(28c.694) 08:45:45:476 ReadStatus: Read Extension's Previous status successfully.  
(28c.694) 08:45:45:476 ReadExtStatus: Reading Previous Status for extension {e437bc1c-aa7d-11d2-a382-00c04f991e27}  
(28c.694) 08:45:45:476 ProcessGPOs: Calling GetGPOInfo for normal policy mode  
(28c.694) 08:45:45:476 GetGPOInfo: \*\*\*\*\*  
(28c.694) 08:45:45:476 GetGPOInfo: Entering...  
(28c.694) 08:45:45:656 GetGPOInfo: Server connection established.  
(28c.694) 08:45:45:726 GetGPOInfo: Bound successfully.