

microsoft.public.windowsxp.general: Re: Explorer keep launching at start up

Re: Explorer keep launching at start up

Source:

<http://www.tech-archive.net/Archive/WinXP/microsoft.public.windowsxp.general/2005-02/24521.html>

From: Mike Kane (*MikeKane_at_discussions.microsoft.com*)

Date: 02/24/05

Date: Wed, 23 Feb 2005 20:23:02 -0800

Rick,

Due to the limit on text size, I will divide the contents of the registry keys in two replys. The first part is shown below.

```
[HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Run]
"RecordNow!"=""
"MSMSGs"="\"C:\\Program Files\\Messenger\\msmsgs.exe\" /background"
"ctfmon.exe"="C:\\WINDOWS\\system32\\ctfmon.exe"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Run]
"WallpaperChanger"="C:\\Simon\\Wallpaper Master\\Wallpaper.exe"
"vptray"="C:\\Program Files\\NavNT\\vptray.exe"
"UpdateManager"="\"C:\\Program Files\\Common Files\\Sonic\\Update
Manager\\sgtray.exe\" /r"
"TkBellExe"="\"C:\\Program Files\\Common
Files\\Real\\Update_OB\\realsched.exe\" -osboot"
"SynTPLpr"="C:\\Program Files\\Synaptics\\SynTP\\SynTPLpr.exe"
"SynTPEnh"="C:\\Program Files\\Synaptics\\SynTP\\SynTPEnh.exe"
"SunJavaUpdateSched"="C:\\Program Files\\Java\\j2re1.4.2_03\\bin\\jusched.exe"
"PHIME2002ASync"="C:\\WINDOWS\\system32\\IME\\TINTLGNT\\TINTSETP.EXE /SYNC"
"PHIME2002A"="C:\\WINDOWS\\system32\\IME\\TINTLGNT\\TINTSETP.EXE /IMENAME"
"IMJPMIG8.1"="\"C:\\WINDOWS\\IME\\imjp8_1\\IMJPMIG.EXE\" /Spoil /RemAdvDef
/Migration32"
"IgfxTray"="C:\\WINDOWS\\system32\\igfxtray.exe"
"HPHUPD05"="c:\\Program
Files\\Hewlett-Packard\\{45B6180B-DCAB-4093-8EE8-6164457517F0}\\hphupd05.exe"
"HPHmon05"="C:\\WINDOWS\\system32\\hphmon05.exe"
"HP Software Update"="\"c:\\Program Files\\Hewlett-Packard\\HP Software
Update\\HPWuSchd.exe\"""
"HotKeysCmds"="C:\\WINDOWS\\system32\\hkcmd.exe"
"eabconfig.cpl"="C:\\Program Files\\HPQ\\Quick Launch Buttons\\EabServr.exe
/Start"
"dla"="C:\\WINDOWS\\system32\\dla\\tfswctrl.exe"
"Cpqset"="C:\\Program Files\\HPQ\\Default Settings\\cpqset.exe"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Run\OptionalComponents]
```

Re: Explorer keep launching at start up

microsoft.public.windowsxp.general: Re: Explorer keep launching at start up

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Run\OptionalComponents\IMAIL]
"Installed"="1"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Run\OptionalComponents\MAPI]
"NoChange"="1"
"Installed"="1"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Run\OptionalComponents\MSFS]
"Installed"="1"
```

Windows Registry Editor Version 5.00

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools]
"SharedFilesDir"="C:\\Program Files\\Common Files\\Microsoft Shared\\"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer]
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer\Microsoft
Excel]
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer\Microsoft
Excel\Microsoft Excel 9.0]
@"=HKEY_CURRENT_USER\\Software\\Microsoft\\Office\\Excel"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer\Microsoft
Excel\Microsoft Excel 9.0\LoadBehaviors]
"Load on demand"=dword:00000009
"Load at next startup only"=dword:00000010
"Startup"=dword:00000003
"None"=dword:00000000
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer\Microsoft
Outlook]
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer\Microsoft
Outlook\Microsoft Outlook 9.0]
@"=HKEY_CURRENT_USER\\Software\\Microsoft\\Office\\Outlook"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer\Microsoft
Outlook\Microsoft Outlook 9.0\LoadBehaviors]
"Startup"=dword:00000003
"Load at next startup only"=dword:00000010
"Load on demand"=dword:00000009
"None"=dword:00000000
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer\Microsoft
PowerPoint]
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer\Microsoft
PowerPoint\Microsoft PowerPoint 9.0]
@"=HKEY_CURRENT_USER\\Software\\Microsoft\\Office\\PowerPoint"
```

Re: Explorer keep launching at start up

microsoft.public.windowsxp.general: Re: Explorer keep launching at start up

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer\Microsoft PowerPoint\Microsoft PowerPoint 9.0\LoadBehaviors]

"Load at next startup only"=dword:00000010

"Load on demand"=dword:00000009

"Startup"=dword:00000003

"None"=dword:00000000

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer\Microsoft Visio]

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer\Microsoft Visio\Microsoft Visio 10.0]

@="HKEY_CURRENT_USER\Software\Microsoft\Visio"

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer\Microsoft Visio\Microsoft Visio 10.0\LoadBehaviors]

"Load at next startup only"=dword:00000010

"Load on demand"=dword:00000009

"Startup"=dword:00000003

"None"=dword:00000000

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer\Microsoft Word]

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer\Microsoft Word\Microsoft Word 9.0]

@="HKEY_CURRENT_USER\Software\Microsoft\Office\Word"

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer\Microsoft Word\Microsoft Word 9.0\LoadBehaviors]

"Load at next startup only"=dword:00000010

"Load on demand"=dword:00000009

"Startup"=dword:00000003

"None"=dword:00000000

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer\Visual Basic for Applications IDE]

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer\Visual Basic for Applications IDE\6.0]

@="HKEY_CURRENT_USER\Software\Microsoft\VBA\VBE\6.0"

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer\Visual Basic for Applications IDE\6.0\AppObj]

"VerMin"=dword:00000003

"VerMaj"=dword:00000005

"TypeInfo"="{0002E166-0000-0000-C000-000000000046}"

"TypeLib"="{0002E157-0000-0000-C000-000000000046}"

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\AddIn Designer\Visual Basic for Applications IDE\6.0\LoadBehaviors]

Re: Explorer keep launching at start up

microsoft.public.windowsxp.general: Re: Explorer keep launching at start up

"Startup"=dword:00000001

"None"=dword:00000000

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics Filters]

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics Filters\Export]

"Image API Enabled Filters"="BMP GIF JPEG PCX PNG TIFF FPX MIX"

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics Filters\Export\GIF]

"Path"="C:\PROGRA~1\COMMON~1\MICROS~1\Grphflt\GIFIMP32.FLT"

"Name"="GIF Graphic Exchange Format"

"Extensions"="gif"

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics Filters\Export\GIF\Options]

"ShowProgressDialog"="Yes"

"ShowMetafileBackgroundTransparent"="No"

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics Filters\Export\JPEG]

"Path"="C:\PROGRA~1\COMMON~1\MICROS~1\Grphflt\JPEGIM32.FLT"

"Name"="JPEG File Conversion Format"

"Extensions"="jpg"

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics Filters\Export\JPEG\Filter API]

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics Filters\Export\JPEG\Image API]

"Time Stamp"=dword:01be8878

"Compression Type"=dword:00000080

"Black Is 0"="Yes"

"Description"=dword:00000000

"BiLevel"="0,0,0"

"GrayScale"="128, 192, 0"

"Palette"="0, 0, 0"

"RGB"="128, 192, 0"

"RGB Planar"="0,0,0"

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics Filters\Export\JPEG\Options]

"ShowProgressDialog"="Yes"

"Quality"=dword:0000004b

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics Filters\Export\PNG]

"Path"="C:\PROGRA~1\COMMON~1\MICROS~1\Grphflt\PNG32.FLT"

"Name"="PNG Portable Network Graphic"

"Extensions"="png"

microsoft.public.windowsxp.general: Re: Explorer keep launching at start up

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics
Filters\Export\PNG\Options]
"ShowMetafileBackgroundTransparent"="No"
"ShowProgressDialog"="Yes"
"ShowMetaBackgroundTransparent"="No"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics
Filters\Export\TIFF]
"Extensions"="tif"
"Path"="C:\PROGRAM~1\COMMON~1\MICROS~1\Grphflt\TIFFIM32.FLT"
"Name"="Tag Image File Format"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics
Filters\Export\WPG]
"Path"="C:\PROGRAM~1\COMMON~1\MICROS~1\Grphflt\WPGEXP32.FLT"
"Name"="WordPerfect Graphic"
"Extensions"="wpg"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics Filters\Import]
"Image API Enabled Filters"="BMP GIF JPEG PCX PNG TIFF PCD FPX MIX"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics
Filters\Import\BMP]
"ExtensionsEx"="bmp dib rle"
"Path"="C:\PROGRAM~1\COMMON~1\MICROS~1\Grphflt\BMPIMP32.FLT"
"Name"="Windows Bitmap"
"Extensions"="bmp"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics
Filters\Import\CDR]
"Path"="C:\PROGRAM~1\COMMON~1\MICROS~1\Grphflt\CDRIMP32.FLT"
"Name"="Corel Draw"
"Extensions"="cdr"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics
Filters\Import\CGM]
"Extensions"="cgm"
"Path"="C:\PROGRAM~1\COMMON~1\MICROS~1\Grphflt\CGMIMP32.FLT"
"Name"="Computer Graphics Metafile"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics
Filters\Import\CGM\OPTIONS]
"ShowOptionsDialog"="No"
"ResourceDirectory"="C:\Program Files\Microsoft
Shared\Grphflt\"
"FontMap"="C:\PROGRAM~1\COMMON~1\MICROS~1\Grphflt\CGMIMP32.CFG"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics
Filters\Import\EMF]
"Path"="C:\PROGRAM~1\COMMON~1\MICROS~1\Grphflt\EMFIMP32.FLT"
"Name"="Enhanced Metafile"
```

Re: Explorer keep launching at start up

microsoft.public.windowsxp.general: Re: Explorer keep launching at start up

"Extensions"="emf"

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics
Filters\Import\EPS]

"Path"="C:\PROGRA~1\COMMON~1\MICROS~1\Grphflt\EPSIMP32.FLT"

"Name"="Encapsulated PostScript"

"Extensions"="eps"

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics
Filters\Import\FPX]

"Extensions"="fpx"

"Path"="C:\PROGRA~1\COMMON~1\MICROS~1\Grphflt\FPX32.FLT"

"Name"="FPX Format"

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics
Filters\Import\FPX\Filter API]

@=""

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics
Filters\Import\FPX\Image API]

"RGB Planar"="0,0,0"

"RGB"="128,128,2"

"Palette"="0,0,0"

"GrayScale"="0,0,0"

"BiLevel"="0,0,0"

"Description"=dword:00000000

"Black Is 0"="Yes"

"Compression Type"=dword:00000080

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics
Filters\Import\FPX\Options]

"ShowOptionsDialog"="Yes"

"ShowProgressDialog"="Yes"

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics
Filters\Import\GIF]

"ExtensionsEx"="gif gfa"

"Path"="C:\PROGRA~1\COMMON~1\MICROS~1\Grphflt\GIFIMP32.FLT"

"Name"="Graphics Interchange Format"

"Extensions"="gif"

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics
Filters\Import\GIF\Options]

"ShowProgressDialog"="Yes"

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics
Filters\Import\JPEG]

"ExtensionsEx"="jpg jpe jpeg jfif"

"Path"="C:\PROGRA~1\COMMON~1\MICROS~1\Grphflt\JPEGIM32.FLT"

"Name"="JPEG File Conversion Format"

"Extensions"="jpg"

Re: Explorer keep launching at start up

microsoft.public.windowsxp.general: Re: Explorer keep launching at start up

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics  
Filters\Import\JPEG\Filter API]
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics  
Filters\Import\JPEG\Image API]
```

```
"Time Stamp"=dword:01be8878  
"Compression Type"=dword:00000080  
"Black Is 0"="Yes"  
"Description"=dword:00000000  
"BiLevel"="0,0,0"  
"GrayScale"="128, 192, 0"  
"Palette"="0, 0, 0"  
"RGB"="128, 192, 0"  
"RGB Planar"="0,0,0"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics  
Filters\Import\JPEG\Options]
```

```
"ShowProgressDialog"="Yes"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics  
Filters\Import\MIX]
```

```
"Name"="Picture It! Format"  
"Extensions"="MIX"  
"Path"="C:\PROGRA~1\COMMON~1\MICROS~1\Grphflt\FPX32.FLT"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics  
Filters\Import\MIX\Filter API]
```

```
@=""
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics  
Filters\Import\MIX\Image API]
```

```
"Black Is 0"="Yes"  
"RGB"="128,128,2"  
"Compression Type"=dword:00000080  
"Palette"="0,0,0"  
"BiLevel"="0,0,0"  
"RGB Planar"="0,0,0"  
"GrayScale"="0,0,0"  
"Description"=dword:00000000
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics  
Filters\Import\MIX\Options]
```

```
"DefaultResolution"="3"  
"ShowOptionsDialog"="Yes"  
"ShowProgressDialog"="Yes"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics  
Filters\Import\PCD]
```

```
"Path"="C:\PROGRA~1\COMMON~1\MICROS~1\Grphflt\PCDIMP32.FLT"  
"Name"="Kodak Photo CD"  
"Extensions"="pcd"
```

Re: Explorer keep launching at start up

microsoft.public.windowsxp.general: Re: Explorer keep launching at start up

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics  
Filters\Import\PCD\Options]  
"ShowOptionsDialog"="Yes"  
"ShowProgressDialog"="Yes"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics  
Filters\Import\PCX]  
"Path"="C:\PROGRA~1\COMMON~1\MICROS~1\Grphflt\PCXIMP32.FLT"  
"Name"="PC Paintbrush"  
"Extensions"="pcx"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics  
Filters\Import\PICT]  
"ExtensionsEx"="pct pict"  
"Path"="C:\PROGRA~1\COMMON~1\MICROS~1\Grphflt\PICTIM32.FLT"  
"Name"="Macintosh PICT"  
"Extensions"="pct"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics  
Filters\Import\PICT\Options]  
"ShowProgressDialog"="Yes"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics  
Filters\Import\PNG]  
"Path"="C:\PROGRA~1\COMMON~1\MICROS~1\Grphflt\PNG32.FLT"  
"Name"="Portable Network Graphics"  
"Extensions"="png"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics  
Filters\Import\PNG\Options]  
"ShowProgressDialog"="Yes"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics  
Filters\Import\TIFF]  
"ExtensionsEx"="tif tiff"  
"Path"="C:\PROGRA~1\COMMON~1\MICROS~1\Grphflt\TIFFIM32.FLT"  
"Name"="Tag Image File Format"  
"Extensions"="tif"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics  
Filters\Import\WMF]  
"Path"="C:\PROGRA~1\COMMON~1\MICROS~1\Grphflt\WMFIMP32.FLT"  
"Name"="Windows Metafile"  
"Extensions"="wmf"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics  
Filters\Import\WPG]  
"Path"="C:\PROGRA~1\COMMON~1\MICROS~1\Grphflt\WPGIMP32.FLT"  
"Name"="WordPerfect Graphics"  
"Extensions"="wpg"
```

microsoft.public.windowsxp.general: Re: Explorer keep launching at start up

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Graphics  
Filters\Import\WPG\Options]  
"RetainBackground"=""
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\HTML]
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\HTML\Clients]  
"Name"="HTML Document"  
"C:\\Program Files\\Internet Explorer\\iexplore.exe"=""
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Map]  
@=""
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\Map\Directories]  
"MapData"="C:\\Program Files\\Common Files\\Microsoft Shared\\Datamap\\Data\\"  
@=""
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\MSConfig]
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\MSConfig\services]
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\MSConfig\startupfolder]
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\MSConfig\startupreg]
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\MSConfig\state]  
"system.ini"=dword:00000000  
"win.ini"=dword:00000000  
"bootini"=dword:00000000  
"services"=dword:00000000  
"startup"=dword:00000000
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\MSInfo]  
"Path"="C:\\Program Files\\Common Files\\Microsoft  
Shared\\MSInfo\\MSInfo32.exe"  
"CopiedMof"=dword:00000001  
"CopiedOff10Mof"=dword:00000001
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\MSInfo\Categories]  
@=""
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared  
Tools\MSInfo\Categories\Applications]  
"Rank"=hex:40,00,00,00  
@="Application"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared  
Tools\MSInfo\Categories\Applications\Access]  
"Rank"=hex:50,00,00,00  
"MSInfoView"=hex:05,00,00,00  
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
```

Re: Explorer keep launching at start up

microsoft.public.windowsxp.general: Re: Explorer keep launching at start up

@="Microsoft Access 2000"

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\Environment]
"Rank"=hex:80,00,00,00
@="Microsoft Office Environment"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\Environment\Odbc]
"Rank"=hex:40,00,00,00
@="ODBC Driver"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\Environment\Odbc\CoreComponents]
"Rank"=hex:10,00,00,00
"MSInfoView"=hex:1f,00,00,00
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
@="Kernel"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\Environment\Odbc\Drivers]
"Rank"=hex:20,00,00,00
"MSInfoView"=hex:20,00,00,00
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
@="Driver"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\Environment\Providers]
"Rank"=hex:50,00,00,00
"MSInfoView"=hex:17,00,00,00
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
@="OLE DB Provider"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\Environment\ServerExtensions]
"Rank"=hex:20,00,00,00
"MSInfoView"=hex:1d,00,00,00
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
@="Local Machine Web Server Extensions"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\Environment\Transport]
"Rank"=hex:30,00,00,00
"MSInfoView"=hex:1e,00,00,00
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
@="ã,³¼,"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\Environment\WebConnectionError]
"Rank"=hex:10,00,00,00
"MSInfoView"=hex:21,00,00,00
```

Re: Explorer keep launching at start up

microsoft.public.windowsxp.general: Re: Explorer keep launching at start up

```
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"  
@="æœ€è; 'ä, €æ¬çš,, Web é€£æ ¥é€-èª"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared  
Tools\MSInfo\Categories\Applications\Excel]  
"MSInfoView"=hex:02,00,00,00  
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"  
@="Microsoft Excel 2000"  
"Rank"=hex:20,00,00,00
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared  
Tools\MSInfo\Categories\Applications\Excel\ActiveWorkbook]  
"Rank"=hex:10,00,00,00  
"MSInfoView"=hex:12,00,00,00  
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"  
@="ä½ç"ä, -æ'»é ç°;"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared  
Tools\MSInfo\Categories\Applications\Excel\AddIns]  
"Rank"=hex:20,00,00,00  
"MSInfoView"=hex:13,00,00,00  
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"  
@="âç ç, Šé+"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared  
Tools\MSInfo\Categories\Applications\Excel\Charts]  
"Rank"=hex:30,00,00,00  
"MSInfoView"=hex:14,00,00,00  
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"  
@="ä½ç"ä, -æ'»é ç°çš,, åœ-è;"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared  
Tools\MSInfo\Categories\Applications\FrontPage]  
"Rank"=hex:70,00,00,00  
"MSInfoView"=hex:18,00,00,00  
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"  
@="Microsoft FrontPage 2000"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared  
Tools\MSInfo\Categories\Applications\FrontPage\ActivePage]  
"Rank"=hex:20,00,00,00  
"MSInfoView"=hex:1a,00,00,00  
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"  
@="ä½ç"ä, -é é ç"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared  
Tools\MSInfo\Categories\Applications\FrontPage\ActiveWeb]  
@="ä½ç"ä, - Web"  
"Rank"=hex:10,00,00,00  
"MSInfoView"=hex:19,00,00,00  
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
```

microsoft.public.windowsxp.general: Re: Explorer keep launching at start up

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\FrontPage\AddIns]
"Rank"=hex:30,00,00,00
"MSInfoView"=hex:1b,00,00,00
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
@="COM æ ç Š é †"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\FrontPage\Themes]
"Rank"=hex:40,00,00,00
"MSInfoView"=hex:1c,00,00,00
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
@="ä,»é;Œ"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\Outlook]
"Rank"=hex:40,00,00,00
"MSInfoView"=hex:04,00,00,00
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
@="Microsoft Outlook 2000"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\PowerPoint]
"Rank"=hex:30,00,00,00
"MSInfoView"=hex:03,00,00,00
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
@="Microsoft PowerPoint 2000"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\PowerPoint\ActivePresentation]
"Rank"=hex:10,00,00,00
"MSInfoView"=hex:16,00,00,00
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
@="ä½ç””ä, -ç°;â ±"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\Publisher]
"Rank"=hex:60,00,00,00
"MSInfoView"=hex:15,00,00,00
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
@="Microsoft Publisher 2000"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\Word]
"Rank"=hex:10,00,00,00
"MSInfoView"=hex:01,00,00,00
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
@="Microsoft Word 2000"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\Word\ActiveDocument]
```

```
"Rank"=hex:10,00,00,00
"MSInfoView"=hex:06,00,00,00
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
@="ä½ç"ä-æ-†ä»¶"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\Word\Fields]
"Rank"=hex:20,00,00,00
"MSInfoView"=hex:07,00,00,00
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
@="Šÿèf½è@Šæ•,"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\Word\FileConverters]
"Rank"=hex:30,00,00,00
"MSInfoView"=hex:08,00,00,00
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
@="æ"æ;^è½%œæ >ç" <â¼ "
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\Word\Fonts]
"Rank"=hex:40,00,00,00
"MSInfoView"=hex:09,00,00,00
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
@="â—â <"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\Word\HeadersAndFooters]
"Rank"=hex:50,00,00,00
"MSInfoView"=hex:0a,00,00,00
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
@="é é!-â Šé â¾"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\Word\Hyperlinks]
"Rank"=hex:60,00,00,00
"MSInfoView"=hex:0b,00,00,00
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
@="è¶...é€œµ "
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\Word\MailMerge]
"Rank"=hex:70,00,00,00
"MSInfoView"=hex:0c,00,00,00
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
@="â ^â½µâ^—â °"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared
Tools\MSInfo\Categories\Applications\Word\PageNumbers]
"Rank"=hex:80,00,00,00
"MSInfoView"=hex:0d,00,00,00
```

microsoft.public.windowsxp.general: Re: Explorer keep launching at start up

```
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"  
@="é ç¼"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared  
Tools\MSInfo\Categories\Applications\Word\PageSetup]  
"MSInfoView"=hex:0e,00,00,00  
"Rank"=hex:90,00,00,00  
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"  
@="ç%óé çè-âš"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared  
Tools\MSInfo\Categories\Applications\Word\Settings]  
"Rank"=hex:b0,00,00,00  
"MSInfoView"=hex:10,00,00,00  
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"  
@="è-âš"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared  
Tools\MSInfo\Categories\Applications\Word\Styles]  
@="æ£¼"  
"Rank"=hex:a0,00,00,00  
"MSInfoView"=hex:0f,00,00,00  
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared  
Tools\MSInfo\Categories\Applications\Word\Tables]  
"Rank"=hex:c0,00,00,00  
"MSInfoView"=hex:11,00,00,00  
"CLSID"="{74304483-AC4B-11D1-A50A-00C04FD7A1BD}"  
@="è;æ¼"
```

"Rick "Nutcase" Rogers" wrote:

```
> Hi Mike,  
>  
> Export and post the contents of the following registry keys:  
>  
> HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Run  
> HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Run  
> HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Shared Tools\MSConfig\startupreg  
>  
> To do this, start/run regedit, expand the branches to each key (do this one  
> at a time). Click on the key, then on file/export. Give it any name, then  
> save to the desktop. Once you have saved both keys, close the registry  
> editor. Right-click one of the saved files on the desktop, choose edit, it  
> should open in notepad. Click edit/select all/edit/copy. Open a response to  
> this post and click in the message text area. Hit ctrl+v to paste the  
> contents. Repeat for the other saved key, then send the post for  
> examination.  
>  
> --
```

Re: Explorer keep launching at start up

> *Best of Luck,*
>
> *Rick Rogers, aka "Nutcase" – Microsoft MVP*
> <http://mvp.support.microsoft.com/>
> *Associate Expert – WindowsXP Expert Zone*
> www.microsoft.com/windowsxp/expertzone
> *Windows help – www.rickrogers.org*
>
> *"Mike Kane" <Mike.Kane@discussions.microsoft.com> wrote in message*
> *news:363EC203-56A2-42FB-9CEA-5B6269A870A1@microsoft.com...*
>> *Hi Rick,*
>>
>> *Thx for the advice but it doesn't work.*
>>
>> *I note that the "restore previous folder windows at logon" option was not*
>> *selected and tried the following test. I selected the option, ran*
>> *msconfig*
>> *to put the system in diagnostic mode, reboot, put the system back to*
>> *normal*
>> *mode and reboot. I then unselected the option, switch to diagnostic,*
>> *reboot,*
>> *switch back to normal mode and reboot. But explorer still pops up.*
>>
>> *What should I do?*
>>
>> *Mike*
>>
>> *"Rick "Nutcase" Rogers" wrote:*
>>
>>> *Hi Mike,*
>>>
>>> *Not any immediate ones. Try this:*
>>>
>>> *Control Panel/Folder Options/View tab, uncheck the line "restore previous*
>>> *folder windows at logon". Click apply/ok, do not reboot yet.*
>>>
>>> *Start/run msconfig, on the general tab select the diagnostic mode. Click*
>>> *apply/ok and reboot at prompted.*
>>>
>>> *The folder should not show up now. Rerun msconfig, put the system back in*
>>> *normal mode. Click apply/ok and reboot once more. Does this help?*
>>>
>>> *--*
>>> *Best of Luck,*
>>>
>>> *Rick Rogers, aka "Nutcase" – Microsoft MVP*
>>> <http://mvp.support.microsoft.com/>
>>> *Associate Expert – WindowsXP Expert Zone*
>>> www.microsoft.com/windowsxp/expertzone
>>> *Windows help – www.rickrogers.org*
>>>

