

\\tree is not accessible

Source:

http://www.tech-archive.net/Archive/WinXP/microsoft.public.windowsxp.network_web/2004-09/4584.html

From: robin (*anonymous_at_discussions.microsoft.com*)

Date: 09/27/04

Date: Mon, 27 Sep 2004 13:11:17 -0700

hi i have two pcs one is host on th ics and a client. i cant access the host shared file from the client.

host ipconfig.

Windows IP Configuration

Host Name : Nasser

Primary Dns Suffix :

Node Type : Unknown

IP Routing Enabled. : Yes

WINS Proxy Enabled. : No

Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix . :

Description : SiS 900-Based
PCI Fast Ethernet Adapter

Physical Address. : 00-10-DC-CE-
F3-F8

Dhcp Enabled. : No

IP Address. : 192.168.0.1

Subnet Mask : 255.255.255.0

IP Address. :
2002:c389:7018:4:55ba:bd10:5c7:30e

IP Address. :
2002:c389:7018:4:210:dccf:fece:f3f8

\\tree is not accessible

microsoft.public.windowsxp.network_web: \\tree is not accessible

IP Address. :
fec0::4:210:dcff:fece:f3f8%2

IP Address. :
fe80::210:dcff:fece:f3f8%4

Default Gateway :

DNS Servers :
fec0:0:0:ffff::1%2

fec0:0:0:ffff::2%2

fec0:0:0:ffff::3%2

PPP adapter Fujitsu Dial-Up PPP Connection:

Connection-specific DNS Suffix . :

Description : WAN
(PPP/SLIP) Interface

Physical Address. : 00-53-45-00-
00-00

Dhcp Enabled. : No

IP Address. : 195.137.112.24

Subnet Mask :
255.255.255.255

Default Gateway : 195.137.112.24

DNS Servers : 194.106.56.6

194.106.33.42

NetBIOS over Tcpi. : Disabled

Tunnel adapter Teredo Tunneling Pseudo-Interface:

Connection-specific DNS Suffix . :

Description : Teredo
Tunneling Pseudo-Interface

Physical Address. : FF-FF-FF-FF-
FF-FF-FF-FF

\\tree is not accessible

microsoft.public.windowsxp.network_web: \\tree is not accessible

Dhcp Enabled. : No

IP Address. :
fe80::5445:5245:444f%5

Default Gateway :

NetBIOS over Tcpi. : Disabled

Tunnel adapter 6to4 Tunneling Pseudo-Interface:

Connection-specific DNS Suffix . :

Description : 6to4
Tunneling Pseudo-Interface

Physical Address. : C3-89-70-18

Dhcp Enabled. : No

IP Address. :
2002:c389:7018::c389:7018

Default Gateway :
2002:836b:213c:1:e0:8f08:f020:8

2002:c058:6301::1741

DNS Servers :
fec0:0:0:fff::1%1

fec0:0:0:fff::2%1

fec0:0:0:fff::3%1

NetBIOS over Tcpi. : Disabled

Tunnel adapter Automatic Tunneling Pseudo-Interface:

Connection-specific DNS Suffix . :

Description : Automatic
Tunneling Pseudo-Interface

Physical Address. : C3-89-70-18

Dhcp Enabled. : No

\\tree is not accessible

microsoft.public.windowsxp.network_web: \\tree is not accessible

IP Address. :
fe80::5efe:195.137.112.24%2

Default Gateway :

DNS Servers :
fec0:0:0:ffff::1%1

fec0:0:0:ffff::2%1

fec0:0:0:ffff::3%1

NetBIOS over Tcpip. : Disabled

Tunnel adapter Automatic Tunneling Pseudo-Interface:

Connection-specific DNS Suffix . :

Description : Automatic
Tunneling Pseudo-Interface

Physical Address. : C0-A8-00-01

Dhcp Enabled. : No

IP Address. :
fe80::5efe:192.168.0.1%2

Default Gateway :

DNS Servers :
fec0:0:0:ffff::1%2

fec0:0:0:ffff::2%2

fec0:0:0:ffff::3%2

NetBIOS over Tcpip. : Disabled

and browstat

Status for domain MSHOME on transport \Device\NwlnkNb

Browsing is active on domain.

Master name cannot be determined from

GetAdapterStatus. Using \\NASSER

Master browser is running build 2600

1 backup servers retrieved from master NASSER

\\tree is not accessible

microsoft.public.windowsxp.network_web: \\tree is not accessible

\\NASSER

There are 2 servers in domain MSHOME on transport
\Device\NwlnkNb

There are 1 domains in domain MSHOME on transport
\Device\NwlnkNb

Status for domain MSHOME on transport \Device\NetBT_Tcpip_
{F0DCA973-8A8D-448F-B61C-CAD900E92476}

Browsing is active on domain.

Master browser name is: NASSER

Master browser is running build 2600

1 backup servers retrieved from master NASSER

\\NASSER

There are 2 servers in domain MSHOME on transport
\Device\NetBT_Tcpip_{F0DCA973-8A8D-448F-B61C-CAD900E92476}

There are 1 domains in domain MSHOME on transport
\Device\NetBT_Tcpip_{F0DCA973-8A8D-448F-B61C-CAD900E92476}

Status for domain MSHOME on transport \Device\NwlnkIpx

Browsing is active on domain.

Master name cannot be determined from
GetAdapterStatus. Using \\NASSER

Master browser is running build 2600

1 backup servers retrieved from master NASSER

\\NASSER

There are 2 servers in domain MSHOME on transport
\Device\NwlnkIpx

There are 1 domains in domain MSHOME on transport
\Device\NwlnkIpx

The clients ipconfig

Windows IP Configuration

Host Name : Robin

Primary Dns Suffix :

Node Type : Mixed

IP Routing Enabled. : No

WINS Proxy Enabled. : No

DNS Suffix Search List. : mshome.net

Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix . : mshome.net

\\tree is not accessible

microsoft.public.windowsxp.network_web: \\tree is not accessible

Description : Realtek
RTL8139/810x Family Fast Ethernet NIC

Physical Address. : 00-11-09-61-
01-61

Dhcp Enabled. : Yes

Autoconfiguration Enabled : Yes

IP Address. : 192.168.0.141

Subnet Mask : 255.255.255.0

IP Address. :
2002:c389:7018:4:6479:d3c6:1da3:4634

IP Address. :
2002:c389:7018:4:211:9ff:fe61:161

IP Address. :
fec0::4:211:9ff:fe61:161%1

IP Address. :
fe80::211:9ff:fe61:161%4

Default Gateway : 192.168.0.1

fe80::210:dcff:fece:f3f8%4

DHCP Server : 192.168.0.1

DNS Servers : 192.168.0.1

fec0:0:0:ffff::1%1

fec0:0:0:ffff::2%1

fec0:0:0:ffff::3%1

Lease Obtained. : 27 September
2004 20:54:13

Lease Expires : 04 October
2004 20:54:13

Tunnel adapter Teredo Tunneling Pseudo-Interface:

\\tree is not accessible

microsoft.public.windowsxp.network_web: \\tree is not accessible

Connection-specific DNS Suffix . :

Description : Teredo
Tunneling Pseudo-Interface

Physical Address. : 80-00-11-75-
3C-76-8F-E7

Dhcp Enabled. : No

IP Address. :
fe80::5445:5245:444f%5

Default Gateway :

NetBIOS over Tcpi. : Disabled

Tunnel adapter Automatic Tunneling Pseudo-Interface:

Connection-specific DNS Suffix . : mshome.net

Description : Automatic
Tunneling Pseudo-Interface

Physical Address. : C0-A8-00-8D

Dhcp Enabled. : No

IP Address. :
fe80::5efe:192.168.0.141%2

Default Gateway :

DNS Servers :
fec0:0:0:ffff::1%1

fec0:0:0:ffff::2%1

fec0:0:0:ffff::3%1

NetBIOS over Tcpi. : Disabled

and browstat

Status for domain MSHOME on transport \Device\NwlnkNb

Browsing is active on domain.

Master browser name is: NASSER

Could not connect to registry, error = 53 Unable
to determine build of browser master: 53

\\tree is not accessible

microsoft.public.windowsxp.network_web: \\tree is not accessible

Unable to determine server information for browser
master: 5

1 backup servers retrieved from master NASSER
\\NASSER

There are 2 servers in domain MSHOME on transport
\Device\NwlnkNb

There are 1 domains in domain MSHOME on transport
\Device\NwlnkNb

Status for domain MSHOME on transport \Device\NetBT_Tcpip_
{338D832F-0741-4524-B570-6395ABF46C6E}

Browsing is active on domain.

Master browser name is: NASSER

Could not connect to registry, error = 53 Unable
to determine build of browser master: 53

Unable to determine server information for browser
master: 5

1 backup servers retrieved from master NASSER
\\NASSER

There are 2 servers in domain MSHOME on transport
\Device\NetBT_Tcpip_{338D832F-0741-4524-B570-6395ABF46C6E}

There are 1 domains in domain MSHOME on transport
\Device\NetBT_Tcpip_{338D832F-0741-4524-B570-6395ABF46C6E}

Status for domain MSHOME on transport \Device\NwlnkIpx

Browsing is active on domain.

Master name cannot be determined from

GetAdapterStatus. Using \\NASSER

Could not connect to registry, error = 53 Unable
to determine build of browser master: 53

Unable to determine server information for browser
master: 5

1 backup servers retrieved from master NASSER
\\NASSER

There are 2 servers in domain MSHOME on transport
\Device\NwlnkIpx

There are 1 domains in domain MSHOME on transport
\Device\NwlnkIpx