

Re: OE 6 not receiving

Source:

http://www.tech-archive.net/Archive/Windows/microsoft.public.windows.inetexplorer.ie6_outlookexpress/2004-03/1

From: Marius (*anonymous_at_discussions.microsoft.com*)

Date: 03/08/04

Date: Sun, 7 Mar 2004 22:26:05 -0800

Thanks for replying. I disabled my antivirus but no luck.
Here are my logfiles for pop3 and smtp

```
Outlook Express 6.00.2800.1106
POP3 Log started at 03/07/2004 23:09:18
POP3: 23:09:18 [rx] +OK absamail.co.za NetMail POP3 Agent $Revision: 3.9 $
POP3: 23:09:18 [tx] USER mc_is@absamail.co.za
POP3: 23:09:18 [rx] +OK Password required
POP3: 23:09:18 [tx] PASS *****
POP3: 23:09:18 [rx] +OK
POP3: 23:09:18 [tx] STAT
POP3: 23:09:19 [rx] +OK 0 0
POP3: 23:09:19 [tx] QUIT
POP3: 23:09:19 [rx] +OK absamail.co.za signing off
POP3: 23:09:59 [rx] +OK absamail.co.za NetMail POP3 Agent $Revision: 3.9 $
POP3: 23:09:59 [tx] USER mc_is@absamail.co.za
POP3: 23:09:59 [rx] +OK Password required
POP3: 23:09:59 [tx] PASS *****
POP3: 23:10:00 [rx] +OK
POP3: 23:10:00 [tx] STAT
POP3: 23:10:00 [rx] +OK 0 0
POP3: 23:10:00 [tx] QUIT
POP3: 23:10:00 [rx] +OK absamail.co.za signing off
POP3: 23:12:18 [rx] +OK absamail.co.za NetMail POP3 Agent $Revision: 3.9 $
POP3: 23:12:18 [tx] USER mc_is@absamail.co.za
POP3: 23:12:18 [rx] +OK Password required
POP3: 23:12:18 [tx] PASS *****
POP3: 23:12:19 [rx] +OK
POP3: 23:12:19 [tx] STAT
POP3: 23:12:19 [rx] +OK 0 0
POP3: 23:12:19 [tx] QUIT
POP3: 23:12:19 [rx] +OK absamail.co.za signing off
POP3: 23:14:10 [rx] +OK absamail.co.za NetMail POP3 Agent $Revision: 3.9 $
POP3: 23:14:10 [tx] USER mc_is@absamail.co.za
POP3: 23:14:11 [rx] +OK Password required
POP3: 23:14:11 [tx] PASS *****
POP3: 23:14:11 [rx] +OK
```

microsoft.public.windows.inetexplorer.ie6_outlookexpress: Re: OE 6 not receiving

POP3: 23:14:11 [tx] STAT
POP3: 23:14:11 [rx] +OK 0 0
POP3: 23:14:11 [tx] QUIT
POP3: 23:14:11 [rx] +OK absamail.co.za signing off

Outlook Express 6.00.2800.1106

POP3 Log started at 03/07/2004 23:18:40

POP3: 23:18:55 [rx] +OK absamail.co.za NetMail POP3 Agent \$Revision: 3.9 \$

POP3: 23:18:55 [tx] USER mc_is@absamail.co.za

POP3: 23:18:56 [rx] +OK Password required

POP3: 23:18:56 [tx] PASS *****

POP3: 23:18:56 [rx] +OK

POP3: 23:18:56 [tx] STAT

POP3: 23:18:56 [rx] +OK 0 0

POP3: 23:18:56 [tx] QUIT

POP3: 23:18:56 [rx] +OK absamail.co.za signing off

POP3: 23:19:01 [rx] +OK absamail.co.za NetMail POP3 Agent \$Revision: 3.9 \$

POP3: 23:19:01 [tx] USER mc_is@absamail.co.za

POP3: 23:19:01 [rx] +OK Password required

POP3: 23:19:01 [tx] PASS *****

POP3: 23:19:03 [rx] +OK

POP3: 23:19:03 [tx] STAT

POP3: 23:19:03 [rx] +OK 0 0

POP3: 23:19:03 [tx] QUIT

POP3: 23:19:03 [rx] +OK absamail.co.za signing off

POP3: 23:21:12 [rx] +OK absamail.co.za NetMail POP3 Agent \$Revision: 3.9 \$

POP3: 23:21:12 [tx] USER mc_is@absamail.co.za

POP3: 23:21:12 [rx] +OK Password required

POP3: 23:21:12 [tx] PASS *****

POP3: 23:21:12 [rx] +OK

POP3: 23:21:12 [tx] STAT

POP3: 23:21:12 [rx] +OK 0 0

POP3: 23:21:12 [tx] QUIT

POP3: 23:21:13 [rx] +OK absamail.co.za signing off

POP3: 23:21:58 [rx] +OK absamail.co.za NetMail POP3 Agent \$Revision: 3.9 \$

POP3: 23:21:58 [tx] USER mc_is@absamail.co.za

POP3: 23:21:58 [rx] +OK Password required

POP3: 23:21:58 [tx] PASS *****

POP3: 23:22:01 [rx] +OK

POP3: 23:22:01 [tx] STAT

POP3: 23:22:01 [rx] +OK 0 0

POP3: 23:22:01 [tx] QUIT

POP3: 23:22:01 [rx] +OK absamail.co.za signing off

Outlook Express 6.00.2800.1106

POP3 Log started at 03/08/2004 00:09:33

POP3: 00:14:14 [rx] +OK absamail.co.za NetMail POP3 Agent \$Revision: 3.9 \$

POP3: 00:14:14 [tx] USER mc_is@absamail.co.za

POP3: 00:14:14 [rx] +OK Password required

POP3: 00:14:14 [tx] PASS *****

POP3: 00:14:14 [rx] +OK

Re: OE 6 not receiving

microsoft.public.windows.inetexplorer.ie6_outlookexpress: Re: OE 6 not receiving

POP3: 00:14:14 [tx] STAT
POP3: 00:14:14 [rx] +OK 0 0
POP3: 00:14:14 [tx] QUIT
POP3: 00:14:15 [rx] +OK absamail.co.za signing off
POP3: 00:14:21 [rx] +OK absamail.co.za NetMail POP3 Agent \$Revision: 3.9 \$
POP3: 00:14:21 [tx] USER mc_is@absamail.co.za
POP3: 00:14:21 [rx] +OK Password required
POP3: 00:14:21 [tx] PASS *****
POP3: 00:14:21 [rx] +OK
POP3: 00:14:21 [tx] STAT
POP3: 00:14:21 [rx] +OK 0 0
POP3: 00:14:21 [tx] QUIT
POP3: 00:14:22 [rx] +OK absamail.co.za signing off
POP3: 00:14:24 [rx] +OK absamail.co.za NetMail POP3 Agent \$Revision: 3.9 \$
POP3: 00:14:24 [tx] USER mc_is@absamail.co.za
POP3: 00:14:24 [rx] +OK Password required
POP3: 00:14:24 [tx] PASS *****
POP3: 00:14:24 [rx] +OK
POP3: 00:14:24 [tx] STAT
POP3: 00:14:25 [rx] +OK 0 0
POP3: 00:14:25 [tx] QUIT
POP3: 00:14:25 [rx] +OK absamail.co.za signing off
POP3: 00:14:27 [rx] +OK absamail.co.za NetMail POP3 Agent \$Revision: 3.9 \$
POP3: 00:14:27 [tx] USER mc_is@absamail.co.za
POP3: 00:14:28 [rx] +OK Password required
POP3: 00:14:28 [tx] PASS *****
POP3: 00:14:28 [rx] +OK
POP3: 00:14:28 [tx] STAT
POP3: 00:14:28 [rx] +OK 0 0
POP3: 00:14:28 [tx] QUIT
POP3: 00:14:28 [rx] +OK absamail.co.za signing off
POP3: 00:14:31 [rx] +OK absamail.co.za NetMail POP3 Agent \$Revision: 3.9 \$
POP3: 00:14:31 [tx] USER mc_is@absamail.co.za
POP3: 00:14:31 [rx] +OK Password required
POP3: 00:14:31 [tx] PASS *****
POP3: 00:14:31 [rx] +OK
POP3: 00:14:31 [tx] STAT
POP3: 00:14:31 [rx] +OK 0 0
POP3: 00:14:31 [tx] QUIT
POP3: 00:14:31 [rx] +OK absamail.co.za signing off
POP3: 00:16:13 [rx] +OK absamail.co.za NetMail POP3 Agent \$Revision: 3.9 \$
POP3: 00:16:13 [tx] USER mc_is@absamail.co.za
POP3: 00:16:13 [rx] +OK Password required
POP3: 00:16:13 [tx] PASS *****
POP3: 00:16:13 [rx] +OK
POP3: 00:16:13 [tx] STAT
POP3: 00:16:13 [rx] +OK 0 0
POP3: 00:16:13 [tx] QUIT
POP3: 00:16:13 [rx] +OK absamail.co.za signing off
POP3: 00:16:14 [rx] +OK absamail.co.za NetMail POP3 Agent \$Revision: 3.9 \$
POP3: 00:16:14 [tx] USER mc_is@absamail.co.za

Re: OE 6 not receiving

microsoft.public.windows.inetexplorer.ie6_outlookexpress: Re: OE 6 not receiving

POP3: 00:16:14 [rx] +OK Password required
POP3: 00:16:14 [tx] PASS *****
POP3: 00:16:14 [rx] +OK
POP3: 00:16:14 [tx] STAT
POP3: 00:16:14 [rx] +OK 0 0
POP3: 00:16:14 [tx] QUIT
POP3: 00:16:14 [rx] +OK absamail.co.za signing off
POP3: 00:16:15 [rx] +OK absamail.co.za NetMail POP3 Agent \$Revision: 3.9 \$
POP3: 00:16:15 [tx] USER mc_is@absamail.co.za
POP3: 00:16:15 [rx] +OK Password required
POP3: 00:16:15 [tx] PASS *****
POP3: 00:16:15 [rx] +OK
POP3: 00:16:15 [tx] STAT
POP3: 00:16:15 [rx] +OK 0 0
POP3: 00:16:15 [tx] QUIT
POP3: 00:16:16 [rx] +OK absamail.co.za signing off
POP3: 00:16:16 [rx] +OK absamail.co.za NetMail POP3 Agent \$Revision: 3.9 \$
POP3: 00:16:16 [tx] USER mc_is@absamail.co.za
POP3: 00:16:16 [rx] +OK Password required
POP3: 00:16:16 [tx] PASS *****
POP3: 00:16:16 [rx] +OK
POP3: 00:16:16 [tx] STAT
POP3: 00:16:16 [rx] +OK 0 0
POP3: 00:16:16 [tx] QUIT
POP3: 00:16:17 [rx] +OK absamail.co.za signing off
POP3: 00:16:17 [rx] +OK absamail.co.za NetMail POP3 Agent \$Revision: 3.9 \$
POP3: 00:16:17 [tx] USER mc_is@absamail.co.za
POP3: 00:16:17 [rx] +OK Password required
POP3: 00:16:17 [tx] PASS *****
POP3: 00:16:17 [rx] +OK
POP3: 00:16:17 [tx] STAT
POP3: 00:16:17 [rx] +OK 0 0
POP3: 00:16:18 [tx] QUIT
POP3: 00:16:18 [rx] +OK absamail.co.za signing off
Outlook Express 6.00.2800.1106
SMTP Log started at 03/07/2004 23:09:54
SMTP: 23:09:55 [rx] 220 absamail.co.za Novonyx SMTP ready \$Revision: 3.14 \$
SMTP: 23:09:55 [tx] HELO een
SMTP: 23:09:55 [rx] 250 absamail.co.za Pleased to meet you
SMTP: 23:09:55 [tx] MAIL FROM: <mc_is@absamail.co.za>
SMTP: 23:09:55 [rx] 250 Sender OK
SMTP: 23:09:55 [tx] RCPT TO: <mc_is@absamail.co.za>
SMTP: 23:09:55 [rx] 250 Recipient OK
SMTP: 23:09:55 [tx] DATA
SMTP: 23:09:55 [rx] 354 Send message, end with <CRLF>.<CRLF>
SMTP: 23:09:55 [tx]
.
SMTP: 23:09:56 [rx] 250 OK
SMTP: 23:09:56 [tx] QUIT
SMTP: 23:09:56 [rx] 221 absamail.co.za So long, and thanks for all the fish
SMTP: 23:12:14 [rx] 220 absamail.co.za Novonyx SMTP ready \$Revision: 3.14 \$

Re: OE 6 not receiving

microsoft.public.windows.inetexplorer.ie6_outlookexpress: Re: OE 6 not receiving

SMTP: 23:12:14 [tx] HELO een
SMTP: 23:12:14 [rx] 250 absamail.co.za Pleased to meet you
SMTP: 23:12:14 [tx] MAIL FROM: <mc_is@absamail.co.za>
SMTP: 23:12:14 [rx] 250 Sender OK
SMTP: 23:12:14 [tx] RCPT TO: <mc_is@absamail.co.za>
SMTP: 23:12:14 [rx] 250 Recipient OK
SMTP: 23:12:14 [tx] DATA
SMTP: 23:12:14 [rx] 354 Send message, end with <CRLF>.<CRLF>
SMTP: 23:12:14 [tx]
.
SMTP: 23:12:15 [rx] 250 OK
SMTP: 23:12:15 [tx] QUIT
SMTP: 23:12:15 [rx] 221 absamail.co.za So long, and thanks for all the fish

Outlook Express 6.00.2800.1106
SMTP Log started at 03/07/2004 23:21:50
SMTP: 23:21:51 [rx] 220 absamail.co.za Novonyx SMTP ready \$Revision: 3.14 \$
SMTP: 23:21:51 [tx] HELO een
SMTP: 23:21:51 [rx] 250 absamail.co.za Pleased to meet you
SMTP: 23:21:51 [tx] MAIL FROM: <mc_is@absamail.co.za>
SMTP: 23:21:51 [rx] 250 Sender OK
SMTP: 23:21:51 [tx] RCPT TO: <mc_is@absamail.co.za>
SMTP: 23:21:51 [rx] 250 Recipient OK
SMTP: 23:21:51 [tx] DATA
SMTP: 23:21:51 [rx] 354 Send message, end with <CRLF>.<CRLF>
SMTP: 23:21:51 [tx]
.
SMTP: 23:21:52 [rx] 250 OK
SMTP: 23:21:52 [tx] QUIT
SMTP: 23:21:52 [rx] 221 absamail.co.za So long, and thanks for all the fish

Outlook Express 6.00.2800.1106
SMTP Log started at 03/08/2004 00:09:32
SMTP: 00:14:11 [rx] 220 absamail.co.za Novonyx SMTP ready \$Revision: 3.14 \$
SMTP: 00:14:11 [tx] HELO een
SMTP: 00:14:11 [rx] 250 absamail.co.za Pleased to meet you
SMTP: 00:14:12 [tx] MAIL FROM: <marelizeb@absamail.co.za>
SMTP: 00:14:12 [rx] 250 Sender OK
SMTP: 00:14:12 [tx] RCPT TO: <marelizeb@absamail.co.za>
SMTP: 00:14:12 [rx] 250 Recipient OK
SMTP: 00:14:12 [tx] DATA
SMTP: 00:14:12 [rx] 354 Send message, end with <CRLF>.<CRLF>
SMTP: 00:14:12 [tx]
.
SMTP: 00:14:13 [rx] 250 OK
SMTP: 00:14:13 [tx] QUIT
SMTP: 00:14:13 [rx] 221 absamail.co.za So long, and thanks for all the fish
SMTP: 00:14:15 [rx] 220 absamail.co.za Novonyx SMTP ready \$Revision: 3.14 \$
SMTP: 00:14:15 [tx] HELO een
SMTP: 00:14:15 [rx] 250 absamail.co.za Pleased to meet you
SMTP: 00:14:15 [tx] MAIL FROM: <mc_is@absamail.co.za>

Re: OE 6 not receiving

microsoft.public.windows.inetexplorer.ie6_outlookexpress: Re: OE 6 not receiving

SMTP: 00:14:15 [rx] 250 Sender OK
SMTP: 00:14:15 [tx] RCPT TO: <goldenkey@tiscali.co.za>
SMTP: 00:14:16 [rx] 250 Recipient OK
SMTP: 00:14:16 [tx] DATA
SMTP: 00:14:16 [rx] 354 Send message, end with <CRLF>.<CRLF>
SMTP: 00:14:18 [tx]
.
SMTP: 00:14:20 [rx] 250 OK
SMTP: 00:14:20 [tx] QUIT
SMTP: 00: