

Re: ADAM Bind attribute question

Source:

http://www.tech-archive.net/Archive/Windows/microsoft.public.windows.server.active_directory/2005-03/0345.html

From: Jims (*biz_at_neocasa.net*)

Date: 03/02/05

Date: Wed, 2 Mar 2005 16:48:24 -0500

By default I'm unable to bind using userPrincipalName. Is it necessary to add userPrincipalName to rDNAttID in the class definitions on a new instance in order to get this to work? We are well under way using CN as the rdn for binding. Do you see this as a risk or potential problem?

Thanks,

Jim

"Dmitri Gavrilov [MSFT]" <dmitrig@online.microsoft.com> wrote in message news:%236WG3qeHFHA.908@TK2MSFTNGP12.phx.gbl...

> You should use userPrincipalName in place of UID. Like Lee said,
> userPrincipalName is a freeform string that you can use to bind.
> Unfortunately, ADAM does not support attribute aliasing, so you'll have to
> change the client app to use this.

>

> --

> Dmitri Gavrilov

> SDE, Active Directory Core

>

> This posting is provided "AS IS" with no warranties, and confers no
> rights.

> Use of included script samples are subject to the terms specified at

> <http://www.microsoft.com/info/cpyright.htm>

>

> "Jims" <biz@neocasa.net> wrote in message

> news:#jxQ5BbHFHA.1996@TK2MSFTNGP12.phx.gbl...

>> thanks lee. Because we are migrating from IPlanet to ADAM, we have had

>> inquiries from our developers why they can't bind to uid like with

> Iplanet.

>> Binding with CN does seem somewhat nonstandard.

>> Jim

>>

>>

>> "Lee Flight" <lef@le.ac.uk-nospam> wrote in message

>> news:%231ZCmsfGFHA.3916@TK2MSFTNGP12.phx.gbl...

>> > Hi Jim

>> >

>> > you could have ADAM users bind by uid if you had uid as the

