

Re: Confidential Attribute –

Source:

http://www.tech-archive.net/Archive/Windows/microsoft.public.windows.server.active_directory/2006-11/msg00917

- *From:* MIIS Query <MIISQuery@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxx>
 - *Date:* Tue, 14 Nov 2006 13:42:01 -0800
-

Hello George

Thanks for your reply. I just tried exactly the same. its not working the way i am expecting.. I want delegate the access control to global group additional to Bultin Admin Groups. To Read/Write this attribute for a specified user or group.

regards
bob

"Jorge de Almeida Pinto [MVP – DS]" wrote:

see:

http://blogs.dirteam.com/blogs/tomek/archive/2005/11/21/confidential_bit.aspx

--

Cheers,
(HOPEFULLY THIS INFORMATION HELPS YOU!)

Jorge de Almeida Pinto # MVP Windows Server – Directory Services

BLOG (WEB-BASED)--> <http://blogs.dirteam.com/blogs/jorge/default.aspx>

BLOG (RSS-FEEDS)--> <http://blogs.dirteam.com/blogs/jorge/rss.aspx>

- * This posting is provided "AS IS" with no warranties and confers no rights!
- * Always test before implementing!

#####

"MIIS Query" <MIISQuery@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxx> wrote in message
news:E3B81F27-9922-4F40-A312-F68AA8A58090@xxxxxxxxxxxxxxxxxxx

Hi All

Re: Confidential Attribute –

My Enviroment is Windows 2003 R2. My requirement is to creates couple of attribute and those attribute are very private and should have access only to Admin or for sepcified user.

After Searing on Net, I ended with the 2003 SP1 feature of Confidential Attribute, where it gives the option of Extending the schema attribute as confidential and delegate access to the specified users or group. As mention in the link below.

<http://support.microsoft.com/kb/922836>

This KB article say, the only tool to set DSACLs on the Attribute is ldp.exe which is from Windows R2 ADAM, But the DSACL i am able to set through ADSIEDIT.MSC. This is the same ACL if i set using the ldp.exe using SACL method. Its confusing..

My problem here is ,

I have tried everything mentioned in the article. The Only problem is the Read/Write access to the confidential attribute is not working as required by me. Have anyone tried of giving the rights on confidential attribute or normal Attribute access control.

Thanks for everyone who also read my question.

Regards
bob