

Re: Deny access

Source:

http://www.tech-archive.net/Archive/Windows/microsoft.public.windows.server.active_directory/2007-02/msg01444

- *From:* "Paul Bergson [MVP-DS]" <pbergson@xxxxxxxxxxxxxxxxxxxx>
 - *Date:* Fri, 16 Feb 2007 07:57:13 -0600
-

You can require all machines to communicate with IPSec. IPSec needs a certificate that you can generate in your domain and without it would not be possible to communicate if you set the policy to communicate via IPSec only. I have never implemented this but know it isn't that simple. You may have devices that would need exceptions if they were unable to communicate via IPSec, etc...

<http://www.microsoft.com/technet/prodtechnol/windows2000serv/howto/ispstep.mspx>

--
Paul Bergson
MVP – Directory Services
MCT, MCSE, MCSA, Security+, BS CSci
2003, 2000 (Early Achiever), NT

<http://www.pbbergs.com>

Please no e-mails, any questions should be posted in the NewsGroup
This posting is provided "AS IS" with no warranties, and confers no rights.

<pablof@xxxxxxxxxxxxxxxxxxxx> wrote in message
<news:F9CE398F-4D61-4867-959C-792F9906EECB@xxxxxxxxxxxxxxxxxxxx>

Hello

Is it possible to deny access to a domain if the PC isn't in the Domain?

I want that only the users that had their PC in my domain can access to my servers (mail, disk...)

I don't want that if an user of my domain comes to work with his laptop can authenticate against servers.

Thank you

Re: Deny access