

Re: 3 domains, Exchange, Mixed Mode

Source:

<http://www.tech-archive.net/Archive/Windows/microsoft.public.windows.server.migration/2005-07/msg00009.html>

- *From:* v-jasont@xxxxxxxxxxxxxxxxxxxxxxxx (Jason Tan (MSFT))
 - *Date:* Fri, 01 Jul 2005 07:55:14 GMT
-

Hello,

Thanks for reply!

Raise the function level does not effect the trust relationship between the seperate domains. However, Windows 2000 native only Supported domain controllers: Windows 2000, Windows Server 2003. That is to say, this mode does not support Windows NT which is currently in your Windows 2000 mix mode.

More information for your reference:
How to raise domain and forest functional levels in Windows Server
support.microsoft.com/default.aspx?scid=kb;en-us;322692

Raise Function Levels in Windows Server 2003
http://www.computerperformance.co.uk/w2k3/w2k3_mixedvnative.htm

If there is anything that is unclear, please feel free to let me know.

Thanks & Regards,

Jason Tan

Microsoft Online Partner Support
Get Secure! – www.microsoft.com/security

=====

When responding to posts, please "Reply to Group" via your newsreader so that others may learn and benefit from your issue.

=====

This posting is provided "AS IS" with no warranties, and confers no rights.

| From: rpainter@xxxxxxxxxxxxxxxxxxxxxxxx

Re: 3 domains, Exchange, Mixed Mode

| Newsgroups: microsoft.public.windows.server.migration
| Subject: Re: 3 domains, Exchange, Mixed Mode
| Date: 30 Jun 2005 08:29:11 -0700
| Organization: <http://groups.google.com>
| Lines: 16
| Message-ID: <1120145351.888411.41030@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx>
| References: <1120064808.948904.320180@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx>
| <tXSUEeVfFHA.1336@xxxxxxxxxxxxxxxxxxxxxxxx>
| NNTP-Posting-Host: 209.132.117.90
| Mime-Version: 1.0
| Content-Type: text/plain; charset="iso-8859-1"
| X-Trace: posting.google.com 1120145357 25213 127.0.0.1 (30 Jun 2005
15:29:17 GMT)
| X-Complaints-To: groups-abuse@xxxxxxxxxxx
| NNTP-Posting-Date: Thu, 30 Jun 2005 15:29:17 +0000 (UTC)
| In-Reply-To: <tXSUEeVfFHA.1336@xxxxxxxxxxxxxxxxxxxxxxxx>
| User-Agent: G2/0.2
| Complaints-To: groups-abuse@xxxxxxxxxxx
| Injection-Info: o13g2000cwo.googlegroups.com; posting-host=209.132.117.90;
| posting-account=kP53ZQ0AAAC6FOZ0v2VZSizaG-iQ5oeb
| Path:
TK2MSFTNGXA01.phx.gbl!TK2MSFTNGP08.phx.gbl!newsfeed00.sul.t-online.de!t-onli
ne.de!npeer.de.kpn-eurorings.net!news.glorb.com!postnews.google.com!o13g2000
cwo.googlegroups.com!not-for-mail
| Xref: TK2MSFTNGXA01.phx.gbl
microsoft.public.windows.server.migration:11025
| X-Tomcat-NG: microsoft.public.windows.server.migration
|
| Sorry for the confusion....This was a two part question... I will copy
| the Windows Part...please re-read my original question to get the
| context...thanks!
|
| The question has to with a W2K3 Domain and trusts and connectivity with
| two other NT4 domains in our organization...2 other seperate offices on
| NT4 Domains...
|
| Am I correct in assuming that they will still function normally when I
| set the W2k3 domain to native mode?, since they are seperate domains
| with 2 way trusts?
|
| (I want to set the W2K3 domain to native mode to prepare for the
| exchange 5.5 DLs to Xfer to Exchange 2000 Universal Groups.)
|
|

• Prev by Date: ***RE: Moving user account from NT to Win2k3***

Re: 3 domains, Exchange, Mixed Mode

- Next by Date: ***RE: Migrate Files from Samba to Windows Srv 2003***
- Previous by thread: ***RE: Moving user account from NT to Win2k3***
- Next by thread: ***RE: Migrated PC shares not visible from other PC's on same domain***
- Index(es):
 - ◆ ***Date***
 - ◆ ***Thread***