

# Re: Problem with NT4 domain trusting W2003 domain

---

*Source:*

<http://www.tech-archive.net/Archive/Windows/microsoft.public.windows.server.migration/2005-07/msg00304.html>

---

- *From:* [v-xuwen@xxxxxxxxxxxxxxxxxxxxx](mailto:v-xuwen@xxxxxxxxxxxxxxxxxxxxx) (Vincent Xu [MSFT])
  - *Date:* Fri, 22 Jul 2005 09:28:54 GMT
- 

Hi Franz,

I'm sorry to hear that my suggestions didn't help. But I'm glad to hear that you have workaround for your customer.

I have delivery your problem in an internal discussion group and I will let you know if there are any further information.

Best regards,

Vincent Xu  
Microsoft Online Partner Support

Get Secure! – [www.microsoft.com/security](http://www.microsoft.com/security)

---

| From: "Franz Schenk" <[franz.schenkNOSPAM@xxxxxxxxxxxxxxxxxxxxx](mailto:franz.schenkNOSPAM@xxxxxxxxxxxxxxxxxxxxx)>  
| References: <[u0xnOOHjFHA.3936@xxxxxxxxxxxxxxxxxxxxx](mailto:u0xnOOHjFHA.3936@xxxxxxxxxxxxxxxxxxxxx)>  
<[gEXo4hRjFHA.588@xxxxxxxxxxxxxxxxxxxxx](mailto:gEXo4hRjFHA.588@xxxxxxxxxxxxxxxxxxxxx)>  
<[uiWYSUSjFHA.3960@xxxxxxxxxxxxxxxxxxxxx](mailto:uiWYSUSjFHA.3960@xxxxxxxxxxxxxxxxxxxxx)>  
<[y9WORNcjFHA.940@xxxxxxxxxxxxxxxxxxxxx](mailto:y9WORNcjFHA.940@xxxxxxxxxxxxxxxxxxxxx)>  
| Subject: Re: Problem with NT4 domain trusting W2003 domain  
| Date: Thu, 21 Jul 2005 10:54:09 +0200  
| Lines: 856  
| X-Priority: 3  
| X-MSMail-Priority: Normal  
| X-Newsreader: Microsoft Outlook Express 6.00.2900.2527  
| X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527  
| X-RFC2646: Format=Flowed; Original  
| Message-ID: <[eXtcdGdjFHA.3316@xxxxxxxxxxxxxxxxxxxxx](mailto:eXtcdGdjFHA.3316@xxxxxxxxxxxxxxxxxxxxx)>  
| Newsgroups: microsoft.public.windows.server.migration  
| NNTP-Posting-Host: mail.fitit.ch 81.6.6.11  
| Path: TK2MSFTNGXA01.phx.gbl!TK2MSFTNGP08.phx.gbl!TK2MSFTNGP14.phx.gbl  
| Xref: TK2MSFTNGXA01.phx.gbl  
microsoft.public.windows.server.migration:11340  
| X-Tomcat-NG: microsoft.public.windows.server.migration

Re: Problem with NT4 domain trusting W2003 domain

|  
| Hi Vincent  
|

| Thank you very much for your help. Unfortunately, still the same problem,  
| although it's a good idea to disable SMB signing (we always have problems  
| with that since Microsoft enabled this options by default..). I also have  
| implemented the settings you suggested in the "default domain controller  
| GPO" and not in the local GPO, and verified with GPMC that they are  
| successfully applied. A html report of the effective GPO settings is in  
| the  
| attached ZIP file.  
|

| Although I don't understand why I have this problem (seems not logical to  
| me), we have a workaround in the customer site (installed VNC Remote  
| Control  
| Tool on the NT4 machine, and the Exchange 5.5 Admin Tools work fine). And  
| we

| can share NT4 resources for the W2003 domain users by entering all ACL  
| information manually.

| If you have another idea, I'm very glad know about it (according to the  
| security eventlog on the Windows 2003 DC, NT4 tries to logon with the  
| <NT4-domain>\Administrator account on the Windows 2003 DC for retrieving  
| the

| list of Windows 2003 groups and users, thats the point I don't  
| understand).

| But I think that there is no need that you have too much work for us for  
| this issue.  
|

| Thank you again for the excellent support!  
| Franz  
|

| "Vincent Xu [MSFT]" <v-xuwen@xxxxxxxxxxxxxxxxxxxx> schrieb im Newsbeitrag  
| [news:y9WORNcjFHA.940@xxxxxxxxxxxxxxxxxxxxxxxx](mailto:news:y9WORNcjFHA.940@xxxxxxxxxxxxxxxxxxxxxxxx)

| > Hi Franz,

| >

| > Thank you for your update.

| >

| > I have performed further research on your issue. For your situation (in  
| a

| > mix domain environment and the issue didn't occur in two way trust), I  
| > suspect there are some settings in security options caused this problem,  
| > please check:

| >

| > 1. Run "gpedit.msc"

| > 2. Expand to "Computer configuration\Windows Settings\local

| > policies\Security options\"

| > 3. Check following policies:

| >

| > "Microsoft Network Server: Digitally sign communications" set to  
| disable.

| > "Network access: Allow anonymous SID/Name translation" set to enable.

Re: Problem with NT4 domain trusting W2003 domain

|> "Network access: Do not allow anonymous enumeration of SAM accounts"  
set  
|> to  
|> disable.  
|> "Network access: Do not allow anonymous enumeration of SAM accounts and  
|> shares" set to disable.  
|> "Network access: Restrict anonymous access to Named Pipes and Shares"  
set  
|> to disable  
|>  
|> I hope the suggestions can helps.  
|>  
|> Best regards,  
|>  
|> Vincent Xu  
|> Microsoft Online Partner Support  
|>  
|> Get Secure! – [www.microsoft.com/security](http://www.microsoft.com/security)  
|>  
|>  
|> -----  
|> | From: "Franz Schenk" <[franz.schenkNOSPAM@xxxxxxxxxxxxxxxxxxxx](mailto:franz.schenkNOSPAM@xxxxxxxxxxxxxxxxxxxx)>  
|> | References: <[u0xnOOHjFHA.3936@xxxxxxxxxxxxxxxxxxxxxxxx](mailto:u0xnOOHjFHA.3936@xxxxxxxxxxxxxxxxxxxxxxxx)>  
|> | <[gEXo4hRjFHA.588@xxxxxxxxxxxxxxxxxxxxxxxx](mailto:gEXo4hRjFHA.588@xxxxxxxxxxxxxxxxxxxxxxxx)>  
|> | Subject: Re: Problem with NT4 domain trusting W2003 domain  
|> | Date: Wed, 20 Jul 2005 14:19:06 +0200  
|> | Lines: 530  
|> | X-Priority: 3  
|> | X-MSMail-Priority: Normal  
|> | X-Newsreader: Microsoft Outlook Express 6.00.2900.2527  
|> | X-RFC2646: Format=Flowed; Original  
|> | X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527  
|> | Message-ID: <[uiWYSUSjFHA.3960@xxxxxxxxxxxxxxxxxxxxxxxx](mailto:uiWYSUSjFHA.3960@xxxxxxxxxxxxxxxxxxxxxxxx)>  
|> | Newsgroups: microsoft.public.windows.server.migration  
|> | NNTP-Posting-Host: mail.fitit.ch 81.6.6.11  
|> | Path: TK2MSFTNGXA01.phx.gbl!TK2MSFTNGP08.phx.gbl!TK2MSFTNGP12.phx.gbl  
|> | Xref: TK2MSFTNGXA01.phx.gbl  
|> | microsoft.public.windows.server.migration:11324  
|> | X-Tomcat-NG: microsoft.public.windows.server.migration  
|> |  
|> | Hi Vincent  
|> |  
|> | Thank you so far for the support! But it still doesn't work. What I've  
|> | done  
|> | so far:  
|> |  
|> | – Recreated the trust according KB 325874: Same result. I can choose  
the  
|> | Windows 2003 domain in the ACL Editor, but instead of displaying the  
|> | user  
|> | list of the Windows 2003 domain, I'm still getting the Error "Unable

Re: Problem with NT4 domain trusting W2003 domain

to

|> | browse the selected domain because the following error occurred:

Access

|> | is

|> | denied".

|> |

|> | – Accessing ressources on the NT4 Server from the Windows 2003 domain

|> | work

|> | as it should (Even with the error message in the NT4 ACL Editor, it's

|> | possible to add an ACL Entry by writing the username manually)

|> |

|> | – When adding a two way trust, the problem does not occur! It's

possible

|> | to

|> | browse the Windows 2003 domain in the NT4 ACL Editor.

|> |

|> | I've tested this with two VM's on our Virtual Server, but the reason

for

|> | that is because we have the same problem in a customer location with

an

|> | NT4

|> | domain trusting a Windows 2003 domain. Granting access to files on the

|> | NT4

|> | servers is possible by manually entering user/group names in the ACL

|> | Editor.

|> | But the problem we have in the cusomer site is that there is Exchange

|> | 5.5

|> | running in the NT4 domain. Despite we granted Admin rights to a

Windows

|> | 2003

|> | user to the exchange 5.5 organisation, we are getting access denied

|> | errors

|> | when running Exchange 5.5 Admin with the Windows 2003 user.

|> | Before digging into Exchange, I want to be sure that the trust is ok,

|> | and

|> | the behaviour we have is wrong in my opinion. It should be possible to

|> | browse the Windows 2003 Users in the NT4 ACL Editor even with a one

way

|> | trust (NT4 --> Windows 2003).

|> |

|> | Attached gplog.txt at the end of this message

|> | Thank you in advance for any further advice!

|> | Franz

|> | -----

|> |

|> |

|> | Microsoft (R) Windows (R) Operating System Group Policy Result tool

v2.0

|> | Copyright (C) Microsoft Corp. 1981–2001

|> |

|> | Created On 20.07.2005 at 13:36:32

Re: Problem with NT4 domain trusting W2003 domain

```
|> |
|> |
|> |
|> | RSOP data for STADTBIEL\Administrator on GHOSTSRVBIEL : Logging Mode
|> |-----
|> |
|> | OS Type: Microsoft(R) Windows(R) Server 2003,
|> | Enterprise
|> | Edition
|> | OS Configuration: Primary Domain Controller
|> | OS Version: 5.2.3790
|> | Terminal Server Mode: Remote Administration
|> | Site Name: Default-First-Site-Name
|> | Roaming Profile:
|> | Local Profile: C:\Documents and Settings\Administrator
|> | Connected over a slow link?: No
|> |
|> |
|> | COMPUTER SETTINGS
|> |-----
|> | CN=GHOSTSRVBIEL,OU=Domain Controllers,DC=stadtbiel,DC=local
|> | Last time Group Policy was applied: 20.07.2005 at 13:32:39
|> | Group Policy was applied from: ghostsrvbiel.stadtbiel.local
|> | Group Policy slow link threshold: 500 kbps
|> | Domain Name: STADTBIEL
|> | Domain Type: Windows 2000
|> |
|> | Applied Group Policy Objects
|> |-----
|> | Default Domain Controllers Policy
|> | 1stSW
|> | Default Domain Policy
|> |
|> | The following GPOs were not applied because they were filtered out
|> |
|> |-----
|> | Local Group Policy
|> | Filtering: Not Applied (Empty)
|> |
|> | The computer is a part of the following security groups
|> |-----
|> | BUILTIN\Administrators
|> | Everyone
|> | BUILTIN\Users
|> | BUILTIN\Pre-Windows 2000 Compatible Access
|> | Windows Authorization Access Group
|> | NT AUTHORITY\NETWORK
|> | NT AUTHORITY\Authenticated Users
|> | This Organization
|> | GHOSTSRVBIEL$
|> | Exchange Domain Servers
```

Re: Problem with NT4 domain trusting W2003 domain

```
|> | Domain Controllers
|> | NT AUTHORITY\ENTERPRISE DOMAIN CONTROLLERS
|> | Exchange Enterprise Servers
|> |
|> | Resultant Set Of Policies for Computer
|> | -----
|> |
|> | Software Installations
|> | -----
|> | N/A
|> |
|> | Startup Scripts
|> | -----
|> | N/A
|> |
|> | Shutdown Scripts
|> | -----
|> | N/A
|> |
|> | Account Policies
|> | -----
|> | GPO: Default Domain Policy
|> | Policy: MaxServiceAge
|> | Computer Setting: 600
|> |
|> | GPO: Default Domain Policy
|> | Policy: MaxTicketAge
|> | Computer Setting: 10
|> |
|> | GPO: Default Domain Policy
|> | Policy: MinimumPasswordAge
|> | Computer Setting: 1
|> |
|> | GPO: Default Domain Policy
|> | Policy: PasswordHistorySize
|> | Computer Setting: 24
|> |
|> | GPO: Default Domain Policy
|> | Policy: MaxClockSkew
|> | Computer Setting: 5
|> |
|> | GPO: Default Domain Policy
|> | Policy: MinimumPasswordLength
|> | Computer Setting: 5
|> |
|> | GPO: Default Domain Policy
|> | Policy: LockoutBadCount
|> | Computer Setting: N/A
|> |
|> | GPO: Default Domain Policy
|> | Policy: MaximumPasswordAge
```

Re: Problem with NT4 domain trusting W2003 domain

```
|> | Computer Setting: 42
|> |
|> | GPO: Default Domain Policy
|> | Policy: MaxRenewAge
|> | Computer Setting: 7
|> |
|> | Audit Policy
|> | -----
|> | GPO: Default Domain Controllers Policy
|> | Policy: AuditPolicyChange
|> | Computer Setting: Success
|> |
|> | GPO: Default Domain Controllers Policy
|> | Policy: AuditPrivilegeUse
|> | Computer Setting: No Auditing
|> |
|> | GPO: Default Domain Controllers Policy
|> | Policy: AuditDSAccess
|> | Computer Setting: Success
|> |
|> | GPO: Default Domain Controllers Policy
|> | Policy: AuditAccountLogon
|> | Computer Setting: Success, Failure
|> |
|> | GPO: Default Domain Controllers Policy
|> | Policy: AuditObjectAccess
|> | Computer Setting: No Auditing
|> |
|> | GPO: Default Domain Controllers Policy
|> | Policy: AuditAccountManage
|> | Computer Setting: Success, Failure
|> |
|> | GPO: Default Domain Controllers Policy
|> | Policy: AuditLogonEvents
|> | Computer Setting: Success, Failure
|> |
|> | GPO: Default Domain Controllers Policy
|> | Policy: AuditProcessTracking
|> | Computer Setting: No Auditing
|> |
|> | GPO: Default Domain Controllers Policy
|> | Policy: AuditSystemEvents
|> | Computer Setting: Success
|> |
|> | User Rights
|> | -----
|> | GPO: Default Domain Controllers Policy
|> | Policy: MachineAccountPrivilege
|> | Computer Setting: Authenticated Users
|> |
|> | GPO: Default Domain Controllers Policy
```

Re: Problem with NT4 domain trusting W2003 domain

|> | Policy: DenyNetworkLogonRight  
|> | Computer Setting: STADTBIEL\SUPPORT\_388945a0  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: RestorePrivilege  
|> | Computer Setting: STADTBIEL\Administrator  
|> | Server Operators  
|> | Backup Operators  
|> | Administrators  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: TcbPrivilege  
|> | Computer Setting: STADTBIEL\Administrator  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: SystemProfilePrivilege  
|> | Computer Setting: Administrators  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: DenyServiceLogonRight  
|> | Computer Setting: N/A  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: ServiceLogonRight  
|> | Computer Setting: NETWORK SERVICE  
|> | STADTBIEL\Administrator  
|> | BUILTIN  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: UndockPrivilege  
|> | Computer Setting: Administrators  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: CreatePermanentPrivilege  
|> | Computer Setting: N/A  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: AuditPrivilege  
|> | Computer Setting: STADTBIEL\Administrator  
|> | NETWORK SERVICE  
|> | LOCAL SERVICE  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: TakeOwnershipPrivilege  
|> | Computer Setting: Administrators  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: CreatePagefilePrivilege  
|> | Computer Setting: Administrators  
|> |  
|> | GPO: Default Domain Controllers Policy

Re: Problem with NT4 domain trusting W2003 domain

|> | Policy: EnableDelegationPrivilege  
|> | Computer Setting: Administrators  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: DebugPrivilege  
|> | Computer Setting: Administrators  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: SystemTimePrivilege  
|> | Computer Setting: Server Operators  
|> | Administrators  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: DenyBatchLogonRight  
|> | Computer Setting: N/A  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: BackupPrivilege  
|> | Computer Setting: Server Operators  
|> | Backup Operators  
|> | Administrators  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: CreateTokenPrivilege  
|> | Computer Setting: N/A  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: ChangeNotifyPrivilege  
|> | Computer Setting: Pre-Windows 2000 Compatible Access  
|> | Authenticated Users  
|> | Administrators  
|> | Everyone  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: SyncAgentPrivilege  
|> | Computer Setting: N/A  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: ProfileSingleProcessPrivilege  
|> | Computer Setting: Administrators  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: LoadDriverPrivilege  
|> | Computer Setting: Print Operators  
|> | Administrators  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: InteractiveLogonRight  
|> | Computer Setting: Print Operators  
|> | Server Operators  
|> | Account Operators

Re: Problem with NT4 domain trusting W2003 domain

|> | Backup Operators  
|> | Administrators  
|> | STADTBIEL\IUSR\_GHOSTSRVBIEL  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: RemoteShutdownPrivilege  
|> | Computer Setting: Server Operators  
|> | Administrators  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: IncreaseBasePriorityPrivilege  
|> | Computer Setting: Administrators  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: NetworkLogonRight  
|> | Computer Setting: Pre-Windows 2000 Compatible Access  
|> | ENTERPRISE DOMAIN CONTROLLERS  
|> | Authenticated Users  
|> | Administrators  
|> | Everyone  
|> | STADTBIEL\IWAM\_GHOSTSRVBIEL  
|> | STADTBIEL\IUSR\_GHOSTSRVBIEL  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: LockMemoryPrivilege  
|> | Computer Setting: N/A  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: ShutdownPrivilege  
|> | Computer Setting: Print Operators  
|> | Server Operators  
|> | Backup Operators  
|> | Administrators  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: SecurityPrivilege  
|> | Computer Setting: STADTBIEL\Exchange Enterprise  
Servers  
|> | Administrators  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: AssignPrimaryTokenPrivilege  
|> | Computer Setting: NETWORK SERVICE  
|> | LOCAL SERVICE  
|> | STADTBIEL\IWAM\_GHOSTSRVBIEL  
|> |  
|> | GPO: Default Domain Controllers Policy  
|> | Policy: SystemEnvironmentPrivilege  
|> | Computer Setting: Administrators  
|> |  
|> | GPO: Default Domain Controllers Policy

Re: Problem with NT4 domain trusting W2003 domain

```
|> | Policy: IncreaseQuotaPrivilege
|> | Computer Setting: Administrators
|> | NETWORK SERVICE
|> | LOCAL SERVICE
|> | STADTBIEL\IWAM_GHOSTSRVBIEL
|> |
|> | GPO: Default Domain Controllers Policy
|> | Policy: BatchLogonRight
|> | Computer Setting: STADTBIEL\SQLDebugger
|> | STADTBIEL\IIS_WPG
|> | STADTBIEL\IUSR_GHOSTSRVBIEL
|> | STADTBIEL\SUPPORT_388945a0
|> | LOCAL SERVICE
|> | STADTBIEL\IWAM_GHOSTSRVBIEL
|> | STADTBIEL\Administrator
|> |
|> | GPO: Default Domain Controllers Policy
|> | Policy: DenyInteractiveLogonRight
|> | Computer Setting: STADTBIEL\SQLDebugger
|> | STADTBIEL\SUPPORT_388945a0
|> |
|> | Security Options
|> | -----
|> | GPO: Default Domain Policy
|> | Policy: TicketValidateClient
|> | Computer Setting: Enabled
|> |
|> | GPO: Default Domain Policy
|> | Policy: RequireLogonToChangePassword
|> | Computer Setting: Not Enabled
|> |
|> | GPO: Default Domain Policy
|> | Policy: PasswordComplexity
|> | Computer Setting: Not Enabled
|> |
|> | GPO: Default Domain Policy
|> | Policy: ForceLogoffWhenHourExpire
|> | Computer Setting: Not Enabled
|> |
|> | GPO: Default Domain Policy
|> | Policy: ClearTextPassword
|> | Computer Setting: Not Enabled
|> |
|> | Event Log Settings
|> | -----
|> | N/A
|> |
|> | Restricted Groups
|> | -----
|> | N/A
|> |
```

Re: Problem with NT4 domain trusting W2003 domain

```
|> | System Services
|> | -----
|> | N/A
|> |
|> | Registry Settings
|> | -----
|> | N/A
|> |
|> | File System Settings
|> | -----
|> | N/A
|> |
|> | Public Key Policies
|> | -----
|> | N/A
|> |
|> | Administrative Templates
|> | -----
|> | N/A
|> |
|> |
|> | USER SETTINGS
|> | -----
|> | CN=Administrator,CN=Users,DC=stadtbiel,DC=local
|> | Last time Group Policy was applied: 20.07.2005 at 13:12:47
|> | Group Policy was applied from: ghostsrvbiel.stadtbiel.local
|> | Group Policy slow link threshold: 500 kbps
|> | Domain Name: STADTBIEL
|> | Domain Type: Windows 2000
|> |
|> | Applied Group Policy Objects
|> | -----
|> | Default Domain Policy
|> |
|> | The following GPOs were not applied because they were filtered out
|> |
```

---

```
|> | 1stSW
|> | Filtering: Not Applied (Empty)
|> |
|> | Local Group Policy
|> | Filtering: Not Applied (Empty)
|> |
|> | The user is a part of the following security groups
|> | -----
|> | Domain Users
|> | Everyone
|> | BUILTIN\Administrators
|> | BUILTIN\Users
|> | BUILTIN\Pre-Windows 2000 Compatible Access
|> | NT AUTHORITY\INTERACTIVE
```

Re: Problem with NT4 domain trusting W2003 domain

```
|> | NT AUTHORITY\Authenticated Users
|> | This Organization
|> | LOCAL
|> | Domain Admins
|> | Group Policy Creator Owners
|> | Exchange Services
|> | Exchange Domain Servers
|> | Schema Admins
|> | Enterprise Admins
|> | Exchange Enterprise Servers
|> |
|> | The user has the following security privileges
|> | -----
|> |
|> | Bypass traverse checking
|> | Manage auditing and security log
|> | Back up files and directories
|> | Restore files and directories
|> | Change the system time
|> | Shut down the system
|> | Force shutdown from a remote system
|> | Take ownership of files or other objects
|> | Debug programs
|> | Modify firmware environment values
|> | Profile system performance
|> | Profile single process
|> | Increase scheduling priority
|> | Load and unload device drivers
|> | Create a pagefile
|> | Adjust memory quotas for a process
|> | Remove computer from docking station
|> | Perform volume maintenance tasks
|> | Impersonate a client after authentication
|> | Create global objects
|> | Enable computer and user accounts to be trusted for delegation
|> | Add workstations to domain
|> |
|> | Resultant Set Of Policies for User
|> | -----
|> |
|> | Software Installations
|> | -----
|> | N/A
|> |
|> | Logon Scripts
|> | -----
|> | N/A
|> |
|> | Logoff Scripts
|> | -----
|> | N/A
```



Re: Problem with NT4 domain trusting W2003 domain

◆ **Re: Problem with NT4 domain trusting W2003 domain**

◇ From: Vincent Xu [MSFT]

- Prev by Date: **RE: ADMT GROUP command line syntax**
- Next by Date: **RE: global catalog error! Need Help!**
- Previous by thread: **Re: Problem with NT4 domain trusting W2003 domain**
- Next by thread: **Moving roaming profiles from Windows 2000 to Windows XP**
- Index(es):
  - ◆ **Date**
  - ◆ **Thread**