

Dial-in server problem: no routing

Source:

<http://www.tech-archive.net/Archive/Windows/microsoft.public.windows.server.networking/2007-04/msg00410.html>

- *From:* v_iron <v_iron@xxxxxxxx>
 - *Date:* Wed, 25 Apr 2007 18:01:05 +0300
-

Hi all!

I have server connected to local network with internet access. To have dial-up access from home I setup dial-in connections. TCP/IP properties: access to local network granted, DHCP used for IP addresses. In the properties of connection used for internet: firewall switched off, other users can use internet access from this computer.

Then we try to connect to it from remote machine here are no problems connecting but remote user can only ping this server, by PPP address or by local network address (192.168.1.33). No access to local network or internet. Please explain that I need to change to have routing to local network and internet from remote computer.

Server OS: MS Windows XP Pro version 2002 SP1,v.1081

Here is routing info then client is connected:

=====
Interface List

0x1 MS TCP Loopback interface
0x10002 ...00 53 45 00 00 00 WAN (PPP/SLIP) Interface
0x10004 ...00 15 58 63 80 1f Realtek RTL8139/810x Family Fast Ethernet NIC – Virtual Machine Network Services Driver
0x20003 ...00 18 f3 7a 24 de ASUS NX1001 Network Adapter – Virtual Machine Network Services Driver

=====

=====
Active Routes:

Network Destination Netmask Gateway Interface Metric
0.0.0.0 0.0.0.0 192.168.1.1 192.168.1.33 20
127.0.0.0 255.0.0.0 127.0.0.1 127.0.0.1 1
169.254.55.208 255.255.255.255 127.0.0.1 127.0.0.1 50
169.254.229.222 255.255.255.255 169.254.55.208 169.254.55.208 1
192.168.0.0 255.255.255.0 192.168.0.1 192.168.0.1 20
192.168.0.1 255.255.255.255 127.0.0.1 127.0.0.1 20
192.168.0.255 255.255.255.255 192.168.0.1 192.168.0.1 20
192.168.1.0 255.255.255.0 192.168.1.33 192.168.1.33 20
192.168.1.33 255.255.255.255 127.0.0.1 127.0.0.1 20

Dial-in server problem: no routing

192.168.1.255 255.255.255.255 192.168.1.33 192.168.1.33 20
224.0.0.0 240.0.0.0 192.168.0.1 192.168.0.1 20
224.0.0.0 240.0.0.0 192.168.1.33 192.168.1.33 20
255.255.255.255 255.255.255.255 192.168.0.1 192.168.0.1 1
255.255.255.255 255.255.255.255 192.168.1.33 192.168.1.33 1
Default Gateway: 192.168.1.1

=====
Persistent Routes:

None

Windows IP Configuration

Host Name : Cvetana
Primary Dns Suffix :
Node Type : Unknown
IP Routing Enabled. : Yes
WINS Proxy Enabled. : Yes

PPP adapter RAS Server (Dial In) Interface:

Connection-specific DNS Suffix . :
Description : =CB@5==89 8=B5@D59A
RAS-A5@25@0...
Dhcp Enabled. : No
IP Address. : 169.254.55.208
Subnet Mask : 255.255.255.255
Default Gateway :

Ethernet adapter Internet:

Connection-specific DNS Suffix . :
Description : Realtek RTL8139/810x Family
Fast Ethernet NIC
Physical Address. : 00-15-58-63-80-1F
Dhcp Enabled. : Yes
Autoconfiguration Enabled : Yes
IP Address. : 192.168.1.33
Subnet Mask : 255.255.255.0
Default Gateway : 192.168.1.1
DHCP Server : 192.168.1.1
DNS Servers : 192.168.1.1
Lease Obtained. : 24 :2_B=O 2007 @. 10:01:37
Lease Expires : 27 :2_B=O 2007 @. 10:01:37

Ethernet adapter Netware:

Connection-specific DNS Suffix . :
Description : ASUS NX1001 Network Adapter
Physical Address. : 00-18-F3-7A-24-DE
Dhcp Enabled. : No

Dial-in server problem: no routing

Dial-in server problem: no routing

IP Address : 192.168.0.1
Subnet Mask : 255.255.255.0
Default Gateway :

.