

Re: Global Address List

Source:

<http://www.tech-archive.net/Archive/Windows/microsoft.public.windows.server.sbs/2005-06/msg01857.html>

- *From:* "TR" <tsomething@somewhere>
 - *Date:* Mon, 6 Jun 2005 22:06:15 -0400
-

thanks

I will give it a shot and let you know what happens.

TR

"Nathan Liu [MSFT]" <v-natliu@xxxxxxxxxxxxxxxxxxxxxxxx> wrote in message
news:VxV59epaFHA.3336@xxxxxxxxxxxxxxxxxxxxxxxx

> Hello TR,

>

> Thank you for posting in the SBS newsgroup.

>

> According to your description, I understand that you would like to export

> all clients' contacts lists from Outlook and import the all contact files

> into the Global Address List on the SBS 2003 Server. If I have

> misunderstood your concern, please don't hesitate to let me know.

>

> Based on my research and testing, there is a complex workaround for your

> reference:

>

> To export client's contacts lists from Outlook

>

> 1. Open the Outlook, point to File -> Import and Export

>

> 2. On the dialog box, select Export to a file, then click Next

>

> 3. Select Comma Separated Values (.csv) (Windows) option, then click Next

>

> 4. Select the appropriate Contact node, then click Next

>

> 5. Select the appropriate destination to save.

>

> Use Csvde To Import all contact files into the Global Address List

>

> 1. You must manually edit the all contact files (.csv) with the proper

> attributes.

>

> 2. Use csvde.exe to importcreate the user accounts. To do so, use the

> following command: "Csvde -i -f import.csv"

Re: Global Address List

- >
- > For more information, please refer the following KB article:
- >
- > 327620 HOW TO: Use Csvde to Import Contacts and User Objects into Active
- > Directory
- > <http://support.microsoft.com/?id=327620>
- >
- > The following sample CSV file adds a contact for John Doe to the Sales
- > Organizational Unit (OU) in the MYDOMAIN.local domain. This file also
- > creates the necessary Exchange SMTP addresses so that Outlook clients can
- > select this contact from the Exchange 2000 Global Address List.
- >
- > 1. Copy and paste the following text into a plain text editor (such as
- > Notepad), and then save the file with a .csv file extension:
- >
- > DN,instanceType,distinguishedName,objectCategory,objectClass,name,cn,
- > displayName,mail,givenName,legacyExchangeDN,middleName,proxyAddresses,
- > showInAddressBook,sn,textEncodedORAddress,internetEncoding,mailNickname,
- > mAPIRecipient,targetAddress
- > "CN=John Doe,OU=Sales,DC=MYDOMAIN,DC=local",4,"CN=John Doe,
- > OU=Sales,DC=MYDOMAIN,DC=local","CN=Person,CN=Schema,CN=Configuration,
- > DC=MYDOMAIN,DC=local",contact,John Doe,John Doe,John Doe,
- > John@xxxxxxx,John,/o=MYDOMAIN/ou=first administrative
- > group/cn=Recipients/cn=
- > John Doe,,SMTP:John@xxxxxxx;X400:c=us\
- > ;a= \;p=MYDOMAIN;o=Exchange;s=Doe;g=John;,"CN=Default Global Address
- > List,CN=All Global Address Lists,CN=Address Lists Container,CN=MYDOMAIN,
- > CN=Microsoft
- > Exchange,CN=Services,CN=Configuration,DC=MYDOMAIN,DC=local;CN=All
- > Contacts,CN=All Address Lists,CN=Address Lists Container,CN=MYDOMAIN,
- > CN=Microsoft Exchange,CN=Services,CN=Configuration,DC=MYDOMAIN,DC=local",
- > Doe,c=us;a=;
- > p=MYDOMAIN;o=Exchange;s=Doe;g=John;,1310720,JohnDoe,FALSE,
- > SMTP:John@xxxxxxx
- >
- >
- > 2. Use a spreadsheet program (such as Excel) to open this .csv file and
- > view the header and value information.
- >
- > NOTE: The preceding sample text is intended to be saved as a .csv file as
- > an example only. Additional information in this article should be used to
- > modify your own files for importation into the Active Directory.
- >
- > When you modify your own files, remember that the file headers that are
- > included in the preceding example must be present in order for the contact
- > to import into the Active Directory and be mail-enabled. Some data fields
- > must stay the same for any import, but some data fields must be changed to
- > import individual contacts.
- >
- > Data for the following headers must be modified to fit the individual
- > importation:

Re: Global Address List

- >
- > – DN – This data field contains the object's distinguished name so that it
- > can be located in the Active Directory. In the following example John Doe
- > is the contact that will be added to the Sales OU in MYDOMAIN.local:
- > "CN=John Doe,OU=Sales,DC=MYDOMAIN,DC=local"
- >
- > – distinguishedName – Contains the same information as DN.
- > – objectCategory – Defines the Active Directory Schema category. In the
- > following example, the category is Person for MYDOMAIN.local:
- > CN=Person,CN=Schema,CN=Configuration,DC=MYDOMAIN,DC=local
- >
- > – name – Contact name.
- > – cn – Same as name.
- > – displayName – Usually the same as name.
- > – mail – SMTP e-mail address.
- > – givenName – Contact's first name.
- > – legacyExchangeDN – Legacy distinguished name for backward compatibility.
- > In the following example, John Doe is a recipient in the first
- > administrative group of MYDOMAIN:
- > /o=MYDOMAIN/ou=first administrative group/cn=Recipients/cn=John Doe
- >
- > – middleName – Contact's middle name, or initial.
- > – proxyAddresses – SMTP Address and X400 designation.
- > – showInAddressBook – Displays the contact in the Global Address List.
- > – sn – Surname, or last name of the contact.
- > – textEncodedORAddress – Mail attribute.
- > – mailNickname – E-mail alias.
- > – targetAddress – SMTP e-mail address.
- >
- > Data for the following headers stays the same for any import:
- >
- > – instanceType – Exchange instance attribute.
- > – objectClass – Contact.
- > – internetEncoding – Internet encoding type.
- > – mAPIRecipient – FALSE indicates that the contact is not a domain user.
- >
- > NOTE: Use Microsoft Excel Help for information about such functions as
- > "concatenate" that can simplify the process of building a .csv file.
- >
- > Alternatively, you can create a Contacts Public Folder to archive your
- > aim.
- >
- > For more information, look into the following article:
- >
- > 258775 XADM: How to Create and Manage a Contacts Public Folder
- > <http://support.microsoft.com/?id=258775>
- >
- > 327620 HOW TO: Use Csvde to Import Contacts and User Objects into Active
- > Directory
- > <http://support.microsoft.com/?id=327620>
- >

Re: Global Address List

> Otherwise, I suggest you also post in the Exchange Server newsgroup. The
> reason why I recommend this is that you will get the most qualified pool
> of
> respondents, and the Exchange Server newsgroup more focus in the Exchange
> Server issue or solution. Thank you for your understanding.
>
> For your convenience, I have listed the Internet Explorer newsgroup below:
> Microsoft.public.exchange.admin
>
> I hope this helps. If you have any questions or concerns, please do not
> hesitate to let me know. I am always happy to be of further assistance.
>
> Best regards,
>
> Nathan Liu (MSFT)
> Microsoft CSS Online Newsgroup Support
> Get Secure! – www.microsoft.com/security
> =====
> When responding to posts, please "Reply to Group" via your newsreader so
> that others may learn and benefit from your issue.
> =====
> This posting is provided "AS IS" with no warranties, and confers no
> rights.
>
> -----
>>From: "Merv Porter [SBS-MVP]" <mwport@xxxxxxxxxxxxxxxxxxxx>
>>References: <#eXN19iaFHA.612@xxxxxxxxxxxxxxxxxxxx>
>>Subject: Re: Global Address List
>>Date: Sun, 5 Jun 2005 20:57:47 -0500
>>Lines: 20
>>X-Priority: 3
>>X-MSMail-Priority: Normal
>>X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
>>X-RFC2646: Format=Flowed; Response
>>X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
>>Message-ID: <ub09ksjaFHA.1384@xxxxxxxxxxxxxxxxxxxx>
>>Newsgroups: microsoft.public.windows.server.sbs
>>NNTP-Posting-Host: pool-71-97-129-90.aubnin.dsl-w.verizon.net 71.97.129.90
>>Path: TK2MSFTNGXA01.phx.gbl!TK2MSFTNGP08.phx.gbl!TK2MSFTNGP09.phx.gbl
>>Xref: TK2MSFTNGXA01.phx.gbl microsoft.public.windows.server.sbs:124646
>>X-Tomcat-NG: microsoft.public.windows.server.sbs
>>
>>Not into the Global Address List but you could create a public folder,
> copy
>>the contacts to that folder, then set the permissions you need on it.
>>
>>--
>>Merv Porter [SBS MVP]
>>=====

>>"TR" <tsomething@somewhere> wrote in message
>>news:%23eXN19iaFHA.612@xxxxxxxxxxxxxxxxxxxx

Re: Global Address List

>>> Hi all,
>>>
>>> Is there a way to take a client's disconnected Contacts lists from
> Outlook
>>> on various computers he has now and import them all into the Global
>>> Address List on his new SBS2003 so that all these contacts will become
>>> available to all his employees on the new system?
>>>
>>> Thanks
>>> TR
>>>
>>
>>
>>
>

• *Follow-Ups:*

- ◆ *Re: Global Address List*
◇ *From:* Nathan Liu [MSFT]

• *References:*

- ◆ *Global Address List*
◇ *From:* TR
- ◆ *Re: Global Address List*
◇ *From:* Merv Porter [SBS-MVP]
- ◆ *Re: Global Address List*
◇ *From:* Nathan Liu [MSFT]

- Prev by Date: *Re: Outlook web access sub-folder maximum?*
- Next by Date: *Re: Exchange 2003 SP2*
- Previous by thread: *Re: Global Address List*
- Next by thread: *Re: Global Address List*
- Index(es):
 - ◆ *Date*
 - ◆ *Thread*