

RE: configuring client users

Source:

<http://www.tech-archive.net/Archive/Windows/microsoft.public.windows.server.sbs/2005-10/msg01613.html>

- *From:* v-chayan@xxxxxxxxxxxxxxxxxxxxxx ("Charles Yang [MSFT]")
 - *Date:* Mon, 17 Oct 2005 00:38:31 GMT
-

Hi Wendie,

Thanks for letting us know that you decide to go through my suggestions, please feel free to post back your results. I am glad to be of further assistance.

Thanks for your effort on this issue.

Best regards,

Charles Yang (MSFT)

Microsoft CSS Online Newsgroup Support

Get Secure! – www.microsoft.com/security

=====
This newsgroup only focuses on SBS technical issues. If you have issues regarding other Microsoft products, you'd better post in the corresponding newsgroups so that they can be resolved in an efficient and timely manner. You can locate the newsgroup here:
<http://www.microsoft.com/communities/newsgroups/en-us/default.aspx>

When opening a new thread via the web interface, we recommend you check the "Notify me of replies" box to receive e-mail notifications when there are any updates in your thread. When responding to posts via your newsreader, please "Reply to Group" so that others may learn and benefit from your issue.

Microsoft engineers can only focus on one issue per thread. Although we provide other information for your reference, we recommend you post different incidents in different threads to keep the thread clean. In doing so, it will ensure your issues are resolved in a timely manner.

For urgent issues, you may want to contact Microsoft CSS directly. Please check <http://support.microsoft.com> for regional support phone numbers.

RE: configuring client users

Any input or comments in this thread are highly appreciated.

=====
This posting is provided "AS IS" with no warranties, and confers no rights.

=====
When responding to posts, please "Reply to Group" via your newsreader so that others may learn and benefit from your issue.
=====

This posting is provided "AS IS" with no warranties, and confers no rights.

| Thread-Topic: configuring client users
| thread-index: AcXQtP6ZtBOjOsodSqi8X7Hs6RrbzQ==
| X-WBNR-Posting-Host: 82.44.19.60
| From: "?Utf-8?B?Ymc=?" <bg@xxxxxxxxxxxxxxxxxxxxxxxxxxxx>
| References: <9697BAD7-B024-44D9-A9E0-313297EEAED6@xxxxxxxxxxxxxxxx>
<aPlqm#G0FHA.2928@xxxxxxxxxxxxxxxxxxxxxxxx>
| Subject: RE: configuring client users
| Date: Fri, 14 Oct 2005 04:47:03 -0700
| Lines: 258
| Message-ID: <389D27E3-DB4F-415D-A53A-0D365FBBF1520@xxxxxxxxxxxxxxxx>
| MIME-Version: 1.0
| Content-Type: text/plain;
| charset="Utf-8"
| Content-Transfer-Encoding: 7bit
| X-Newsreader: Microsoft CDO for Windows 2000
| Content-Class: urn:content-classes:message
| Importance: normal
| Priority: normal
| X-MimeOLE: Produced By Microsoft MimeOLE V6.00.3790.0
| Newsgroups: microsoft.public.windows.server.sbs
| NNTP-Posting-Host: TK2MSFTNGXA03.phx.gbl 10.40.2.250
| Path: TK2MSFTNGXA01.phx.gbl!TK2MSFTNGXA03.phx.gbl
| Xref: TK2MSFTNGXA01.phx.gbl microsoft.public.windows.server.sbs:161378
| X-Tomcat-NG: microsoft.public.windows.server.sbs

| Thank you Charles for your reply. I printed this and I have to sit down
and
| try to get my head around this. I think I understand but this is all new
to
| me!

| Thanks again for your help
| Wendie

| ""Charles Yang [MSFT]"" wrote:

| > HI Wendie,

RE: configuring client users

RE: configuring client users

|>
|> Welcome to SBS newsgroup.
|>
|>
|> Issue description:
|> =====
|>
|> I understand that you encountered problem when configuring the client
on
|> SBS domain.
|>
|> Analyzing and suggestions:
|> =====
|>
|> Generally speaking, we use "connect computer wizard" to connect the
client
|> computer to SBS server while we need use "set up computer wizard" to
set up
|> client computer, it is also your best interest to run "assign computer
|> wizard" to assign the application such as the outlook 2003 with SP1 and
|> shared fax clients also the IE 6 SP1 to the client computer
automatically.
|> It will save a lot of time to configuring the client computer. It is
your
|> best interest to rerun the wizard again to add the client computer
account
|> on SBS 2003.
|>
|> Then you can run connect computer wizard on your client computer to
make
|> sure that the client computer is joined correctly to SBS domain, you
can
|> check the computer properties on the client computer to make sure that
the
|> client computer is belong to SBS domain.
|>
|> For user account issue, please understand that if you join the client
|> computer to SBS domain, you need to use a domain account not the local
|> account to let the client computer logon domain and logon Exchange
mailbox
|> via outlook. You do not need to add the every user via "connect
computer
|> wizard" by default, if you can use any Domain account to logon SBS
domain
|> from client computer.
|>
|> You can create the domain account via Add user wizard on SBS 2003
server
|> management console. Please note this will create a domain account not
the
|> local account. If you want to use the local profiles on the local

RE: configuring client users

RE: configuring client users

client

|> computer, please refer to the KB article below to see how to restore the

|> profiles:

|>

|> 314045 How to restore a user profile in Windows 2000

|> <http://support.microsoft.com/?id=314045>

|>

|> For more information, I suggest you refer to SBS 2003 getting started

|> guide, it will help you familiar with a domain environments:

|>

|>

|> <http://www.microsoft.com/technet/prodtechnol/sbs/2003/plan/gsg/chapter2.mspx>

|>

|>

|> Additional information:

|>

|> How to configure your email setting on SBS 2003 domain:

|>

|> If the Mailbox type is "User Mailbox", the emails retrieved from the individual POP3 account will be pushed to the corresponding Exchange mailbox you choose in "Exchange mailbox". If it is "Global Mailbox",

|> the emails retrieved from the remote POP3 email server will be automatically be distributed to the corresponding Exchange user based on

|> the email address. For example, ken@xxxxxxx will be distributed to

|> Ken@xxxxxxxxxxxxxxxxx

|>

|> In addition, if you used the "Assign Users to this Computers and Migrate

|> their Profiles" option to map your domain account profile to the existing

|> local computer account when using the Connectcomputer wizard, the resulting

|> domain account will not have the Outlook Exchange profile configured

|> automatically, you will need to automatically create the Outlook profile to

|> connect to your SBS Exchange server:

|>

|> 1. On the client computers, click Start " Control Panel, and then access

|> the "Mail" applet. Note: If you have not installed or run Outlook on this

|> computer, you will not see the "Mail" applet. You will need to first

|> install Outlook and run it at least once.

|>

|> 2. Click "E-mail Accounts", choose "Add a new e-mail account" and click

|> Next.

|>

RE: configuring client users

RE: configuring client users

|> 3. In the "Server Type" interface, choose "Microsoft Exchange Server"
|> and click Next.
|>
|> 4. In the "Exchange Server Settings" interface, input your SBS server's
|> name in "Microsoft Exchange Server", input the domain user name in "User
|> Name", and then click Next.
|>
|> 5. Open the "Mail" applet and enter "E-mail Accounts" again.
|>
|> 6. This time, choose "View or change existing e-mail accounts" and click
|> Next.
|>
|> 7. In the "E-mail Accounts" interface, make sure the "Microsoft Exchange
|> Server" account is "Set as Default" and "Mailbox - <Username>" is set
|> in "Deliver new e-mail to the following location".
|>
|> You can refer to the KB article below to configure your SBS network for
|> internet and email setting:
|>
|>
|> 825763 How to configure Internet access in Windows Small Business Server
|> 2003
|> <http://support.microsoft.com/?id=825763>
|>
|> More info:
|> =====
|>
|> SBS 2003 plan and deployment resource
|> <http://www.microsoft.com/technet/prodtechnol/sbs/2003/default.mspx>
|>
|> Hope the above information helpful, please feel free to let me know, if
|> you
|> have any further concerns. I am glad to be of further assistance.
|>
|>
|>
|> Best regards,
|>
|> Charles Yang (MSFT)
|>
|> Microsoft CSS Online Newsgroup Support
|>
|> Get Secure! - www.microsoft.com/security
|>

RE: configuring client users

RE: configuring client users

|> =====
|> This newsgroup only focuses on SBS technical issues. If you have issues
|> regarding other Microsoft products, you'd better post in the
corresponding
|> newsgroups so that they can be resolved in an efficient and timely
manner.
|> You can locate the newsgroup here:
|> <http://www.microsoft.com/communities/newsgroups/en-us/default.aspx>
|>
|> When opening a new thread via the web interface, we recommend you check
the
|> "Notify me of replies" box to receive e-mail notifications when there
are
|> any updates in your thread. When responding to posts via your
newsreader,
|> please "Reply to Group" so that others may learn and benefit from your
|> issue.
|>
|> Microsoft engineers can only focus on one issue per thread. Although we
|> provide other information for your reference, we recommend you post
|> different incidents in different threads to keep the thread clean. In
doing
|> so, it will ensure your issues are resolved in a timely manner.
|>
|> For urgent issues, you may want to contact Microsoft CSS directly.
Please
|> check <http://support.microsoft.com> for regional support phone numbers.
|>
|> Any input or comments in this thread are highly appreciated.
|> =====
|> This posting is provided "AS IS" with no warranties, and confers no
rights.
|>
|>
|> =====
|> When responding to posts, please "Reply to Group" via your newsreader
so
|> that others may learn and benefit from your issue.
|> =====
|>
|> This posting is provided "AS IS" with no warranties, and confers no
rights.
|>
|> -----
|> | Thread-Topic: configuring client users
|> | thread-index: AcXQITQTc5HkjNT8R/GAOuOx9mnZNA==
|> | X-WBNR-Posting-Host: 82.44.19.60
|> | From: "?Utf-8?B?Ymc=?" <bg@xxxxxxxxxxxxxxxxxxxxxxxxxxxx>
|> | Subject: configuring client users
|> | Date: Thu, 13 Oct 2005 11:09:07 -0700
|> | Lines: 46

RE: configuring client users

RE: configuring client users

|> | Message-ID: <9697BAD7-B024-44D9-A9E0-313297EEAED6@xxxxxxxxxxxxxx>
|> | MIME-Version: 1.0
|> | Content-Type: text/plain;
|> | charset="Utf-8"
|> | Content-Transfer-Encoding: 7bit
|> | X-Newsreader: Microsoft CDO for Windows 2000
|> | Content-Class: urn:content-classes:message
|> | Importance: normal
|> | Priority: normal
|> | X-MimeOLE: Produced By Microsoft MimeOLE V6.00.3790.0
|> | Newsgroups: microsoft.public.windows.server.sbs
|> | NNTP-Posting-Host: TK2MSFTNGXA03.phx.gbl 10.40.2.250
|> | Path: TK2MSFTNGXA01.phx.gbl!TK2MSFTNGXA03.phx.gbl
|> | Xref: TK2MSFTNGXA01.phx.gbl microsoft.public.windows.server.sbs:161137
|> | X-Tomcat-NG: microsoft.public.windows.server.sbs
|> |
|> | I have been experimenting with SBS2003 before we set it upon our
office.
|> | At
|> | present we have a small peer to peer network which we want to add a
|> | server.
|> | Every workstation now has everyone in the office set up on it as a
user
|> | so we
|> | can hotseat. We get our mail thru Outlook with pst files stored on
the
|> | file
|> | server.
|> |
|> | After installing the server software, I set up users on the to do
list
|> | that
|> | matched my names on the experimental client pc. Ran
|> | servername/connectcomputer on the client and it found my machine. I
|> | added
|> | myself as a user. It wouldn't let me use my settings, said I needed
to
|> | share
|> | the folder under documents and settings. I did so but it still
wouldn't
|> | work. When it rebooted, I lost all my documents and email. I also
|> | couldn't
|> | add any of the other users on the machine. I did a system restore so
no
|> | harm
|> | done but I think I am not understanding this. So I have the
following
|> | questions:
|> |
|> | Could I not use my setting for my user name because I have a password
on

RE: configuring client users

RE: configuring client users

|> my
|> | account? I couldn't find anything under sharing other than ticking
share
|> | this folder. It didn't match what the wizard was telling me to do.
|> |
|> | Do I have to add every user on the client when I run the client
|> | configuration wizard. Or can I just create a user on the server and
log
|> in
|> | as that person as long as I have added the computer to the network.
|> |
|> | If that is true, do I need to set up an account for everyone on every
|> | separate machine in our office, or if there is an account already set
up
|> on
|> | the server, do I just log in as that person once I have added the
|> computer to
|> | the network. In otherwords, if John has an account now on every
machine
|> ,
|> | once I create John as a user on the server, can I just log in as John
on
|> any
|> | machine without configuring his account? Don't know if I am
explaining
|> that
|> | very well.
|> |
|> | I have Outlook 2003 already installed on my machine that I was
|> experimenting
|> | with but when it created a new account, it said it couldn't find
Outlook
|> and
|> | it needed to be installed. So will I have to reinstall Outlook 2003
on
|> every
|> | machine?
|> |
|> | In other words, I don't know the best way to migrate the network we
have
|> now
|> | to a server based network. If anyone has any ideas or tips, please
let
|> me
|> | know. I have looked at migration tools but they seem to be for NT4
|> servers
|> | to 2003, unless I am reading them wrong.
|> |
|> | Thanks in advance. I think I am in over my head but I am encouraged
by
|> the

RE: configuring client users

|> | good advice from the wise people on this forum!

|> |

|> | Wendie

|> |

|> |

|> |

|

.

• **References:**

- ◆ **[RE: configuring client users](#)**
 ◇ From: "Charles Yang [MSFT]"
- ◆ **[RE: configuring client users](#)**
 ◇ From: bg

- Prev by Date: **[Re: Setting SMB idle timeout](#)**
- Next by Date: **[Re: WSUS on SBS2003 Premium](#)**
- Previous by thread: **[RE: configuring client users](#)**
- Next by thread: **[Re: Unable to send mail – administrator account to ONE\(1\) e-mail addre](#)**
- Index(es):
 - ◆ **[Date](#)**
 - ◆ **[Thread](#)**