

Re: How to remove public folder for Distribution List

Source:

<http://www.tech-archive.net/Archive/Windows/microsoft.public.windows.server.sbs/2005-11/msg02506.html>

- *From:* v-natliu@xxxxxxxxxxxxxxxxxxxxxxxx ("Nathan Liu [MSFT]")
 - *Date:* Mon, 21 Nov 2005 01:32:54 GMT
-

Hi Ted,

Thank you for your update.

As you mentioned, you received an SSL error when you try to access the mail-disabled public folder's Properties, to narrow down this issue, please kindly refer to the following information:

I. What's the exact error message? Please make a screen shot of the error message and attach it in your reply.

II. If you have assigned the certificate to IIS manually. Actually in SBS 2003, we should run CEICW to generate a certificate to associate with IIS. I have seen many similar problems on SBS 2003 when you use a third party or self-generated certificate. So no matter if you did run CEICW to generate the certificate, I would suggest we rerun CEICW by following the steps below and check if the issue does not recur:

1. Open IIS Manager (inetmgr.exe) and navigate to Web Sites\Default Web Site (if you have performed step #1 – 8, please proceed to step 9 directly).
3. Right click Default Web Site and choose Properties.
4. Click on the Directory Security tab.
5. Under Secure Communications, click the Server Certificate button.
6. In the IIS Certificate Wizard, choose the "Remove the current certificate" option and click Next.
7. Click Next again, then click Finish.
8. Restart the IIS admin service.
9. On the SBS 2003 Server open the Server Management console. Go to Standard Management\To Do List.

Re: How to remove public folder for Distribution List

10. Click the "Connect to the Internet" link.
11. Choose not to change the connection type and click Next. On the Firewall page, select "Enable firewall" and click Next (I suppose you have 2 network adapters in SBS 2003 and if you only have 1 network adapter you will not see the firewall page and you can go to step 6).
12. On the "Services Configuration" page, select all the items and then click Next.
13. On the "Web Services Configuration" page, select the web sites that you want to publish to the Internet. Click Next.
14. On the "Web Server Certificate" page, choose to create a new Web server certificate and then type the public FQDN that you will use to access your server (for example, www.domain.com). If the www.domain.com certificate was requested from a third party commercial CA, you can choose "Use a Web server certificate from a trusted authority" and then import the certificate.
15. Go through the remaining steps. Then check if the issue disappears.

If the issue still occurs, please perform the steps below:

1. Open the IIS manager and expand "Web Sites" to the "Default Web Site".
2. Right click on the "Exadmin" virtual directory and select "Properties".
3. Click on the "Directory Security" tab and under "Secure communications" click the "Edit" button.
4. Uncheck the boxes for "Require 128-bit encryption" and "Require secure channel (SSL)".
5. Click "OK" twice.
6. Repeat steps 2 through 5 for "Exchange", "ExchWeb" and "Public" virtual directories.
- 7 Right click on "Default Web Site" and select "Properties".
8. Click on the "Directory Security" tab and under "Secure communications" click the "Server Certificate" button.
9. In the "Web Server Certificate Wizard", click "Next" , click the radio button for "Remove the current certificate" and click "Next" twice and "Finish" to remove the certificate.
10. Restart the IIS Admin service in the services mmc.
- 11 Right click on "Default Web Site" and select "Properties".

Re: How to remove public folder for Distribution List

12. Click on the "Directory Security" tab and under "Secure communications" click the "Server Certificate" button.
13. In the "Web Server Certificate Wizard", click "Next" , click the radio button for "Assign an existing certificate" and click "Next".
14. Select the correct certificate in the list and click "Next". If your SBS server has 2 NICs, you should find two certificates and you should choose the "publishing.yourdomain.local" one. If you only have 1 NIC on your server, choose the only certificate which should be www.domain.com. Verify the correct SSL port and click "Next". twice and click "Finish".
15. Repeat steps 2 though 5 to enable "Require secure channel (SSL) and "Require 128-bit encryption" for all but the "Exadmin" virtual directories.
16. Close the IIS Manager and restart the IIS Admin service in the services mmc.
17. Verify all components operate as expected.

Please do not hesitate to let me know if you have any further concerns.

Best regards,

Nathan Liu (MSFT)
Microsoft CSS Online Newsgroup Support

Get Secure! – www.microsoft.com/security

=====
This newsgroup only focuses on SBS technical issues. If you have issues regarding other Microsoft products, you'd better post in the corresponding newsgroups so that they can be resolved in an efficient and timely manner. You can locate the newsgroup here:
<http://www.microsoft.com/communities/newsgroups/en-us/default.aspx>

When opening a new thread via the web interface, we recommend you check the "Notify me of replies" box to receive e-mail notifications when there are any updates in your thread. When responding to posts via your newsreader, please "Reply to Group" so that others may learn and benefit from your issue.

Microsoft engineers can only focus on one issue per thread. Although we provide other information for your reference, we recommend you post different incidents in different threads to keep the thread clean. In doing so, it will ensure your issues are resolved in a timely manner.

For urgent issues, you may want to contact Microsoft CSS directly. Please check <http://support.microsoft.com> for regional support phone numbers.

Any input or comments in this thread are highly appreciated.

Re: How to remove public folder for Distribution List

Re: How to remove public folder for Distribution List

This posting is provided "AS IS" with no warranties, and confers no rights.

>Thread-Topic: How to remove public folder for Distribution List
>thread-index: AcXsNEcfKHYAAunKSY+qbhPhNvUaKw==
>X-WBNR-Posting-Host: 67.190.229.32
>From: =?Utf-8?B?VGvk?= <Ted@xxxxxxxxxxxxxxxxxxxxxxxxxxxx>
>References: <6BEE3F9C-2EB8-4F0D-AF76-5D8CA760ABCC@xxxxxxxxxxxx>
<OsRMSY86FHA.1864@xxxxxxxxxxxxxxxxxxxxxxxx>
<219DC323-818F-46E3-A2AF-C1C3D12A2807@xxxxxxxxxxxx>
<MLv3Nf\$6FHA.832@xxxxxxxxxxxxxxxxxxxxxxxx>
>Subject: Re: How to remove public folder for Distribution List
>Date: Fri, 18 Nov 2005 03:36:12 -0800
>Lines: 139
>Message-ID: <A171DC94-8B8B-4E3D-844B-1755D6EE134E@xxxxxxxxxxxx>
>MIME-Version: 1.0
>Content-Type: text/plain;
> charset="Utf-8"
>Content-Transfer-Encoding: 7bit
>X-Newsreader: Microsoft CDO for Windows 2000
>Content-Class: urn:content-classes:message
>Importance: normal
>Priority: normal
>X-MimeOLE: Produced By Microsoft MimeOLE V6.00.3790.0
>Newsgroups: microsoft.public.windows.server.sbs
>NNTP-Posting-Host: TK2MSFTNGXA03.phx.gbl 10.40.2.250
>Path: TK2MSFTNGXA02.phx.gbl!TK2MSFTNGXA01.phx.gbl!TK2MSFTNGXA03.phx.gbl
>Xref: TK2MSFTNGXA02.phx.gbl microsoft.public.windows.server.sbs:223511
>X-Tomcat-NG: microsoft.public.windows.server.sbs
>
>Thanks guys. Only problem I have with mail-disabling the folder - I can
not
>get to the properties of the folder. I get an SSL error?
>
>Exchange is in Native Mode already.
>
>For now, I just deleted the folder, as they do not want to keep it at all.

>I'll have to look in to the issues with why I can access properties of any
>folder.
>
>""Nathan Liu [MSFT]"" wrote:
>
>> Hello Ted,
>>
>> Thank you for posting in the SBS newsgroup.
>>
>> Also, many thanks for Cris's great input.
>>

Re: How to remove public folder for Distribution List

>> According to your description, I understand that you would like to prevent
>> email which sent to a distribution group be archived in a Public Folder.
If
>> I have misunderstood the problem, please don't hesitate to let me know.
>>
>> We perform the following steps to disable mail be sent to the specific
>> public folder, to do so:
>>
>> 1. Open the Server Management console on the SBS Server, go to Advanced
>> Management, right-click DomainName (Exchange) and select Properties,
click
>> General tab, configure this Server Operation mode to Native Mode (no
>> pre-Exchange 2000 servers).
>>
>> 2. Go to Administrative Groups -> Folders -> Public Folders,
right-click
>> the specific Public folder and select All Tasks -> Mail Disable.
>>
>> Alternatively, you can just delete the specific public folder to achieve
>> this goal.
>>
>> More information:
>>
>> 273263 XADM: Cannot Mail-Disable a Public Folder in Mixed Mode
>> <http://support.microsoft.com/?id=273263>
>>
>> I appreciate your time and cooperation. If anything is unclear, please
feel
>> free to let me know. I am looking forward to hearing from you.
>>
>> Best regards,
>>
>> Nathan Liu (MSFT)
>> Microsoft CSS Online Newsgroup Support
>>
>> Get Secure! - www.microsoft.com/security
>> =====
>> This newsgroup only focuses on SBS technical issues. If you have issues
>> regarding other Microsoft products, you'd better post in the
corresponding
>> newsgroups so that they can be resolved in an efficient and timely
manner.
>> You can locate the newsgroup here:
>> <http://www.microsoft.com/communities/newsgroups/en-us/default.aspx>
>>
>> When opening a new thread via the web interface, we recommend you check
the
>> "Notify me of replies" box to receive e-mail notifications when there
are
>> any updates in your thread. When responding to posts via your

Re: How to remove public folder for Distribution List

newsreader,

>> please "Reply to Group" so that others may learn and benefit from your
>> issue.

>>

>> Microsoft engineers can only focus on one issue per thread. Although we
>> provide other information for your reference, we recommend you post
>> different incidents in different threads to keep the thread clean. In
doing

>> so, it will ensure your issues are resolved in a timely manner.

>>

>> For urgent issues, you may want to contact Microsoft CSS directly.

Please

>> check <http://support.microsoft.com> for regional support phone numbers.

>>

>> Any input or comments in this thread are highly appreciated.

>> =====

>> This posting is provided "AS IS" with no warranties, and confers no
rights.

>>

>>

>> -----

>> >Thread-Topic: How to remove public folder for Distribution List

>> >thread-index: AcXr2idD8M8GL6KrRV+e7j0zaAg58w==

>> >X-WBNR-Posting-Host: 67.190.229.32

>> >From: =?Utf-8?B?VGvk?= <Ted@xxxxxxxxxxxxxxxxxxxxxxxxxxxx>

>> >References: <6BEE3F9C-2EB8-4F0D-AF76-5D8CA760ABCC@xxxxxxxxxxxx>

>> <OsRMSY86FHA.1864@xxxxxxxxxxxxxxxxxxxx>

>> >Subject: Re: How to remove public folder for Distribution List

>> >Date: Thu, 17 Nov 2005 16:51:04 -0800

>> >Lines: 30

>> >Message-ID: <219DC323-818F-46E3-A2AF-C1C3D12A2807@xxxxxxxxxxxx>

>> >MIME-Version: 1.0

>> >Content-Type: text/plain;

>> > charset="Utf-8"

>> >Content-Transfer-Encoding: 7bit

>> >X-Newsreader: Microsoft CDO for Windows 2000

>> >Content-Class: urn:content-classes:message

>> >Importance: normal

>> >Priority: normal

>> >X-MimeOLE: Produced By Microsoft MimeOLE V6.00.3790.0

>> >Newsgroups: microsoft.public.windows.server.sbs

>> >NNTP-Posting-Host: TK2MSFTNGXA03.phx.gbl 10.40.2.250

>> >Path: TK2MSFTNGXA02.phx.gbl!TK2MSFTNGXA01.phx.gbl!TK2MSFTNGXA03.phx.gbl

>> >Xref: TK2MSFTNGXA02.phx.gbl microsoft.public.windows.server.sbs:223364

>> >X-Tomcat-NG: microsoft.public.windows.server.sbs

>> >

>> >How do I tell which email address is tied to the public folder? I can
not

>> >see properites of the public folder from the server, and I don't see
any

>> info

Re: How to remove public folder for Distribution List

Re: How to remove public folder for Distribution List

>> >on an email address from Outlook.
>> >
>> >"Cris Hanna [SBS-MVP]" wrote:
>> >
>> >> is the email address tied to the public folder in the distribution
list?
>> if
>> >> so, just remove the public folders email addy from the distribution
list
>> >>
>> >> Doing as you suggest will result in lots of NDRs
>> >>
>> >> --
>> >> Cris Hanna [SBS-MVP]
>> >> -----
>> >> Please do not contact me directly. Please only repond here in the
>> newsgroup
>> >> for the benefit of all.
>> >> "Ted" <Ted@xxxxxxxxxxxxxxxxxxxxxxxxxxxx> wrote in message
>> >> news:6BEE3F9C-2EB8-4F0D-AF76-5D8CA760ABCC@xxxxxxxxxxxxxxxxxxxx
>> >> >I have a client that does not want every email sent to a
distribution
>> list
>> >> >to
>> >> > be archived in a public folder. Can I just delete the public
folder,
>> or
>> >> > are
>> >> > there other steps?
>> >> >
>> >> > Thanks!
>> >> >
>> >> > Ted
>> >>
>> >>
>> >>
>> >
>>
>>
>

• **References:**

- ◆ **Re: How to remove public folder for Distribution List**
 ◇ From: Cris Hanna [SBS-MVP]
- ◆ **Re: How to remove public folder for Distribution List**
 ◇ From: "Nathan Liu [MSFT]"
- ◆ **Re: How to remove public folder for Distribution List**

Re: How to remove public folder for Distribution List

◇ *From:* Ted

- Prev by Date: ***Re: Raid 1 replacement***
- Next by Date: ***Re: spam server***
- Previous by thread: ***Re: How to remove public folder for Distribution List***
- Next by thread: ***RE: Synchronization error***
- Index(es):
 - ◆ ***Date***
 - ◆ ***Thread***