

RE: Using Public IP address behind a Private DHCP Server

Source:

<http://www.tech-archive.net/Archive/Windows/microsoft.public.windows.server.sbs/2005-11/msg03530.html>

- *From:* v-brancee@xxxxxxxxxxxxxxxxxxxxxxxx ("Brandy Nee [MSFT]")
 - *Date:* Thu, 24 Nov 2005 10:47:47 GMT
-

Dear Customer,

Thank you for posting back!

>From your description, I assume that you want to publish a NTP server/device through ISA 2K Server. please refer to the following KB article to configure the Simple Network Time Protocol (SNTP) with an authoritative time server on a Windows 2000-based domain controller that is running Internet Security and Acceleration (ISA) Server.

323621 HOW TO: Configure the Simple Network Time Protocol (SNTP) on ISA Server
<http://support.microsoft.com/?id=323621>

I also have found following information for you, please see:

295667 How to Allow Third-Party Internet Application Connections Through ISA
<http://support.microsoft.com/?id=295667>

For the requirement regarding ADP software, I suggest that you need to contact ADP vendor for professional support.

Thanks a lot for your time and understanding!

Best regards,

Brandy Nee

Microsoft CSS Online Newsgroup Support

Get Secure! – www.microsoft.com/security

=====
This newsgroup only focuses on SBS technical issues. If you have issues regarding other Microsoft products, you'd better post in the corresponding newsgroups so that they can be resolved in an efficient and timely manner. You can locate the newsgroup here:
<http://www.microsoft.com/communities/newsgroups/en-us/default.aspx>

RE: Using Public IP address behind a Private DHCP Server

When opening a new thread via the web interface, we recommend you check the "Notify me of replies" box to receive e-mail notifications when there are any updates in your thread. When responding to posts via your newsreader, please "Reply to Group" so that others may learn and benefit from your issue.

Microsoft engineers can only focus on one issue per thread. Although we provide other information for your reference, we recommend you post different incidents in different threads to keep the thread clean. In doing so, it will ensure your issues are resolved in a timely manner.

For urgent issues, you may want to contact Microsoft CSS directly. Please check <http://support.microsoft.com> for regional support phone numbers.

Any input or comments in this thread are highly appreciated.

=====
This posting is provided "AS IS" with no warranties, and confers no rights.

>Thread-Topic: Using Public IP address behind a Private DHCP Server
>thread-index: AcXwZyGwBgRjAXoETT2vCtQPEGD1mQ==
>X-WBNR-Posting-Host: 68.251.149.96
>From: "?Utf-8?B?Uy5XLg==?" <SW@xxxxxxxxxxxxxxxxxxxxxxxxxxxx>
>References: <BB63786E-EE88-4493-9DB7-F9BE0AAB551B@xxxxxxxxxxxx>
<jjZ0DPA8FHA.2612@xxxxxxxxxxxxxxxxxxxxxxxx>
>Subject: RE: Using Public IP address behind a Private DHCP Server
>Date: Wed, 23 Nov 2005 11:50:18 -0800
>Lines: 134
>Message-ID: <75F8E168-A330-4B23-8858-2B19DB67F233@xxxxxxxxxxxx>
>MIME-Version: 1.0
>Content-Type: text/plain;
> charset="Utf-8"
>Content-Transfer-Encoding: 7bit
>X-Newsreader: Microsoft CDO for Windows 2000
>Content-Class: urn:content-classes:message
>Importance: normal
>Priority: normal
>X-MimeOLE: Produced By Microsoft MimeOLE V6.00.3790.0
>Newsgroups: microsoft.public.windows.server.sbs
>NNTP-Posting-Host: TK2MSFTNGXA03.phx.gbl 10.40.2.250
>Path: TK2MSFTNGXA02.phx.gbl!TK2MSFTNGP08.phx.gbl!TK2MSFTNGXA03.phx.gbl
>Xref: TK2MSFTNGXA02.phx.gbl microsoft.public.windows.server.sbs:225071
>X-Tomcat-NG: microsoft.public.windows.server.sbs
>
>When I was discussing PINGING the clock I smply meant that on my local
>network, if I assign a private IP address i.e. 192.168.0.X I can get the
>clock to reply no problem. However, simply assigning public IP address
>information via its LED interface I cannot get the clock to repsong either

RE: Using Public IP address behind a Private DHCP Server

>inside of my network or outside the network.

>

>I admit my dunceness in this area :(

>

.

• **References:**

◆ **RE: Using Public IP address behind a Private DHCP Server**

◇ From: "Brandy Nee [MSFT]"

◆ **RE: Using Public IP address behind a Private DHCP Server**

◇ From: S.W.

• Prev by Date: **Re: Reconnect mailbox error**

• Next by Date: **Re: SQL Server 2005**

• Previous by thread: **RE: Using Public IP address behind a Private DHCP Server**

• Next by thread: **SBS 2003 premium**

• Index(es):

◆ **Date**

◆ **Thread**