

# Re: Terminal Server with SBS 2K3

---

*Source:*

<http://www.tech-archive.net/Archive/Windows/microsoft.public.windows.server.sbs/2005-12/msg04788.html>

---

- *From:* [v-chayan@xxxxxxxxxxxxxxxxxxxxxxxx](mailto:v-chayan@xxxxxxxxxxxxxxxxxxxxxxxx) ("Charles Yang [MSFT]")
  - *Date:* Thu, 29 Dec 2005 01:24:13 GMT
- 

Hi,

Thanks for updates.

If you want to use SBS shared fax, you must installed the fax client on the Terminal server also, Please make sure that you have configured correctly, you can follow the steps below to reinstall the fax client software on the Terminal server.

1. Logon the Terminal server with administrator.
2. Access the shared folder \\SBS server name\faxclient
3. Run the setup again to install the shared fax client on the terminal server.
4. Double check if the issue still exists or not?

By default, the shard fax client can be used on every domain client computer to print fax to SBS fax console. Thanks for your effort on this issue, please feel free to post back.

Best regards,

Charles Yang (MSFT)

Microsoft CSS Online Newsgroup Support

Get Secure! – [www.microsoft.com/security](http://www.microsoft.com/security)

=====  
This newsgroup only focuses on SBS technical issues. If you have issues regarding other Microsoft products, you'd better post in the corresponding newsgroups so that they can be resolved in an efficient and timely manner. You can locate the newsgroup here:  
<http://www.microsoft.com/communities/newsgroups/en-us/default.aspx>

When opening a new thread via the web interface, we recommend you check the "Notify me of replies" box to receive e-mail notifications when there are

Re: Terminal Server with SBS 2K3

any updates in your thread. When responding to posts via your newsreader, please "Reply to Group" so that others may learn and benefit from your issue.

Microsoft engineers can only focus on one issue per thread. Although we provide other information for your reference, we recommend you post different incidents in different threads to keep the thread clean. In doing so, it will ensure your issues are resolved in a timely manner.

For urgent issues, you may want to contact Microsoft CSS directly. Please check <http://support.microsoft.com> for regional support phone numbers.

Any input or comments in this thread are highly appreciated.

=====  
This posting is provided "AS IS" with no warranties, and confers no rights.

=====  
When responding to posts, please "Reply to Group" via your newsreader so that others may learn and benefit from your issue.  
=====

This posting is provided "AS IS" with no warranties, and confers no rights.

-----  
| From: <wedor>  
| References: <OjUc1ZXCGHA.4016@xxxxxxxxxxxxxxxxxxxxxx>  
<OAi#gkZCGHA.628@xxxxxxxxxxxxxxxxxxxxxx>  
<15fRrfeCGHA.3992@xxxxxxxxxxxxxxxxxxxxxx>  
<uqEqF8kCGHA.3920@xxxxxxxxxxxxxxxxxxxxxx>  
<p4fMJ4nCGHA.832@xxxxxxxxxxxxxxxxxxxxxx>  
<#5aiBaoCGHA.3876@xxxxxxxxxxxxxxxxxxxxxx>  
<hDOckmoCGHA.3764@xxxxxxxxxxxxxxxxxxxxxx>  
<ujYumuuCGHA.3980@xxxxxxxxxxxxxxxxxxxxxx>  
<hKQ#8u0CGHA.3908@xxxxxxxxxxxxxxxxxxxxxx>  
| Subject: Re: Terminal Server with SBS 2K3  
| Date: Wed, 28 Dec 2005 07:59:30 -0600  
| Lines: 756  
| X-Priority: 3  
| X-MSMail-Priority: Normal  
| X-Newsreader: Microsoft Outlook Express 6.00.2900.2180  
| X-RFC2646: Format=Flowed; Original  
| X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180  
| Message-ID: <erHstb7CGHA.3784@xxxxxxxxxxxxxxxxxxxxxx>  
| Newsgroups: microsoft.public.windows.server.sbs  
| NNTP-Posting-Host: ip66.244.133.12.cust.max.inter.net 66.244.133.12  
| Path: TK2MSFTNGXA02.phx.gbl!TK2MSFTNGP08.phx.gbl!TK2MSFTNGP15.phx.gbl  
| Xref: TK2MSFTNGXA02.phx.gbl microsoft.public.windows.server.sbs:232759  
| X-Tomcat-NG: microsoft.public.windows.server.sbs  
|  
| Yes the issue only occurs with the Terminal Server.

Re: Terminal Server with SBS 2K3

|  
| I followed the instructions in the document from this site,  
| <http://www.microsoft.com/technet/prodtechnol/sbs/2003/deploy/adstrmsr.mspx>  
|  
| Clearly these instructions will not work according to what you have told  
| me,  
| what then are the correct instructions to get this to work?  
|  
| The users on the Terminal Server are not able to print to the shared fax  
| using the outlined procedure since they get the "Configuration settings  
| cannot be saved due to an internal error" message when trying to fax.  
|  
| I have tried uninstalling and reinstalling the service but nothing  
| changes.  
|  
| What is the solution to this?  
|  
| ""Charles Yang [MSFT]"" <v-chayan@xxxxxxxxxxxxxxxxxxxxxx> wrote in message  
| <news:hKQ%238u0CGHA.3908@xxxxxxxxxxxxxxxxxxxxxx>  
| > Hi,  
| >  
| > Thanks for updates.  
| >  
| > From your description, it seems the issue only occur the Terminal  
| server.  
| >  
| > After checking your post, we found the Trend software is third party  
| > software, we are not familiar with this software, you have to contact  
| > vendor for further support.  
| >  
| > For the ISA firewall client, I am not sure if you have run ISA firewall  
| > client on the terminal session, by default if you use administrator, it  
| > will logon to the remote administration session, but for the normal  
| > terminal user, it might not use the same session, so you have to make  
| sure  
| > that the ISA firewall client software is started when you start terminal  
| > session.  
| >  
| > The printing issue, you can refer to my suggestion to see when you  
| > delegate  
| > the permission to the user to see if they can use the printer, as I know  
| > the issue is by designed as the normal user have no right to add  
| printer.  
| >  
| > Thanks for your understanding on this issue.  
| >  
| >  
| >  
| > Best regards,  
| >  
| > Charles Yang (MSFT)

Re: Terminal Server with SBS 2K3

|>  
|> Microsoft CSS Online Newsgroup Support  
|>  
|> Get Secure! – [www.microsoft.com/security](http://www.microsoft.com/security)  
|>  
|> =====  
|> This newsgroup only focuses on SBS technical issues. If you have issues  
|> regarding other Microsoft products, you'd better post in the  
corresponding  
|> newsgroups so that they can be resolved in an efficient and timely  
manner.  
|> You can locate the newsgroup here:  
|> <http://www.microsoft.com/communities/newsgroups/en-us/default.aspx>  
|>  
|> When opening a new thread via the web interface, we recommend you check  
|> the  
|> "Notify me of replies" box to receive e-mail notifications when there  
are  
|> any updates in your thread. When responding to posts via your  
newsreader,  
|> please "Reply to Group" so that others may learn and benefit from your  
|> issue.  
|>  
|> Microsoft engineers can only focus on one issue per thread. Although we  
|> provide other information for your reference, we recommend you post  
|> different incidents in different threads to keep the thread clean. In  
|> doing  
|> so, it will ensure your issues are resolved in a timely manner.  
|>  
|> For urgent issues, you may want to contact Microsoft CSS directly.  
Please  
|> check <http://support.microsoft.com> for regional support phone numbers.  
|>  
|> Any input or comments in this thread are highly appreciated.  
|> =====  
|> This posting is provided "AS IS" with no warranties, and confers no  
|> rights.  
|>  
|>  
|> =====  
|> When responding to posts, please "Reply to Group" via your newsreader so  
|> that others may learn and benefit from your issue.  
|> =====  
|>  
|> This posting is provided "AS IS" with no warranties, and confers no  
|> rights.  
|>  
|> -----  
|> | From: <wedor>  
|> | References: <OjUc1ZXCgHA.4016@xxxxxxxxxxxxxxxxxxxxxxxx>  
|> | <Oai#gkZCGHA.628@xxxxxxxxxxxxxxxxxxxxxxxx>

Re: Terminal Server with SBS 2K3

> <15fRrfeCGHA.3992@xxxxxxxxxxxxxxxxxxxxxxxxxxxx>  
> <uqEqF8kCGHA.3920@xxxxxxxxxxxxxxxxxxxxxxxxxxxx>  
> <p4fMJ4nCGHA.832@xxxxxxxxxxxxxxxxxxxxxxxxxxxx>  
> <#5aiBaoCGHA.3876@xxxxxxxxxxxxxxxxxxxxxxxxxxxx>  
> <hDOckmoCGHA.3764@xxxxxxxxxxxxxxxxxxxxxxxxxxxx>  
> | Subject: Re: Terminal Server with SBS 2K3  
> | Date: Tue, 27 Dec 2005 07:44:23 -0600  
> | Lines: 547  
> | X-Priority: 3  
> | X-MSMail-Priority: Normal  
> | X-Newsreader: Microsoft Outlook Express 6.00.2900.2180  
> | X-RFC2646: Format=Flowed; Original  
> | X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180  
> | Message-ID: <ujYumuuCGHA.3980@xxxxxxxxxxxxxxxxxxxxxxxxxxxx>  
> | Newsgroups: microsoft.public.windows.server.sbs  
> | NNTP-Posting-Host: ip66.244.133.12.cust.max.inter.net 66.244.133.12  
> | Path: TK2MSFTNGXA02.phx.gbl!TK2MSFTNGP08.phx.gbl!TK2MSFTNGP12.phx.gbl  
> | Xref: TK2MSFTNGXA02.phx.gbl microsoft.public.windows.server.sbs:232564  
> | X-Tomcat-NG: microsoft.public.windows.server.sbs  
> |  
> | All of these problems only occur on the Terminal Server, there are  
> | others,  
> | they all seem permissions related.  
> |  
> | All users no matter what group they are in can work fine on the SBS,  
> | they  
> | have no problems.  
> |  
> | The only problems start when logging in to the TS, the print issue was  
> | the  
> | first I noticed. The ISA firewall client icon does not show up in the  
> | system tray nor does the icon for the Trend anti-virus program when  
> | logged  
> | in as a non-admin. I can elevate their privileges to make this work  
but  
> | I  
> | do  
> | not like that alternative.  
> |  
> | Thanks for the help so far.  
> |  
> | ""Charles Yang [MSFT]"" <v-chayan@xxxxxxxxxxxxxxxxxxxxxxxxxxxx> wrote in  
message  
> | [news:hDOckmoCGHA.3764@xxxxxxxxxxxxxxxxxxxxxxxxxxxx](mailto:news:hDOckmoCGHA.3764@xxxxxxxxxxxxxxxxxxxxxxxxxxxx)  
> | >  
> | > HI,  
> | >  
> | > Thanks for updates.  
> | >  
> | > I am not sure how you configure your SBS fax, does the issue occur  
on

Re: Terminal Server with SBS 2K3

|> |> every  
|> |> domain user or it just occur when you print to it via Terminal  
server.  
|> |>  
|> |> As I know, the issue might be caused by the SBS fax setting issue,  
if  
|> |> possible please try to reinstall SBS fax print to see if the problem  
|> can  
|> |> be  
|> |> resolved. I will be here waiting for your updates.  
|> |>  
|> |> Please send the email to v-chayan@xxxxxxxxxxxxxxxxx  
|> |>  
|> |> Thanks  
|> |>  
|> |>  
|> |> Best regards,  
|> |>  
|> |> Charles Yang (MSFT)  
|> |>  
|> |> Microsoft CSS Online Newsgroup Support  
|> |>  
|> |> Get Secure! – [www.microsoft.com/security](http://www.microsoft.com/security)  
|> |>  
|> |> =====  
|> |> This newsgroup only focuses on SBS technical issues. If you have  
|> issues  
|> |> regarding other Microsoft products, you'd better post in the  
|> corresponding  
|> |> newsgroups so that they can be resolved in an efficient and timely  
|> manner.  
|> |> You can locate the newsgroup here:  
|> |> <http://www.microsoft.com/communities/newsgroups/en-us/default.aspx>  
|> |>  
|> |> When opening a new thread via the web interface, we recommend you  
|> check  
|> |> the  
|> |> "Notify me of replies" box to receive e-mail notifications when  
there  
|> are  
|> |> any updates in your thread. When responding to posts via your  
|> newsreader,  
|> |> please "Reply to Group" so that others may learn and benefit from  
your  
|> |> issue.  
|> |>  
|> |> Microsoft engineers can only focus on one issue per thread.  
Although  
|> we  
|> |> provide other information for your reference, we recommend you post  
|> |> different incidents in different threads to keep the thread clean.

Re: Terminal Server with SBS 2K3

In

|> |> doing

|> |> so, it will ensure your issues are resolved in a timely manner.

|> |>

|> |> For urgent issues, you may want to contact Microsoft CSS directly.

|> Please

|> |> check <http://support.microsoft.com> for regional support phone numbers.

|> |>

|> |> Any input or comments in this thread are highly appreciated.

|> |> =====

|> |> This posting is provided "AS IS" with no warranties, and confers no rights.

|> |>

|> |>

|> |> =====

|> |> When responding to posts, please "Reply to Group" via your newsreader

|> so

|> |> that others may learn and benefit from your issue.

|> |> =====

|> |>

|> |> This posting is provided "AS IS" with no warranties, and confers no rights.

|> |>

|> |> -----

|> |> | From: <wedor>

|> |> | References: <OjUc1ZXCGHA.4016@xxxxxxxxxxxxxxxxxxxxxxxx>

|> |> | <OAi#gkZCGHA.628@xxxxxxxxxxxxxxxxxxxxxxxx>

|> |> | <l5fRrfeCGHA.3992@xxxxxxxxxxxxxxxxxxxxxxxx>

|> |> | <uqEqF8kCGHA.3920@xxxxxxxxxxxxxxxxxxxxxxxx>

|> |> | <p4fMJ4nCGHA.832@xxxxxxxxxxxxxxxxxxxxxxxx>

|> |> | Subject: Re: Terminal Server with SBS 2K3

|> |> | Date: Mon, 26 Dec 2005 19:40:22 -0600

|> |> | Lines: 379

|> |> | X-Priority: 3

|> |> | X-MSMail-Priority: Normal

|> |> | X-Newsreader: Microsoft Outlook Express 6.00.2900.2180

|> |> | X-RFC2646: Format=Flowed; Original

|> |> | X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180

|> |> | Message-ID: <#5aiBaoCGHA.3876@xxxxxxxxxxxxxxxxxxxxxxxx>

|> |> | Newsgroups: microsoft.public.windows.server.sbs

|> |> | NNTP-Posting-Host: ip66.244.133.12.cust.max.inter.net

66.244.133.12

|> |> | Path:

|> |> | TK2MSFTNGXA02.phx.gbl!TK2MSFTNGP08.phx.gbl!tk2msftngp13.phx.gbl

|> |> | Xref: TK2MSFTNGXA02.phx.gbl

|> |> | microsoft.public.windows.server.sbs:232511

|> |> | X-Tomcat-NG: microsoft.public.windows.server.sbs

|> |> |

|> |> | The default domain controllers policy was "not defined"

Re: Terminal Server with SBS 2K3

|> |> |  
|> |> | The main server is SBS 2K3 SP1, the Terminal Server is 2003 SP1  
|> |> |  
|> |> | I was able to have the user add the printers after following your  
|> |> | instructions. I will try your other instructios to see if I can  
|> |> | limit  
|> |> | them  
|> |> | so they are not print operators since I do not like that they are  
in  
|> |> | that  
|> |> | group now.  
|> |> |  
|> |> |> 1. Do normal users try to install a network printer? Which OS  
is  
|> |> | the  
|> |> |> printer server? Have you installed the Windows 2003 printer  
driver  
|> |> | on  
|> |> | it?  
|> |> |  
|> |> | 1.) Normal users on the LAN can add printers without problem,  
this  
|> |> | is  
|> |> | strictly a problem when logging into the TS.  
|> |> |  
|> |> |> 2. Please run the "gpresult /v >c:\gpresult.txt" command to  
|> |> | generate  
|> |> | the  
|> |> |> gpresult.  
|> |> |  
|> |> | 2.) I have sent the file as you requested.  
|> |> |  
|> |> | I now have a problem with the SBS fax, when the same users  
attempt  
|> |> | to  
|> |> | print  
|> |> | to the SBS fax they this error message,  
|> |> |  
|> |> | "Configuration settings cannot be saved due to an internal error"  
|> |> |  
|> |> |  
|> |> | ""Charles Yang [MSFT]"" <v-chayan@xxxxxxxxxxxxxxxxxxxxxx> wrote in  
|> |> | message  
|> |> | [news:p4fMJ4nCGHA.832@xxxxxxxxxxxxxxxxxxxxxxxxxx](mailto:news:p4fMJ4nCGHA.832@xxxxxxxxxxxxxxxxxxxxxxxxxx)  
|> |> |> HI,  
|> |> |>  
|> |> |> Thanks for your updates.  
|> |> |>  
|> |> |> If I understand properly, when a normal user logs on the  
terminal  
|> |> |> server

## Re: Terminal Server with SBS 2K3

|> |> |> tries to install a printer he/she receives the error message  
|> saying  
|> |> that  
|> |> |> "You do not have sufficient access to your machine to connect  
to  
|> the  
|> |> |> selected printer". You have followed the steps in KB259937 to  
|> disable  
|> |> the  
|> |> |> "Prevent users from adding printers" group policy in the default  
|> |> domain  
|> |> |> policy and the local policy of the terminal server.  
|> |> |>  
|> |> |> Before we go any further, I would like to confirm whether you  
have  
|> |> checked  
|> |> |> the default domain controller policy to ensure that the "Prevent  
|> users  
|> |> |> from  
|> |> |> adding printers" group policy was enabled. If not, I suggest  
that  
|> you  
|> |> |> check  
|> |> |> it as the default domain policy and local policy are overridden  
by  
|> the  
|> |> |> default domain controller policy. If this policy is defined in  
the  
|> |> default  
|> |> |> domain controller policy, users will be prevented from adding  
|> |> printers.  
|> |> |>  
|> |> |> Based on my research, this problem may also occur when normal  
|> users  
|> do  
|> |> not  
|> |> |> have enough permission to install and uninstall printer drivers.  
|> When  
|> |> a  
|> |> |> user connects to a printer on a print server, the connecting  
|> client  
|> |> looks  
|> |> |> for the appropriate driver on the print server, and then  
|> automatically  
|> |> |> downloads it. If the printer driver for Windows 2003 server is  
not  
|> |> |> installed previously and users do not have Add/Remove printer  
|> driver  
|> |> |> permission, you will receive this error. To enable normal users  
to  
|> |> install

Re: Terminal Server with SBS 2K3

|> |> |> printer, make sure that you install printer drivers for all the  
|> |> supported  
|> |> |> operating systems in your corporate network or grant users with  
|> the  
|> |> |> permission to install printer driver.  
|> |> |>  
|> |> |> To grant users with install printer driver permission on the  
|> domain  
|> |> |> controller, you can add normal users to the "Printer Operators"  
|> group  
|> |> and  
|> |> |> define the Load/Unload Device Drivers privilege to grant the  
user  
|> the  
|> |> |> right. To set this privilege, you can perform the following  
steps:  
|> |> |>  
|> |> |> 1. Click Start -> Run, type "gpedit.msc" in the text box, and  
|> click  
|> |> OK.  
|> |> |> 2. Locate the following group policy: [Computer  
|> Configuration\Windows  
|> |> |> Settings\Security Settings\Local Policies\ User Rights  
|> |> |> Assignment\Load/Unload Device Drivers].  
|> |> |> 3. Add the user who needs to install local printer to the group  
|> |> policy.  
|> |> |> 4. Click Start -> Run, type "cmd" in the text box, and click OK.  
|> |> |> 5. Run the following command to refresh the group policy:  
|> |> |>  
|> |> |> Gpupdate /force  
|> |> |>  
|> |> |> For management facility, you may consider create a user group  
that  
|> |> |> contains  
|> |> |> users who need to add local printer and then grant Load/Unload  
|> Device  
|> |> |> Drivers privilege to this user group.  
|> |> |>  
|> |> |> Does it work now? If this problem continues, please help me  
|> collect  
|> |> some  
|> |> |> information so that I can perform further research on this  
issue:  
|> |> |>  
|> |> |> 1. Do normal users try to install a network printer? Which OS  
is  
|> the  
|> |> |> printer server? Have you installed the Windows 2003 printer  
driver  
|> on  
|> |> it?

Re: Terminal Server with SBS 2K3

|> |> |> 2. Please run the "gpresult /v >c:\gpresult.txt" command to  
|> generate  
|> |> the  
|> |> |> gpresult.  
|> |> |>  
|> |> |> Please send the gpresult.txt file to my email address at:  
|> |> |> laurazh@xxxxxxxxxxxxxxxx I will perform further research.  
|> |> |>  
|> |> |> More Information  
|> |> |> -----  
|> |> |> 279753 Error Message: You Do Not Have Sufficient Access to Your  
|> |> Machine  
|> |> to  
|> |> |> <http://support.microsoft.com/?id=279753>  
|> |> |>  
|> |> |> I appreciate your time on this issue, please carefully go  
through  
|> |> |> all  
|> |> |> the  
|> |> |> suggestion above to perform test. I am glad to be of assistance.  
|> |> |>  
|> |> |>  
|> |> |>  
|> |> |> Best regards,  
|> |> |>  
|> |> |> Charles Yang (MSFT)  
|> |> |>  
|> |> |> Microsoft CSS Online Newsgroup Support  
|> |> |>  
|> |> |> Get Secure! – [www.microsoft.com/security](http://www.microsoft.com/security)  
|> |> |>  
|> |> |> =====  
|> |> |> This newsgroup only focuses on SBS technical issues. If you have  
|> |> |> issues  
|> |> |> regarding other Microsoft products, you'd better post in the  
|> |> |> corresponding  
|> |> |> newsgroups so that they can be resolved in an efficient and  
timely  
|> |> |> manner.  
|> |> |> You can locate the newsgroup here:  
|> |> |>  
<http://www.microsoft.com/communities/newsgroups/en-us/default.aspx>  
|> |> |>  
|> |> |> When opening a new thread via the web interface, we recommend  
you  
|> |> |> check  
|> |> |> the  
|> |> |> "Notify me of replies" box to receive e-mail notifications when  
|> |> |> there  
|> |> |> are  
|> |> |> any updates in your thread. When responding to posts via your

Re: Terminal Server with SBS 2K3

|> |> newsreader,  
|> |> |> please "Reply to Group" so that others may learn and benefit  
from  
|> your  
|> |> |> issue.  
|> |> |>  
|> |> |> Microsoft engineers can only focus on one issue per thread.  
|> Although  
|> |> we  
|> |> |> provide other information for your reference, we recommend you  
|> post  
|> |> |> different incidents in different threads to keep the thread  
clean.  
|> In  
|> |> |> doing  
|> |> |> so, it will ensure your issues are resolved in a timely manner.  
|> |> |>  
|> |> |> For urgent issues, you may want to contact Microsoft CSS  
directly.  
|> |> Please  
|> |> |> check <http://support.microsoft.com> for regional support phone  
|> numbers.  
|> |> |>  
|> |> |> Any input or comments in this thread are highly appreciated.  
|> |> |> =====  
|> |> |> This posting is provided "AS IS" with no warranties, and  
confers  
|> no  
|> |> |> rights.  
|> |> |>  
|> |> |>  
|> |> |> =====  
|> |> |> When responding to posts, please "Reply to Group" via your  
|> newsreader  
|> |> so  
|> |> |> that others may learn and benefit from your issue.  
|> |> |> =====  
|> |> |>  
|> |> |> This posting is provided "AS IS" with no warranties, and  
confers  
|> no  
|> |> |> rights.  
|> |> |>  
|> |> |> -----  
|> |> |> | From: <wedor>  
|> |> |> | References: <OjUc1ZXCGHA.4016@xxxxxxxxxxxxxxxxxxxxxxxx>  
|> |> |> | <Oai#gkZCGHA.628@xxxxxxxxxxxxxxxxxxxxxxxx>  
|> |> |> | <15fRrfeCGHA.3992@xxxxxxxxxxxxxxxxxxxxxxxx>  
|> |> |> | Subject: Re: Terminal Server with SBS 2K3  
|> |> |> | Date: Mon, 26 Dec 2005 13:03:11 -0600  
|> |> |> | Lines: 172

Re: Terminal Server with SBS 2K3

|> |> |> | X-Priority: 3  
|> |> |> | X-MSMail-Priority: Normal  
|> |> |> | X-Newsreader: Microsoft Outlook Express 6.00.2900.2180  
|> |> |> | X-RFC2646: Format=Flowed; Original  
|> |> |> | X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180  
|> |> |> | Message-ID: <uqEqF8kCGHA.3920@xxxxxxxxxxxxxxxxxxxxxxxx>  
|> |> |> | Newsgroups: microsoft.public.windows.server.sbs  
|> |> |> | NNTP-Posting-Host: ip66.244.133.12.cust.max.inter.net  
|> 66.244.133.12  
|> |> |> | Path:  
|> |> TK2MSFTNGXA02.phx.gbl!TK2MSFTNGP08.phx.gbl!tk2msftngp13.phx.gbl  
|> |> |> | Xref: TK2MSFTNGXA02.phx.gbl  
|> |> microsoft.public.windows.server.sbs:232470  
|> |> |> | X-Tomcat-NG: microsoft.public.windows.server.sbs  
|> |> |> |  
|> |> |> | This was an operating SBS network that I have just added a  
|> Terminal  
|> |> |> Server  
|> |> |> | to, the printers have been installed since day one, they are  
an  
|> |> HP-4300  
|> |> |> and  
|> |> |> | an HP-4000 and the SBS fax, the printers are controlled by HP  
|> |> internal  
|> |> |> Print  
|> |> |> servers.  
|> |> |> |  
|> |> |> | 1.) If a user is logged in as admin all the printers are  
visible  
|> and  
|> |> |> useable.  
|> |> |> |  
|> |> |> | 2.) Incorrect  
|> |> |> |  
|> |> |> | 1.) The exact error message is  
|> |> |> |  
|> |> |> | "you do not have sufficient access to your computer connect  
to  
|> the  
|> |> |> selected  
|> |> |> printer"  
|> |> |> |  
|> |> |> | 2.) No  
|> |> |> |  
|> |> |> | 3.) Yes  
|> |> |> |  
|> |> |> | 4.) The local security policy, "Security Settings/Local  
|> |> |> Policies/Securitiy  
|> |> |> | Options/Devices: Prevent users from installing print drivers"  
I  
|> |> changed

Re: Terminal Server with SBS 2K3

|> |> |> it  
|> |> |> | from enabled to disabled.  
|> |> |> |  
|> |> |> | ""Charles Yang [MSFT]"" <v-chayan@xxxxxxxxxxxxxxxxxxxxxxxx> wrote  
in  
|> |> message  
|> |> |> | [news:15fRrfeCGHA.3992@xxxxxxxxxxxxxxxxxxxxxxxx](mailto:news:15fRrfeCGHA.3992@xxxxxxxxxxxxxxxxxxxxxxxx)  
|> |> |> |> HI,  
|> |> |> |>  
|> |> |> |> Welcome to SBS newsgroup.  
|> |> |> |>  
|> |> |> |> Issue description:  
|> |> |> |> =====  
|> |> |> |>  
|> |> |> |> I understand that you encountered problem when you want to  
add  
|> the  
|> |> |> printer  
|> |> |> |> to the terminal server.  
|> |> |> |>  
|> |> |> |> Analyzing and suggestion:  
|> |> |> |> =====  
|> |> |> |>  
|> |> |> |> If my understanding is correctly, you want to add the  
printer  
|> to  
|> |> the  
|> |> |> |> Terminal server without giving the local admin right of  
|> Terminal  
|> |> |> |> server.  
|> |> |> |>  
|> |> |> |> Before we go any further, can I assume that you have already  
|> |> installed  
|> |> |> the  
|> |> |> |> printer on the SBS domain also, you just want to use normal  
|> user  
|> |> to  
|> |> |> add  
|> |> |> |> the  
|> |> |> |> printer via "add printer wizard", if so the reason might be  
|> caused  
|> |> by  
|> |> |> the  
|> |> |> |> Terminal server did not have the printer driver installed.  
You  
|> can  
|> |> |> follow  
|> |> |> |> the steps below:  
|> |> |> |>  
|> |> |> |> 1. Login as Administrator and install all drivers for the  
|> |> |> |> corresponding

Re: Terminal Server with SBS 2K3

|> |> |> |> printers on the print server.  
|> |> |> |> 2. Users are now able to install network printers.  
|> |> |> |>  
|> |> |> |> If this is not your issue or your issue is not resolved  
after  
|> |> |> |> performing  
|> |> |> |> the steps above, please help gather more information:  
|> |> |> |>  
|> |> |> |> 1. Could you paste the detailed error message you want to  
add  
|> |> |> |> the  
|> |> |> |> printer  
|> |> |> |> via normal user?  
|> |> |> |> 2. Is there any error event on the event view related to  
|> |> |> |> printer?  
|> |> |> |> Please  
|> |> |> |> also paste them to newsgroup.  
|> |> |> |> 3. Does the issue occur on all shared network printer?  
|> |> |> |> 4. If possible, could you tell us which policy you change.  
|> |> |> |>  
|> |> |> |> I really appreciate your effort on this issue, please feel  
|> |> |> |> free  
|> |> |> |> to  
|> |> |> |> let  
|> |> |> |> me  
|> |> |> |> know the results, I am glad to be of assistance.  
|> |> |> |>  
|> |> |> |>  
|> |> |> |>  
|> |> |> |> Best regards,  
|> |> |> |>  
|> |> |> |> Charles Yang (MSFT)  
|> |> |> |>  
|> |> |> |> Microsoft CSS Online Newsgroup Support  
|> |> |> |>  
|> |> |> |> Get Secure! – [www.microsoft.com/security](http://www.microsoft.com/security)  
|> |> |> |>  
|> |> |> |> =====  
|> |> |> |> This newsgroup only focuses on SBS technical issues. If you  
|> |> |> |> have  
|> |> |> |> issues  
|> |> |> |> regarding other Microsoft products, you'd better post in the  
|> |> |> |> corresponding  
|> |> |> |> newsgroups so that they can be resolved in an efficient and  
|> |> |> |> timely  
|> |> |> |> manner.  
|> |> |> |> You can locate the newsgroup here:  
|> |> |> |>  
|> |> |> |> <http://www.microsoft.com/communities/newsgroups/en-us/default.aspx>  
|> |> |> |>  
|> |> |> |> When opening a new thread via the web interface, we

recommend  
|> you  
|> |> |> check  
|> |> |> |> the  
|> |> |> |> "Notify me of replies" box to receive e-mail notifications  
|> when  
|> |> there  
|> |> |> are  
|> |> |> |> any updates in your thread. When responding to posts via  
your  
|> |> |> newsreader,  
|> |> |> |> please "Reply to Group" so that others may learn and benefit  
|> from  
|> |> your  
|> |> |> |> issue.  
|> |> |> |>  
|> |> |> |> Microsoft engineers can only focus on one issue per thread.  
|> |> Although  
|> |> |> we  
|> |> |> |> provide other information for your reference, we recommend  
you  
|> |> post  
|> |> |> |> different incidents in different threads to keep the thread  
|> clean.  
|> |> In  
|> |> |> |> doing  
|> |> |> |> so, it will ensure your issues are resolved in a timely  
|> manner.  
|> |> |> |>  
|> |> |> |> For urgent issues, you may want to contact Microsoft CSS  
|> directly.  
|> |> |> Please  
|> |> |> |> check <http://support.microsoft.com> for regional support  
phone  
|> |> numbers.  
|> |> |> |>  
|> |> |> |> Any input or comments in this thread are highly appreciated.  
|> |> |> |> =====  
|> |> |> |> This posting is provided "AS IS" with no warranties, and  
|> confers  
|> |> no  
|> |> |> |> rights.  
|> |> |> |>  
|> |> |> |>  
|> |> |> |> =====  
|> |> |> |> When responding to posts, please "Reply to Group" via your  
|> |> newsreader  
|> |> |> so  
|> |> |> |> that others may learn and benefit from your issue.  
|> |> |> |> =====  
|> |> |> |>

Re: Terminal Server with SBS 2K3

|> |> |> |> This posting is provided "AS IS" with no warranties, and  
|> confers  
|> |> no  
|> |> |> |> rights.  
|> |> |> |>  
|> |> |> |> -----  
|> |> |> |> | Reply-To: "MikeR" <research@xxxxxxxxxxxxxxxxxxxx>  
|> |> |> |> | From: "MikeR" <research@xxxxxxxxxxxxxxxxxxxx>  
|> |> |> |> | References: <OjUc1ZXCGHA.4016@xxxxxxxxxxxxxxxxxxxx>  
|> |> |> |> | Subject: Re: Terminal Server with SBS 2K3  
|> |> |> |> | Date: Sun, 25 Dec 2005 13:21:09 -0800  
|> |> |> |> | Lines: 29  
|> |> |> |> | Organization: my own  
|> |> |> |> | X-Priority: 3  
|> |> |> |> | X-MSMail-Priority: Normal  
|> |> |> |> | X-Newsreader: Microsoft Outlook Express 6.00.2900.2180  
|> |> |> |> | X-RFC2646: Format=Flowed; Response  
|> |> |> |> | X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180  
|> |> |> |> | Message-ID: <OAI#gkZCGHA.628@xxxxxxxxxxxxxxxxxxxx>  
|> |> |> |> | Newsgroups: microsoft.public.windows.server.sbs  
|> |> |> |> | NNTP-Posting-Host: rollesolutions.com 66.92.0.119  
|> |> |> |> | Path:  
|> |> |> |> | TK2MSFTNGXA02.phx.gbl!TK2MSFTNGP08.phx.gbl!TK2MSFTNGP14.phx.gbl  
|> |> |> |> | Xref: TK2MSFTNGXA02.phx.gbl  
|> |> |> |> | microsoft.public.windows.server.sbs:232374  
|> |> |> |> | X-Tomcat-NG: microsoft.public.windows.server.sbs  
|> |> |> |> |  
|> |> |> |> | Maybe I am misunderstanding but in my scenario (SBS03 +  
|> Serv03  
|> |> |> terminal  
|> |> |> |> server) I have added the printers myself and the users are  
|> free  
|> |> to  
|> |> |> use  
|> |> |> |> them.  
|> |> |> |> | I did not have to change any policy to do this. There are  
|> many  
|> |> |> changes I  
|> |> |> |> have made policy wise (though nothing in regard to  
printers)  
|> but  
|> |> the  
|> |> |> changes  
|> |> |> |> were all made after I had everything set up and tested.  
|> |> |> |> |  
|> |> |> |> | Are you wanting your users to be able to add printers at  
|> will?  
|> |> What  
|> |> |> did  
|> |> |> |> you  
|> |> |> |> | change or disable in policy?



|> |>  
|> |  
|> |  
|> |  
|> |  
|>  
|  
|  
|

---

• **Follow-Ups:**

- ◆ **Re: Terminal Server with SBS 2K3**  
◇ From: wedor

• **References:**

- ◆ **Terminal Server with SBS 2K3**  
◇ From: wedor
- ◆ **Re: Terminal Server with SBS 2K3**  
◇ From: MikeR
- ◆ **Re: Terminal Server with SBS 2K3**  
◇ From: "Charles Yang [MSFT]"
- ◆ **Re: Terminal Server with SBS 2K3**  
◇ From: wedor
- ◆ **Re: Terminal Server with SBS 2K3**  
◇ From: "Charles Yang [MSFT]"
- ◆ **Re: Terminal Server with SBS 2K3**  
◇ From: wedor
- ◆ **Re: Terminal Server with SBS 2K3**  
◇ From: "Charles Yang [MSFT]"
- ◆ **Re: Terminal Server with SBS 2K3**  
◇ From: wedor
- ◆ **Re: Terminal Server with SBS 2K3**  
◇ From: "Charles Yang [MSFT]"
- ◆ **Re: Terminal Server with SBS 2K3**  
◇ From: wedor

- Prev by Date: **Re: Queues in Exchange**
- Next by Date: **RE: OWA Attachments**
- Previous by thread: **Re: Terminal Server with SBS 2K3**
- Next by thread: **Re: Terminal Server with SBS 2K3**
- Index(es):
  - ◆ **Date**
  - ◆ **Thread**