

Re: Problem creating new exchange mailbox

Source:

<http://www.tech-archive.net/Archive/Windows/microsoft.public.windows.server.sbs/2006-05/msg02835.html>

- *From:* bjomann <bjornitlogi@xxxxxxxx>
 - *Date:* Tue, 16 May 2006 11:53:01 -0700
-

Hi again.

Seems now we have problems with the new user accounts somehow. We use roaming profiles, but after they have been created, they stop working when the users log. They get error message saying it cannot locate the roaming profile, and will log on with a temp profile.

Can this have to do with the exchange problem we had? Exchange seems otherwise to be working fine now.

Get these warnings (not errors) in the event log:

1:

Event Type: Warning
Event Source: MSEExchangeIS Mailbox Store
Event Category: MTA Connections
Event ID: 2000
Date: 16.05.2006
Time: 17:28:38
User: N/A
Computer: QSRV02
Description:
Verify that the Microsoft Exchange MTA service has started. Consecutive ma-open calls are failing with error 3051.

For more information, click <http://www.microsoft.com/contentredirect.asp>.

2:

Event Type: Warning
Event Source: MSEExchangeSA
Event Category: OAL Generator
Event ID: 9327
Date: 16.05.2006
Time: 17:25:37
User: N/A
Computer: QSRV02
Description:

Re: Problem creating new exchange mailbox

OALGen skipped some entries in the offline address list '\Global Address List'. To see which entries are affected, event logging for the OAL Generator must be set to at least medium.
– Default Offline Address List

For more information, click <http://www.microsoft.com/contentredirect.asp>.

3:

Event Type: Warning
Event Source: Perflib
Event Category: None
Event ID: 2003
Date: 16.05.2006
Time: 17:24:01
User: N/A
Computer: QSRV02
Description:

The configuration information of the performance library "C:\WINDOWS\system32\perfts.dll" for the "TermService" service does not match the trusted performance library information stored in the registry. The functions in this library will not be treated as trusted.

For more information, see Help and Support Center at <http://go.microsoft.com/fwlink/events.asp>.

4:

Event Type: Warning
Event Source: Perflib
Event Category: None
Event ID: 1016
Date: 16.05.2006
Time: 17:23:48
User: N/A
Computer: QSRV02
Description:

The data buffer created for the "MSExchangeIS" service in the "C:\Program Files\Exchsrvr\bin\mdbperf.dll" library is not aligned on an 8-byte boundary. This may cause problems for applications that are trying to read the performance data buffer. Contact the manufacturer of this library or service to have this problem corrected or to get a newer version of this library.

For more information, see Help and Support Center at <http://go.microsoft.com/fwlink/events.asp>.

Data:

0000: 28 8d 82 00 f4 2b 00 00 (,ô+..

5:

Event Type: Warning
Event Source: Perflib
Event Category: None

Re: Problem creating new exchange mailbox

Re: Problem creating new exchange mailbox

Event ID: 1016
Date: 16.05.2006
Time: 17:23:46
User: N/A
Computer: QSRV02

Description:

The data buffer created for the "EXOLEDB" service in the "C:\Program Files\Exchsrvr\bin\exodbpc.dll" library is not aligned on an 8-byte boundary. This may cause problems for applications that are trying to read the performance data buffer. Contact the manufacturer of this library or service to have this problem corrected or to get a newer version of this library.

For more information, see Help and Support Center at <http://go.microsoft.com/fwlink/events.asp>.

Data:

0000: f4 0c 7d 00 04 15 00 00 06.}.....

6:

Event Type: Warning
Event Source: WinMgmt
Event Category: None
Event ID: 5603
Date: 16.05.2006
Time: 17:23:39
User: NT AUTHORITY\SYSTEM
Computer: QSRV02

Description:

A provider, PerfProv, has been registered in the WMI namespace, ROOT\CIMV2\MicrosoftHealthMonitor\PerfMon, but did not specify the HostingModel property. This provider will be run using the LocalSystem account. This account is privileged and the provider may cause a security violation if it does not correctly impersonate user requests. Ensure that provider has been reviewed for security behavior and update the HostingModel property of the provider registration to an account with the least privileges possible for the required functionality.

For more information, see Help and Support Center at <http://go.microsoft.com/fwlink/events.asp>.

Could there be a connection?

Thanks for all help:)

--

Bjorn Johansen

"Merv Porter [SBS-MVP]" wrote:

Re: Problem creating new exchange mailbox

That should work. It sounds like the original exchange accounts were linked to the Recovery Storage Group which has now been deleted, so recreating those accounts now should place the Exchange mailboxes correctly under in the First Storage Group.

Merv Porter [SBS MVP]

=====
"bjomann" <bjornitlogi@xxxxxxx> wrote in message
news:0E40AB85-67A4-4485-BA87-6E77A7AAC4E1@xxxxxxxxxxxxxxxxxxx

No, I did not use that method. But I have already deleted the Recovery Storage Group.

&g ; not a real big problem to create new accounts, since its only a few,

and
we have not
migrated the users from pop3 to exchange yet. Thats the next step.

Will that method work since I have deleted that group?

Bjorn Johansen

"Merv Porter [SBS-MVP]" wrote:

Did you use the following method to move the Recovery Storage Group database?

How to Move Exchange Database Files Between Folders on the Same Drive

<http://www.microsoft.com/technet/prodtechnol/exchange/guides/UseE2k3RecStorGrps/d3d66>

Merv Porter [SBS MVP]

=====
"bjomann" <bjornitlogi@xxxxxxx> wrote in message
news:991F620E-DB6D-4C49-BF73-A228F317D222@xxxxxxxxxxxxxxxxxxx

Hurray.

When i create a new user, it now gets an exchange account. Thanks.

A litte minor issue: When I moved the exchange box from recovery

Re: Problem creating new exchange mailbox

storage
group to first
storage group for existing users, they didnt
get an account in first
storage
group, even though
properties of the user says that it is stored in
the right place. No
mailbox
item shows up.

Do you know the cause of this? Or do I have
to recreate the users for
them
to
get an exchange account?

--
Bjorn Johansen

"Merv Porter [SBS-MVP]" wrote:

Bingo! Yes, this appears to
be the problem. So, remove
the Recovery
Storage Group...

<http://seanda.blogspot.com/2005/02/watch-out-exchange-recovery-groups.h>

--
Merv Porter [SBS MVP]
=====
"bjomann"
<bjornitlogi@xxxxxxx>
wrote in message
<news:42BAD675-C1DA-4BFE-A746-2C5D13853842@xxxxxxxxxxxxxxxxxxx>

Here's some
more news:

On a new
user
created,
under
properties –
Exchange
General –
Mailbox
store,

Re: Problem creating new exchange mailbox

the path is:
QSRV02/Recovery
Storage
Group/Mailbox
Store
(QSRV02).
When this
user
was
created,
it did NOT
get an
exchange
account.

Under
properties
(same
place) on
and OLD
user(created
before I
moved
the
database)
with an
exchange
account that
works, the
path is the
following:
QSRV02/First
Storage
Group/Mailbox
Store
(QSRV02).

As you can
see, these
paths are
not the
same.

Can this be
the
problem?
Did I do
something
wrong or
not
complete

Re: Problem creating new exchange mailbox

some
steps
in moving
the
database?

--
Bjorn
Johansen

"bjomann"
wrote:

Hi
again.
Sorry
about
late
reply,
have
been
out
travelling.

Yes,
the
administrator
account
has
an
exchange
account.

--
Bjorn
Johansen

"Merv
Porter
[SBS-MVP]"
wrote:

I
see
there
is

Re: Problem creating new exchange mailbox

a
final
error
from
CEICW...
Error
0x80072030
returned
from
call
to
GetBOConnector().
Does
the
Administrator
account
have
a
mailbox
associated
with
it?

0x80072030
error
when
running
ICW
<http://groups.google.com/group/microsoft.public.win>

Also,
what
happens
if
you
move
the
Exchange
database
back
to
it's
original
location?

--
Merv
Porter
[SBS
MVP]

Re: Problem creating new exchange mailbox

"bjomann"

<bjornitlogi@xxxxxxx>

wrote

in

message

news:EEE8C5BC-0603-4180-9CE1-A010B34AA1

There
seems
to
be
nothing
wrong
with
user
permissions.
I
did
not
move
the
Exchsrv
folder.

Here
are
the
contents
of
the
new
icwlog.txt
file
after
I
rerun
to
CEICW
(it
rerun
with
no
failure).

27.04.2006
00:59
C:\Program

Re: Problem creating new exchange mailbox

Files\Microsoft
Windows
Small
Business
Server\Networking\ICW\wizinet.dll,
version
5.2.2893.0
calling
CNetCommit::ValidatePropertyBag
(
Call
to
Querying
for
the
property
bag
(
returned
ok.
Call
to
Reading
hardware
selection
(
returned
ok.
Hardware
selection:
0
Call
to
Validating
hardware
selection
(
returned
ok.
Call
to
Reading
LAN
NIC
Guid
(
returned
ok.
LAN
NIC
Guid:

Re: Problem creating new exchange mailbox

{73338A14-E2C5-4701-826D-24343BB9F
Call
to
Validating
LAN
NIC
Guid
()
returned
ok.
Call
to
Validating
NIC
properties
()
returned
ok.
Broadband
selection:
1
Call
to
Validating
broadband
selection
()
returned
ok.
calling
CNetCommit::ValidateRouterConnectionPro
().
Call
to
Reading
UPNP
selection
()
returned
ok.
NOT
a
UPnP
router
Call
to
Reading
Router
IP
()
returned

Re: Problem creating new exchange mailbox

ok.
Router
IP:
192.168.0.1
Call
to
Validating
Router
IP
(
returned
ok.
Call
to
Reading
preferred
DNS
server
IP
(
returned
ok.
Preferred
DNS
server
IP:
212.20.193.130
Call
to
Validating
preferred
DNS
server
IP
(
returned
ok.
Call
to
Reading
alternate
DNS
server
IP
(
returned
ok.
Alternate
DNS
server
IP:

Re: Problem creating new exchange mailbox

62.65.30.10

Call

to

Validating

alternate

DNS

server

IP

()

returned

ok.

Call

to

Validating

preferred

and

alternate

DNS

servers

()

returned

ok.

Call

to

Reading

router

on

second

NIC

()

returned

ok.

Call

to

CNetCommit::ValidateRouterConnectionPro

()

returned

ok.

27.04.2006

00:59

C:\Program

Files\Microsoft

Windows

Small

Business

Server\Networking\ICW\wizrfire.dll,

version

5.2.2893.0

calling

CRFireCommit::ValidatePropertyBag

Re: Problem creating new exchange mailbox

(0x1093d58).
Call
to
This
is
a
Router
Single
Nic
configuration
only
Web
Publishing
will
be
configured,
Basic
Firewall
will
not
be
configured.
(
returned
ok.
Call
to
Reading
web
publishing
selection
(
returned
ok.
Call
to
Reading
OWA
publishing
selection
(
returned
ok.
Call
to
Reading
RUP
publishing
selection
(
returned

Re: Problem creating new exchange mailbox

ok.
Call
to
Reading
Monitoring
publishing
selection
(
returned
ok.
Call
to
Reading
OMA
publishing
selection
(
returned
ok.
Call
to
Reading
RPC
publishing
selection
(
returned
ok.
Call
to
Reading
Companyweb
publishing
selection
(
returned
ok.
Call
to
Reading
ROOT
publishing
selection
(
returned
ok.
Web
publishing
selections:
OWA
publishing:

Re: Problem creating new exchange mailbox

1
RUP
publishing:
1
Monitoring
publishing:
1
OMA
publishing:
1
RPC
publishing:
1
Companyweb
publishing:
1
ROOT
publishing:
0
Call
to
CRFireCommit::ValidatePropertyBag
()
returned
ok.

27.04.2006
00:59
C:\Program
Files\Microsoft
Windows
Small
Business
Server\Networking\ICW\wizcert.dll,
version
5.2.2893.0
Calling
CCertCommit::ValidatePropertyBag
Require
SSL
for
OWA:
1
Require
SSL
for
Remote
Portal:
1
Require
SSL

Re: Problem creating new exchange mailbox

for
Monitoring:
0
Require
SSL
for
OMA:
0
Require
SSL
for
CompanyWeb:
0
Require
128
Bit
Encryption:
1
Cert
selection:
-1
CCertCommit::ValidatePropertyBag
returned
OK

27.04.2006
00:59
C:\Program
Files\Microsoft
Windows
Small
Business
Server\Networking\ICW\wizemail.dll,
version
5.2.2893.0
calling
CEmailCommit::ValidatePropertyBag
(
).
calling
pdispPPPBag->QueryInterface
(IPropertyPagePropertyBag,
0x6e50c).
Call
to
pdispPPPBag->QueryInterface
(
)
returned
ok.
calling
ReadInt4
(0x1093d58,

Re: Problem creating new exchange mailbox

DB5E5E45-3598-4F1D-8FF7-0ED35B9E
Call
to
ReadInt4
(
returned
ok.
The
out
param
of
ReadInt4()
is
-1.
calling
CValidatePropertyUtil.ValidatePropertyInteg
(
Call
to
CValidatePropertyUtil.ValidatePropertyInteg
(
returned
ok.
Call
to
CEMailCommit::ValidatePropertyBag
(
returned
ok.
calling
CNetCommit::Commit
(17382744).
calling
CNetCommit::ValidatePropertyBag
(
Call
to
Querying
for
the
property
bag
(
returned
ok.
Property
bag
is
not
dirty,
skipping

Re: Problem creating new exchange mailbox

validation
calling
CNetCommit::Common
().
calling
CNetCommit::GetLanNicInfo
().
LAN
NIC
Guid:
{73338A14-E2C5-4701-826D-24343BB9F
Call
to
Converting
LAN
NIC
Guid
()
returned
ok.
Call
to
Getting
IP
address
for
the
LAN
NIC
()
returned
ok.
Call
to
Reading
in
the
LAN
NIC
info
()
returned
ok.
Call
to
Fixing
the
TCP/IP
NIC
Binding
order

Re: Problem creating new exchange mailbox

()
returned
ok.
Dhcp
server
is
installed
and
not
disabled
Call
to
Set
DHCP
Server
to
start
up
automatically

()
returned
ok.
DNS
server
is
installed
and
not
disabled
Call
to
Changing
startup
type
for
DNS

()
returned
ok.
Call
to
Clearing
DNS
server
entries
on
the
LAN
NIC
()
returned

Re: Problem creating new exchange mailbox

ok.
Call
to
Setting
DNS
server
IP
for
the
LAN
NIC
(
returned
ok.
Call
to
Resetting
DNS
recursion
timeout
(
returned
ok.
Call
to
Resetting
client
dns
query
timouts
in
config.dat
(
returned
ok.
Call
to
DsGetDcName
for
local
domain
name
(
returned
ok.
Call
to
Disabling
RRAS
routing
(

Re: Problem creating new exchange mailbox

returned
ok.
calling
CNetCommit::DoRouter
(
Call
to
Clearing
the
default
gateway
on
the
LAN
NIC
)
returned
ok.
Call
to
Setting
default
gateway
on
the
LAN
NIC
)
returned
ok.
Call
to
Setting
DNS
forwarders
)
returned
ok.
Call
to
Preparing
DNS
for
DNS
listener
reset
)
returned
ok.
Call
to

Re: Problem creating new exchange mailbox

Resetting
DNS
listeners
()
returned
ok.
URL
to
the
router
is
<http://192.168.0.1>
Call
to
Adding
routers
IP
address
to
the
intranet
zone
()
returned
ok.
Call
to
CNetCommit::DoRouter
()
returned
ok.
Call
to
Configuring
for
router
connection
()
returned
ok.
calling
ConfigureIE
().
calling
SetInternetOptions
(null),
(null),
(null)).
calling
InternetSetOptionA
(NULL,

Re: Problem creating new exchange mailbox

INTERNET_OPTION_PER_CONNECTION
Call
to
InternetSetOptionA
(
returned
ok.
Call
to
SetInternetOptions
(
returned
ok.
calling
InternetSetOption_AutodialConnection
(
Call
to
InternetSetOption_AutodialConnection
(
returned
ok.
calling
InternetSetOption_AutodialMode
(4).
Call
to
InternetSetOption_AutodialMode
(
returned
ok.
calling
InternetSetOption_DisableAutodial
(0).
Call
to
InternetSetOption_DisableAutodial
(
returned
ok.
Call
to
ConfigureIE
(
returned
ok.
Call
to
Configuring
IE
for

Re: Problem creating new exchange mailbox

router
connection
(
returned
ok.
Call
to
Notifying
client
setup
for
Default
gateway
as
the
router
(
returned
ok.
calling
RegisterMSBOExchangeBP
(0).
Error
0x1
returned
from
call
to
RegisterMSBOExchangeBP().
Call
to
Unregistering
the
smtp
sink
(
returned
ok.
Call
to
GetLocalDomainName
(
returned
ok.