

# Re: Some Questions

---

*Source:*

<http://www.tech-archive.net/Archive/Windows/microsoft.public.windows.server.sbs/2006-05/msg03317.html>

---

- *From:* [v-criminal@xxxxxxxxxxxxxxxxxxxxxxxx](mailto:v-criminal@xxxxxxxxxxxxxxxxxxxxxxxx) ("Crina Li")
  - *Date:* Fri, 19 May 2006 08:33:31 GMT
- 

Hi Glen,

Thanks for your update.

As I know, you may need to follow the steps below to configure VPN access on an SBS environment:

1. Run CEICW, follow the wizard and select Enable firewall and then make sure Virtual Private Networking (VPN) is selected in the Services Configuration page. And make sure you have typed the public FQDN of the SBS server on the Web Server Certificate page.
2. Run Remote Access Wizard in Server Management\Internet and E-mail\Configure Remote Access, and select VPN access in the Remote Access Method page. After finishing this wizard, RRAS is configured to allow inbound VPN access, and it can assign IP addresses to the VPN clients by using DHCP.

Note: When we run the remote access wizard to set up the VPN service, we need to input the public FQDN of the SBS server.

3. On the VPN client, go to <https://publicFQDN/remote>, clear I'm using a public or shared computer, log in and download Connection Manager.
4. Install Connection Manager on the VPN client.
5. Is there a hardware router installed in front of the SBS server? If so, ensure that the port forwarding for TCP 1723 and GRE port (protocol number 47) are opened. PPTP VPN is negotiating a connection on TCP port 1723 and send data to and from the PPTP server using the GRE protocol (IP Protocol 47, 0x2F if you are looking in Network Monitor). You should open port 1723 on the router and also make sure IP Protocol 47 is allowed.

Thanks for your time and I look forward to hearing from you.

Best regards,

Crina Li (MSFT)

Microsoft CSS Online Newsgroup Support

Re: Some Questions

Get Secure! – [www.microsoft.com/security](http://www.microsoft.com/security)

=====  
This newsgroup only focuses on SBS technical issues. If you have issues regarding other Microsoft products, you'd better post in the corresponding newsgroups so that they can be resolved in an efficient and timely manner. You can locate the newsgroup here:

<http://www.microsoft.com/communities/newsgroups/en-us/default.aspx>

When opening a new thread via the web interface, we recommend you check the "Notify me of replies" box to receive e-mail notifications when there are any updates in your thread. When responding to posts via your newsreader, please "Reply to Group" so that others may learn and benefit from your issue.

Microsoft engineers can only focus on one issue per thread. Although we provide other information for your reference, we recommend you post different incidents in different threads to keep the thread clean. In doing so, it will ensure your issues are resolved in a timely manner.

For urgent issues, you may want to contact Microsoft CSS directly. Please check <http://support.microsoft.com> for regional support phone numbers.

Any input or comments in this thread are highly appreciated.

=====  
This posting is provided "AS IS" with no warranties, and confers no rights.  
=====

| From: Tsunami Australia <glen@xxxxxxxxxxxxxxxxxxxxxx>  
| Subject: Re: Some Questions  
| Date: Thu, 18 May 2006 02:10:50 +1000  
| Message-ID: <cfim62luhbg598pnkmic6t63654pm4trlo@xxxxxxx>  
| References: <8ABA1F50-66E3-468B-9F5B-7E7F6BD14D5C@xxxxxxxxxxxxxx>  
<FHQzkkAeGHA.220@xxxxxxxxxxxxxxxxxxxxxx>  
<721743C7-3988-4490-8E14-6900A848ED2A@xxxxxxxxxxxxxx>  
<r9vmN2MeGHA.188@xxxxxxxxxxxxxxxxxxxxxx>  
<kirk621216u15gcru80ug4o1ol759q6jp5@xxxxxxx>  
<CjuNjBZeGHA.4672@xxxxxxxxxxxxxxxxxxxxxx>  
| X-Newsreader: Forte Agent 3.3/32.846 trialware  
| MIME-Version: 1.0  
| Content-Type: text/plain; charset=us-ascii  
| Content-Transfer-Encoding: 7bit  
| Newsgroups: microsoft.public.windows.server.sbs  
| NNTP-Posting-Host: 107.161.22.202.tsn.cc 202.22.161.107  
| Lines: 1  
| Path: TK2MSFTNGXA01.phx.gbl!TK2MSFTNGP01.phx.gbl!TK2MSFTNGP05.phx.gbl  
| Xref: TK2MSFTNGXA01.phx.gbl microsoft.public.windows.server.sbs:268708  
| X-Tomcat-NG: microsoft.public.windows.server.sbs  
|  
| Clients on the domain/network can receive all emails fine from the

Re: Some Questions

| remote pop3 which is hosted by Burst Data in Philadelphia. If I was  
| unable to download using a plain client I would be down the throat of  
| my web host.

| Also something else off topic you may have some idea on, using the MS  
| vpn utility (server connect or whatever its called), I cannot VPN the  
| server from an outside connection. It doesn't have a static ip but has  
| an account with dyndns. However if I drop the firewall (which I told  
| to allow RWW) it gets further into the process. I have had this with a  
| number of installs (trying to overcome the problem) and just gave up  
| in the end and got s\$#tty with MS.

| Thanks for the help so far.

|-----  
| On Wed, 17 May 2006 09:00:44 GMT, v-crinal@xxxxxxxxxxxxxxxxxxxxxx  
| ("Crina Li") wrote:

| >Hi Glen,

| >

| >Thanks for your update.

| >

| >As I know, the problem could be caused by the poor network connection  
| from

| >your SBS server to the remote POP3 server.

| >

| >Anyway, let's perform the following test on a client workstation to  
| check

| >if it is a POP3 connector issue or a network issue.

| >

| >I. Test OE on the client workstation

| >

| >1. Logon to one of the client workstations in the SBS network.

| >2. Bring up the Outlook Express

| >3. Set up the POP3 account for the remote POP3 server on the OE

| >4. Connect and try to retrieve and read emails.

| >

| >Please let me know if mails could be downloaded by OE on this Windows XP

| >machine

| >

| >II. If test I still fails, please try to setup the DNS on the SBS server  
| to

| >check if it is a DNS issue and let me know the result.

| >

| >1. Click "Start", point to "Administrative Tools", and then click "DNS".

| >

| >2. Right-click the server object in DNS, and then click "New Zone".

| >

| >3. Click "Next" on the first page of the New Zone Wizard.

| >

## Re: Some Questions

- |>4. On the "Zone Type" page, click "Primary zone", and then click "Next"
- |>
- |>5. On the "Active Directory Zone Replication Scope" page, click "To all domain controllers in the Active Directory domain", and then click "Next".
- |>
- |>6. On the "Forward or Reverse Lookup Zone" page, click "Forward lookup zone", and then click Next.
- |>
- |>7. On the "Zone Name" page, type the ISP Pop3 mail server FQDN, and then click "Next". For example, type "pop3.isp.com" (without the quotation marks), and then click "Next".
- |>
- |>8. On the "Dynamic Update" page, click "Do not allow dynamic updates", and then click "Next",
- |>
- |>9. Click "Finish" to complete the wizard.
- |>
- |>10. Double-click "Forward Lookup Zones", and then click the new zone.
- |>
- |>11. Right-click the new zone, and then click "New Host (A)".
- |>
- |>12. In the "New Host" dialog box, leave the "Name" box empty, type the server's internal IP address in the "IP address" box, and then click "Add Host".
- |>
- |>13. Please open a command prompt window, and then run the ipconfig /flushdns command to renew the DNS record.
- |>
- |>NOTE: If the IP address of the POP3 server changes (if the POP3 server does not have static IP), the POP3 connector will still fail.
- |>
- |>III. If the POP3 connector continuously fails and can never retrieve emails for the POP3 server, please set Logging level of the POP3 Connector to Maximum to get more verbose information. To do so:
- |>
- |>= a = Click Start, point to All Programs, point to Microsoft Exchange and then click System Manager.
- |>= b = Expand Connectors, right-click POP3 Connector Manager and click Properties.
- |>= c = On the Troubleshooting tab, set Logging level to Maximum.
- |>= d = Click OK.
- |>= e = Restart the Microsoft Connector for POP3 Mailboxes. To do so:
  - |> A. Click Start, point to Administrative Tools and click Services.
  - |> B. Locate and right-click the Microsoft Connector for POP3 Mailboxes service, click Restart.

Re: Some Questions

|>= f = On Exchange System Manager right-click POP3 Connector Manager and  
|>click Properties, on the Scheduling tab, click Retrieve Now.  
|>  
|>When the issue reoccurs, check the application event log.  
|>  
|>Hope this helps.  
|>  
|>If you have any questions please do not hesitate to let me know. I am  
glad  
|>to be of assistance.  
|>  
|>Best regards,  
|>  
|>Crina Li (MSFT)  
|>  
|>Microsoft CSS Online Newsgroup Support  
|>  
|>Get Secure! – [www.microsoft.com/security](http://www.microsoft.com/security)  
|>  
|>=====

|>This newsgroup only focuses on SBS technical issues. If you have issues  
|>regarding other Microsoft products, you'd better post in the  
corresponding  
|>newsgroups so that they can be resolved in an efficient and timely  
manner.  
|>You can locate the newsgroup here:  
|><http://www.microsoft.com/communities/newsgroups/en-us/default.aspx>  
|>  
|>When opening a new thread via the web interface, we recommend you check  
the  
|>"Notify me of replies" box to receive e-mail notifications when there  
are  
|>any updates in your thread. When responding to posts via your  
newsreader,  
|>please "Reply to Group" so that others may learn and benefit from your  
|>issue.  
|>  
|>Microsoft engineers can only focus on one issue per thread. Although we  
|>provide other information for your reference, we recommend you post  
|>different incidents in different threads to keep the thread clean. In  
doing  
|>so, it will ensure your issues are resolved in a timely manner.  
|>  
|>For urgent issues, you may want to contact Microsoft CSS directly.  
Please  
|>check <http://support.microsoft.com> for regional support phone numbers.  
|>  
|>Any input or comments in this thread are highly appreciated.  
|>  
|>=====

Re: Some Questions

|>This posting is provided "AS IS" with no warranties, and confers no rights.

|>-----  
|> From: Tsunami Australia <glen@xxxxxxxxxxxxxxxxxxxxxx>  
|> Subject: Re: Some Questions  
|> Date: Wed, 17 May 2006 10:33:19 +1000  
|> Message-ID: <kirk621216u15gcru80ug4o1ol759q6jp5@xxxxxxx>  
|> References: <8ABA1F50-66E3-468B-9F5B-7E7F6BD14D5C@xxxxxxxxxxxxxxxx>  
|><FHQzkkAeGHA.220@xxxxxxxxxxxxxxxxxxxxxx>  
|><721743C7-3988-4490-8E14-6900A848ED2A@xxxxxxxxxxxxxxxx>  
|><r9vmN2MeGHA.188@xxxxxxxxxxxxxxxxxxxxxx>  
|> X-Newsreader: Forte Agent 3.3/32.846 trialware  
|> MIME-Version: 1.0  
|> Content-Type: text/plain; charset=us-ascii  
|> Content-Transfer-Encoding: 7bit  
|> Newsgroups: microsoft.public.windows.server.sbs  
|> NNTP-Posting-Host: 233.224.43.202.tsn.cc 202.43.224.233  
|> Lines: 1  
|> Path: TK2MSFTNGXA01.phx.gbl!TK2MSFTNGP01.phx.gbl!TK2MSFTNGP04.phx.gbl  
|> Xref: TK2MSFTNGXA01.phx.gbl microsoft.public.windows.server.sbs:268531  
|> X-Tomcat-NG: microsoft.public.windows.server.sbs

|> Thanks muchly for the info on the other errors Crina, the network is:

|> Siemens Speedstream 6520 modem (soon to be changed to Dlink) to a 10mb  
|> (RT8029) external on SBS2003. Then SBS2003 (RT8139) internal to 4port  
|> switch.

|> I have allowed SMTP, HTTP, HTTPS and one or two other services through  
|> on the modem but this assumedly should not effect the connector.

|> I had a friend last night complaining that the server had been sending  
|> bounce notices after downloading them from our pop3 server for  
|> whatever weird reason, I am awaiting a forward of the bounce notice  
|> for further investigation.

|>-----  
|> On Tue, 16 May 2006 09:45:58 GMT, v-crinal@xxxxxxxxxxxxxxxxxxxxxx  
|> ("Crina Li") wrote:

|> >Hi Glen,  
|> >  
|> >Thanks for your update.  
|> >  
|> >Regarding the LDAP Bind issue, the full error information should be  
|> as  
|> >following:  
|> >  
|> >Event Type: Error

Re: Some Questions

|> >Event Source: MExchangeAL  
|> >Event Category: LDAP Operations  
|> >Event ID: 8026  
|> >Date: 8/26/2005  
|> >Time: 10:30:30 AM  
|> >User: N/A  
|> >Computer: STP-DC1  
|> >Description:  
|> >LDAP Bind was unsuccessful on directory sbsserver.GOCC.local for  
|> >distinguished name ". Directory returned error:[0x51] Server Down.  
|> >  
|> >Event 8026 is generated every time that the computer shuts down or  
|> >starts.  
|> >This event occurs because of differences in the timing between  
services  
|> >as  
|> >they stop and start. You can ignore this event if it occurs during  
|> >computer  
|> >shutdown and startup. Please refer to the following KB article:  
|> >  
|> >828051 Event ID 8026 Is Logged in Event Viewer After You Install  
Small  
|> >Business Server  
|> ><http://support.microsoft.com/?id=828051>  
|> >  
|> >Regarding the Win32 API error, the detailed error message is as  
|> >following:  
|> >  
|> >Event Type: Error  
|> >Event Source: MExchangeAL  
|> >Event Category: Service Control  
|> >Event ID: 8250  
|> >Date: 24/06/2005  
|> >Time: 10:39:21 PM  
|> >User: N/A  
|> >Computer: SBSERVER  
|> >Description:  
|> >The Win32 API call 'DsGetDCNameW' returned error code [0x862] The  
|> >specified  
|> >component could not be found in the configuration information. The  
|> >service  
|> >could not be initialized. Make sure that the operating system was  
|> >installed properly.  
|> >  
|> >Regarding the MAD error, the full error is as following:  
|> >  
|> >Source: MExchangeDSAccess  
|> >Event ID 2102  
|> >Process MAD.EXE (PID=1892). All Domain Controller Servers in use are  
not  
|> >responding: sbsserver.GOCC.local

Re: Some Questions

|>|>  
|>|>The 2 events are logged when a call to DsGetDcName is made before the  
|>|>Microsoft Exchange Management Service is fully initialized.  
DsGetDcName  
|>|is  
|>|>a Windows Application Programming Interface (API) function that  
returns  
|>|the  
|>|>name of the domain controller. You can also safely ignore them. See:  
|>|>  
|>|>322837 XADM: Events 2104, 2102, and 8250 After You Apply Service Pack  
2  
|>|>(SP2)  
|>|><http://support.microsoft.com/?id=322837>  
|>|>  
|>|>NOTE: That article talks about Exchange 2000, but it applies to  
Exchange  
|>|>2003 as well.  
|>|>  
|>|>Regarding POP3 Connector 1023 error, please refer to the following  
steps:  
|>|>  
|>|>We have identified this issue will occur on Linksys router  
|>|>BEFVP41/BEFSR41.  
|>|>As I know Linksys has released the KB article KB10934318 and  
KB10934351  
|>|>for  
|>|>it. If you have the router before SBS 2003, you could consult the  
|>|>Linksys  
|>|>support for more information.  
|>|>  
|>|>Related information:  
|>|>  
|>|>Unable to receive E-mail behind a Linksys Router  
|>|  
|

[http://linksys.custhelp.com/cgi-bin/linksys.cfg/php/enduser/std\\_adp.php?p](http://linksys.custhelp.com/cgi-bin/linksys.cfg/php/enduser/std_adp.php?p)

f  
|>|>a  
|>|>qid=616  
|>|>  
|>|>What can I do to send and receive E-mail using the BEFSR41 Router?  
|>|  
|

[http://linksys.custhelp.com/cgi-bin/linksys.cfg/php/enduser/std\\_adp.php?p](http://linksys.custhelp.com/cgi-bin/linksys.cfg/php/enduser/std_adp.php?p)

f  
|>|>a

Re: Some Questions

|> >qid=147  
|> >  
|> >Determining the Proper MTU size  
|>  
|

[http://linksys.custhelp.com/cgi-bin/linksys.cfg/php/enduser/std\\_adp.php?p](http://linksys.custhelp.com/cgi-bin/linksys.cfg/php/enduser/std_adp.php?p)

f  
|>a  
|> >qid=386  
|> >  
|> >If it is not your scenario, would you please help me confirm how you  
|> >configure the networking and Internet access for your SBS 2003  
server?  
|>Did  
|> >you follow the steps in the following KB?  
|> >  
|> >825763 How to configure Internet access in Windows Small Business  
Server  
|> >2003  
|> ><http://support.microsoft.com/?id=825763>  
|> >  
|> >Also I provide the following configuration for your reference:  
|> >  
|> >For one Nic, you need to configure on SBS server and client computer  
as  
|> >following:  
|> >  
|> >SBS:  
|> >IP: Fixed IP address  
|> >Gateway: your Hardware router IP  
|> >DNS: SBS NIC IP as the only entry  
|> >  
|> >In the DNS console (dnsmgmt.msc), right click your ServerName and  
click  
|> >properties. In the Forwarders tab, your ISP DNS server IP should be  
|> >inputted there.  
|> >  
|> >On the client workstation, please make sure the configuration:  
|> >  
|> >IP: Assigned by DHCP on SBS or your hardware router  
|> >Gateway: hardware router  
|> >DNS: SBS INTERNAL NIC IP as the only entry  
|> >  
|> >For 2 NICs on SBS:  
|> >  
|> >On SBS server:  
|> >  
|> >External NIC:  
|> >IP: assigned by your ISP or your hardware router

Re: Some Questions

|> >Gateway: your ISP or your Hardware router IP  
|> >DNS: SBS INTERNAL NIC IP as the only entry  
|> >  
|> >Internal NIC:  
|> >IP: Fixed IP  
|> >Gateway: None  
|> >DNS: SBS INTERNAL NIC IP as the only entry  
|> >  
|> >In the DNS console (dnsmgmt.msc), right click your ServerName and click  
|> >properties. In the Forwarders tab, your ISP DNS server IP should be  
|> >inputted there.  
|> >  
|> >On workstation inside your SBS local subnet  
|> >  
|> >IP: Assigned by DHCP on SBS  
|> >Gateway: SBS internal NIC IP  
|> >DNS: SBS INTERNAL NIC IP as the only entry  
|> >  
|> >I also see the issue being solved by changing the ISP server the POP3  
|> >connector is pointing to. You can contact the ISP to see if there is  
any  
|> >other DNS server available. Also, if you have already configured  
|> >multiple  
|> >DNS servers in DNS forwarder tab, you may try to change the query  
order  
|> >of  
|> >the DNS servers. Will the POP3 connector issue still occur?  
|> >  
|> >You can also take a look at the following posts in the public  
newsgroup  
|> >for  
|> >ideas:  
|> >  
|> >  
|

<http://groups.google.com/groups?hl=en&lr=&ie=UTF-8&oe=UTF-8&q=%22The+error>

+  
|> i  
|> >s+11004%22+and+%22pop3+connector%22&btnG=Google+Search  
|> >  
|> >NOTE: This response contains a reference to a third party World Wide  
Web  
|> >site. Microsoft is providing this information as a convenience to  
you.  
|> >Microsoft does not control these sites and has not tested any  
software  
|> >or  
|> >information found on these sites; therefore, Microsoft cannot make

Re: Some Questions

any

|> >representations regarding the quality, safety, or suitability of any  
|> >software or information found there. There are inherent dangers in  
the

|>use

|> >of any software found on the Internet, and Microsoft cautions you to  
|>make

|> >sure that you completely understand the risk before retrieving any  
|>software

|> >from the Internet.

|> >

|> >Hope this helps.

|> >

|> >Please feel free to let me know if you have any questions or if you  
need

|> >further assistance.

|> >

|> >I'm looking forward to hearing from you.

|> >

|> >Best regards,

|> >

|> >Crina Li (MSFT)

|> >

|> >Microsoft CSS Online Newsgroup Support

|> >

|> >Get Secure! – [www.microsoft.com/security](http://www.microsoft.com/security)

|> >

|> >=====

|> >This newsgroup only focuses on SBS technical issues. If you have  
issues

|> >regarding other Microsoft products, you'd better post in the  
|>corresponding

|> >newsgroups so that they can be resolved in an efficient and timely  
|>manner.

|> >You can locate the newsgroup here:

|> ><http://www.microsoft.com/communities/newsgroups/en-us/default.aspx>

|> >

|> >When opening a new thread via the web interface, we recommend you  
check

|>the

|> >"Notify me of replies" box to receive e-mail notifications when there  
|>are

|> >any updates in your thread. When responding to posts via your  
|>newsreader,

|> >please "Reply to Group" so that others may learn and benefit from  
your

|> >issue.

|> >

|> >Microsoft engineers can only focus on one issue per thread. Although  
we

|> >provide other information for your reference, we recommend you post

Re: Some Questions

|> >different incidents in different threads to keep the thread clean. In  
|> doing

|> >so, it will ensure your issues are resolved in a timely manner.

|> >

|> >For urgent issues, you may want to contact Microsoft CSS directly.

|> Please

|> >check <http://support.microsoft.com> for regional support phone numbers.

|> >

|> >Any input or comments in this thread are highly appreciated.

|> >

|> >=====

|> >

|> >This posting is provided "AS IS" with no warranties, and confers no  
|> rights.

|> >-----

|> >| Thread-Topic: Some Questions

|> >| thread-index: AcZ4G/xp0pqHfah2Rii44tRICfYOMw==

|> >| X-WBNR-Posting-Host: 202.43.238.187

|> >| From: =?Utf-8?B?VHN1bmFtaSBBdXN0cmFsaWE=?=

<glen@xxxxxxxxxxxxxxxxxxxxxx>

|> >| References: <8ABA1F50-66E3-468B-9F5B-7E7F6BD14D5C@xxxxxxxxxxxxxx>

|> ><FHQzkkAeGHA.220@xxxxxxxxxxxxxxxxxxxxxx>

|> >| Subject: RE: Some Questions

|> >| Date: Mon, 15 May 2006 05:35:02 -0700

|> >| Lines: 248

|> >| Message-ID: <721743C7-3988-4490-8E14-6900A848ED2A@xxxxxxxxxxxxxx>

|> >| MIME-Version: 1.0

|> >| Content-Type: text/plain;

|> >| charset="Utf-8"

|> >| Content-Transfer-Encoding: 7bit

|> >| X-Newsreader: Microsoft CDO for Windows 2000

|> >| Content-Class: urn:content-classes:message

|> >| Importance: normal

|> >| Priority: normal

|> >| X-MimeOLE: Produced By Microsoft MimeOLE V6.00.3790.1830

|> >| Newsgroups: microsoft.public.windows.server.sbs

|> >| Path: TK2MSFTNGXA01.phx.gbl

|> >| Xref: TK2MSFTNGXA01.phx.gbl

microsoft.public.windows.server.sbs:268090

|> >| NNTP-Posting-Host: TK2MSFTNGXA01.phx.gbl 10.40.2.250

|> >| X-Tomcat-NG: microsoft.public.windows.server.sbs

|> >|

|> >| Below is some of the error reports. Exchange doesn't normally have

a

|> >| problem,

|> >| even after spitting these errors. Unfortunately whilst I am getting

|> >| better

|> >| with servers I'm no wizz by any means.

|> >|

|> >| -----

|> >| LDAP Bind was unsuccessful on directory sbserver.GOCC.local for

Re: Some Questions

|>|> distinguished name ". Directory returned error:[0x51] Server Down.  
|>For  
|>|>more  
|>|> information, click <http://www.microsoft.com/contentredirect.asp>.  
|>|> -----  
|>|> The Win32 API call 'DsGetDCNameW' returned error code [0x862] The  
|>|>specified  
|>|> component could not be found in the configuration information. The  
|>|>service  
|>|> could not be initialized. Make sure that the operating system was  
|>|>installed  
|>|> properly. For more information, click  
|>|> <http://www.microsoft.com/contentredirect.asp>.  
|>|> -----  
|>|> Process MAD.EXE (PID=1892). All Domain Controller Servers in use  
are  
|>not  
|>|> responding: sbsserver.GOCC.local For more information, click  
|>|> <http://www.microsoft.com/contentredirect.asp>.  
|>|> -----  
|>|> These to here appear only when the server is rebooted but EVERY  
time  
|>the  
|>|> server is rebooted.  
|>|> -----  
|>|> POP3 Connector 1023 10/05/2006 8:32 AM 10 \*  
|>|> The downloading process for mailbox <emily@xxxxxxxxxxxxxxx  
|>|> [mail.gocconline.com]> was ended with one or more errors.  
|>|>  
|>|> The pop3 errors change user from day to day and usually only pick  
on  
|>the  
|>|>one  
|>|> user for the whole day.  
|>|>  
|>|> Damn it would be nice to just have a product that simply worked  
|>properly  
|>|>out  
|>|> of the box lol.  
|>|>  
|>|> ""Crina Li"" wrote:  
|>|>  
|>|> > Hi Glen,  
|>|> >  
|>|> > Thank you for posting in SBS newsgroup.  
|>|> >  
|>|> > Q1: Everytime the server reboots, I get an alert the next morning  
|>|> > saying  
|>|> > the Exchange MTA stacks, SQL server etc failed to start. But when  
I  
|>|> >check

## Re: Some Questions

|>|> they are started.  
|>|>  
|>|> A: To narrow down the problem, would you please help me confirm  
the  
|>|> following information?  
|>|>  
|>|> 1. Can Exchange and SQL work normally?  
|>|> 2. Have you installed ArcServe Backup agent?  
|>|> 3. Can you describe the detailed error message you have received  
or  
|>can  
|>|>you  
|>|> attach a screen shot to newsgroup?  
|>|> 4. Are there any related error messages in Event Log?  
|>|>  
|>|> Q2: I too regularly get errors in the report about pop3  
downloader  
|>|>having  
|>|> issues, I take it there is a known issue with this? I will  
shortly  
|>be  
|>|> taking it's job from it and directing everything to the server  
|>instead  
|>|>but  
|>|> I'm still curious.  
|>|>  
|>|> A: Would you please tell me the detailed error message regarding  
|>pop3  
|>|> downloader and are you using POP3 Connector to receive email?  
|>|>  
|>|> Q3: When I put in the outside domain name yyyy.com into MSIE, I  
get  
|>a  
|>|>box  
|>|> requesting a username and password and nothing works, however the  
|>|>external  
|>|> interface works fine on machines not on our internet connection,  
|>|>anyone  
|>|>the  
|>|> internal side has to use the internal name. What is the story  
here?  
|>I  
|>|>would  
|>|> prefer if theres nothing against it to have a standard name for  
in  
|>and  
|>|>out.  
|>|>  
|>|> A: We recommend you access SBS server using server name from  
|>|>internal  
|>|> client and access SBS using public FQDN from internet. If you

## Re: Some Questions

access

|> >SBS

|> > > server using FQDN from internal user, the request may be a loop and

|> it

|> >also

|> > > may affect server performance.

|> > >

|> > > Q4: Has anyone got an internal ADSL modem to work happily in place

|> of a

|> >2nd

|> > > NIC?

|> > >

|> > > A: For one Nic, you need to configure on SBS server and client

|> computer

|> >as

|> > > following:

|> > >

|> > > On SBS server:

|> > >

|> > > IP: Fixed IP

|> > > Gateway: Router

|> > > DNS: SBS INTERNAL NIC IP as the only entry

|> > >

|> > > In the DNS console (dnsmgmt.msc), right click your ServerName and

|> click

|> > > properties. In the Forwarders tab, your ISP DNS server IP should be

|> > > inputted there.

|> > >

|> > > On workstation:

|> > >

|> > > IP: Assigned by DHCP on router

|> > > Gateway: Router

|> > > DNS: SBS INTERNAL NIC IP as the only entry

|> > >

|> > > To make sure you have configured SBS with one NIC correctly, you can

|> >refer

|> > > to the following KB article:

|> > >

|> > > 825763 How to configure Internet access in Windows Small Business

|> >Server

|> > > 2003

|> > > <http://support.microsoft.com/?id=825763>

|> > >

|> > > Q5: Is there any suggested length of time for a server to reboot?

I

|> ask

|> >as

Re: Some Questions

|>|> I have once or twice had to reboot in the last two months.

|>|>

|>|> A: Normally the server will need to be rebooted after installing

|>|>Security

|>|> Update.

|>|>

|>|> Q6: Where is some good literature on settings/admin for SBS2003  
on

|>the

|>|> internet? I would like to learn more of the nitty than skimming

|>|>across

|>|>the

|>|> top of an OS all the time.

|>|>

|>|> A: For the question 6, the following is a list about useful  
resource

|>|>for

|>|> SBS 2K3:

|>|>

|>|> <http://www.microsoft.com/windowsserver2003/sbs/default.aspx>

|>|>

|>|> Frequently Asked Questions About Windows Small Business Server  
2003

|>|> Licensing

|>|>

|>

|

<http://www.microsoft.com/WindowsServer2003/sbs/techinfo/overview/licensing>

f

|>a

|>|> q.mspx

|>|>

|>|> 296052 How to determine the number of client access licenses that

|>|>are

|>|> installed

|>|> <http://support.microsoft.com/?id=296052>

|>|>

|>|> Frequently Asked Questions About Windows Small Business Server  
2003

|>|>

|>

|

<http://www.microsoft.com/windowsserver2003/sbs/techinfo/overview/generalfa>

q

|

.