

Re: SBS 2003: Archive bit not set after changing file

Source:

<http://www.tech-archive.net/Archive/Windows/microsoft.public.windows.server.sbs/2006-10/msg04452.html>

- *From:* v-criminal@xxxxxxxxxxxxxxxxxxxxxxxx ("Crina Li")
 - *Date:* Mon, 23 Oct 2006 10:03:12 GMT
-

Dear Customer,

Thanks for your update.

As I know, the archive bit should be set regardless if this is the server console or client mapping.

To isolate the problem, would you please help me collect the following information?

1. Is the archive bit correctly set from every client workstation?
2. Does this issue occur if it maps the drive from another machine?
3. How you modified the file?

Thanks for your time and I look forward to hearing from you.

Best regards,

Crina Li (MSFT)

Microsoft CSS Online Newsgroup Support

Get Secure! – www.microsoft.com/security

=====
This newsgroup only focuses on SBS technical issues. If you have issues regarding other Microsoft products, you'd better post in the corresponding newsgroups so that they can be resolved in an efficient and timely manner.

You can locate the newsgroup here:

<http://www.microsoft.com/communities/newsgroups/en-us/default.aspx>

When opening a new thread via the web interface, we recommend you check the "Notify me of replies" box to receive e-mail notifications when there are any updates in your thread. When responding to posts via your newsreader, please "Reply to Group" so that others may learn and benefit from your issue.

Re: SBS 2003: Archive bit not set after changing file

Microsoft engineers can only focus on one issue per thread. Although we provide other information for your reference, we recommend you post different incidents in different threads to keep the thread clean. In doing so, it will ensure your issues are resolved in a timely manner.

For urgent issues, you may want to contact Microsoft CSS directly. Please check <http://support.microsoft.com> for regional support phone numbers.

Any input or comments in this thread are highly appreciated.

This posting is provided "AS IS" with no warranties, and confers no rights.

| From: "Uli" <UKnecht@xxxxxxxx>
| Newsgroups: microsoft.public.windows.server.sbs
| Subject: Re: SBS 2003: Archive bit not set after changing file
| Date: 20 Oct 2006 00:57:09 -0700
| Organization: <http://groups.google.com>
| Lines: 142
| Message-ID: <1161331029.062768.106560@xxxxxxxxxxxxxxxxxxxxxxxxxxxx>
| References: <1161074830.782547.19620@xxxxxxxxxxxxxxxxxxxxxxxxxxxx>
| <PtjNVCp8GHA.3352@xxxxxxxxxxxxxxxxxxxxxxxx>
| NNTP-Posting-Host: 213.151.87.104
| Mime-Version: 1.0
| Content-Type: text/plain; charset="iso-8859-1"
| X-Trace: posting.google.com 1161331035 8701 127.0.0.1 (20 Oct 2006
07:57:15 GMT)
| X-Complaints-To: groups-abuse@xxxxxxxx
| NNTP-Posting-Date: Fri, 20 Oct 2006 07:57:15 +0000 (UTC)
| In-Reply-To: <PtjNVCp8GHA.3352@xxxxxxxxxxxxxxxxxxxxxxxx>
| User-Agent: G2/1.0
| X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; de;
rv:1.8.0.7) Gecko/20060909 Firefox/1.5.0.7,gzip(gfe),gzip(gfe)
| X-HTTP-Via: 1.1 DSSERVER
| Complaints-To: groups-abuse@xxxxxxxx
| Injection-Info: m73g2000cwd.googlegroups.com; posting-host=213.151.87.104;
| posting-account=U1CtQQ0AAAD5lk38WfU2XRvnkyokLNDq
| Path:
TK2MSFTNGXA01.phx.gbl!TK2MSFTNGP01.phx.gbl!TK2MSFTFEEDS01.phx.gbl!news-out.c
wix.com!newsfeed.cwix.com!newscon02.news.prodigy.net!prodigy.net!border1.nnt
p.dca.giganews.com!nntp.giganews.com!postnews.google.com!m73g2000cwd.googleg
roups.com!not-for-mail
| Xref: TK2MSFTNGXA01.phx.gbl microsoft.public.windows.server.sbs:306543
| X-Tomcat-NG: microsoft.public.windows.server.sbs
|
| Hi Crine
|
| Thanks and sorry for the delay in answering! I am using a local (Client
| based) backup up program (robocopy with the /m attribute) to backup
| files on a network drive (from our server) to my local client. As I

Re: SBS 2003: Archive bit not set after changing file

Re: SBS 2003: Archive bit not set after changing file

| want backup only changed files (to reduce network load) I need the
| archive bit to indicate, if the file has been changed.

|
| Now I found out, that if I change a file on the network drive from my
| client computer, the archive bit is not set, so the file will not be
| copied. If I use the server console to change the file, the archive bit
| is set.

| That's the problem – why this behaviour?

| Uli

| PS: I am leavin for holiday tomorrow for one week, no hurry nedeed, but
| I would appreciate any answer.

|
| program
| "Crina Li" schrieb:

| > Dear Customer,

| >

| > Thank you for posting in SBS newsgroup.

| >

| > Basically, the archive attribute is used to mark if the file has been
| > backed up. This attribute will be cleared if you performed a Normal
| backup

| > or an Incremental backup on the file.

| >

| > The Backup Runner is used to initiate the NTbackup, parse the NTBackup
| log,

| > and report results back to the SBS Server Management Console. Based on
| my

| > test, NTBACKUP will reset the ARCHIVE bit by default. If you want to
| > prevent resetting, we can change the Backup Type from Normal to Copy.

To do

| > so:

| >

| > 1. Go to Start -> Run "ntbackup" (without quotation marks).

| > 2. On the Backup tab, select the files/folders you want to backup. Click
| > Start Backup button.

| > 3. Click Advanced.

| > 4. Now in the Advanced Backup Options, you can select Backup Type. By
| > default, NTBACKUP uses Normal.

| >

| > There are five Backup Types:

| >

| > 1. Normal: Backs up selected files, and marks each file as backed up.

| > 2. Copy: Backs up selected files, but does not mark any as backed up.

| > 3. Incremental: Backs up selected files only if they were created or

Re: SBS 2003: Archive bit not set after changing file

|> modified since the previous backup.
|> 4. Differential: Backs up selected files only if they were created or
|> modified since the previous backup. But does not mark them as backed up.
|> 5. Daily: Backs up only files that were created or modified today.
|>
|> For your issue, you said "on files stored on the server (with drive
mapped
|> to my client), the archive bit is not set after changing the file's
|> content. On my local files (XP SP2) it works fine", can you help me
|> describe the detailed situation?
|>
|> I appreciate your time and look forward to hearing from you.
|>
|> Best regards,
|>
|> Crina Li (MSFT)
|>
|> Microsoft CSS Online Newsgroup Support
|>
|> Get Secure! – www.microsoft.com/security
|>
|> =====
|> This newsgroup only focuses on SBS technical issues. If you have issues
|> regarding other Microsoft products, you'd better post in the
corresponding
|> newsgroups so that they can be resolved in an efficient and timely
manner.
|> You can locate the newsgroup here:
|> <http://www.microsoft.com/communities/newsgroups/en-us/default.aspx>
|>
|> When opening a new thread via the web interface, we recommend you check
the
|> "Notify me of replies" box to receive e-mail notifications when there
are
|> any updates in your thread. When responding to posts via your
newsreader,
|> please "Reply to Group" so that others may learn and benefit from your
|> issue.
|>
|> Microsoft engineers can only focus on one issue per thread. Although we
|> provide other information for your reference, we recommend you post
|> different incidents in different threads to keep the thread clean. In
doing
|> so, it will ensure your issues are resolved in a timely manner.
|>
|> For urgent issues, you may want to contact Microsoft CSS directly.
Please
|> check <http://support.microsoft.com> for regional support phone numbers.
|>
|> Any input or comments in this thread are highly appreciated.
|>

Re: SBS 2003: Archive bit not set after changing file

|> =====
|>
|> This posting is provided "AS IS" with no warranties, and confers no
rights.
|> -----
|> | From: "Uli" <UKnecht@xxxxxxxx>
|> | Newsgroups: microsoft.public.windows.server.sbs
|> | Subject: SBS 2003: Archive bit not set after changing file
|> | Date: 17 Oct 2006 01:47:10 -0700
|> | Organization: <http://groups.google.com>
|> | Lines: 13
|> | Message-ID: <1161074830.782547.19620@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx>
|> | NNTP-Posting-Host: 213.151.87.104
|> | Mime-Version: 1.0
|> | Content-Type: text/plain; charset="iso-8859-1"
|> | X-Trace: posting.google.com 1161074835 7856 127.0.0.1 (17 Oct 2006
|> 08:47:15 GMT)
|> | X-Complaints-To: groups-abuse@xxxxxxxx
|> | NNTP-Posting-Date: Tue, 17 Oct 2006 08:47:15 +0000 (UTC)
|> | User-Agent: G2/1.0
|> | X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; de;
|> rv:1.8.0.7) Gecko/20060909 Firefox/1.5.0.7,gzip(gfe),gzip(gfe)
|> | X-HTTP-Via: 1.1 DSSERVER
|> | Complaints-To: groups-abuse@xxxxxxxx
|> | Injection-Info: h48g2000cwc.googlegroups.com;
posting-host=213.151.87.104;
|> | posting-account=U1CtQQ0AAAD5lk38WfU2XRvnkyokLNDq
|> | Path:
|>
TK2MSFTNGXA01.phx.gbl!TK2MSFTNGP01.phx.gbl!TK2MSFTFEEDS02.phx.gbl!msrtrans!m
|>
srn-in!newshub.sdsu.edu!postnews.google.com!h48g2000cwc.googlegroups.com!not
|> -for-mail
|> | Xref: TK2MSFTNGXA01.phx.gbl microsoft.public.windows.server.sbs:305554
|> | X-Tomcat-NG: microsoft.public.windows.server.sbs
|> |
|> | Ho together
|> |
|> | I didn't find a solution here! We have a SBS 2003 and I realized, that
|> | on files stored on the server (with drive mapped to my client), the
|> | archive bit is not set after changing the file's content. On my local
|> | files (XP SP2) it works fine.
|> |
|> | What can I do?
|> |
|> | Regs + thanks
|> |
|> | Uli
|> |
|> |
|

Re: SBS 2003: Archive bit not set after changing file

|

.